



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Acura ATF-Z1
Aisin Warner AW-1
Aisin Warner AW-2
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS)
Allison C-3 & C-4 Allison TES-389
American Motors ATF +3 (MS7176-E)
ATF RED 1, RED 1K
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
Audi Multitronic
Audi/VW 052 055
Audi/VW G 052 025-A2
Audi/VW G 052 162-A1/A2 (ZF Lifeguardfluid 5)
Audi/VW G 052 990
Audi/VW G 053 025-A2
Audi/VW G 055 005-A/A1/A2 (ZF Lifeguardfluid 6)
Audi/VW G 055 025 A2 (JWS 3309)
Audi/VW G 055 540-A2
Audi/VW G 060 162 (ZF Lifeguardfluid 8)
Bentley PY112995PA
BMW 3.0 and 3+
BMW 7045E
BMW 83 22 9 407 765
BMW 83 222 152 426
BMW 83 222 289 720
BMW ATF 6
BMW ETL-8072B
BMW JWS 3309 (T-IV)
BMW LA2634
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
BMW Mini Cooper EZL 799/ 83 22 0 136 376/ 83 22 0 429 154
BMW ZF 5HP18FL, 5HP24, 5HP30
BMW ZF Lifeguardfluid 6
BMW ZF Lifeguardfluid 8
Bosch TE-ML 09
CAT TO-2
Chery CVT
Chrysler ATF+, +2, +3 (MS 7176E)
Chrysler/Dodge MOPAR AS 68 RC (T-IV), JWS 3309
Chrysler/Dodge/Jeep 05127382AA
Chrysler/Dodge/Jeep 68043742AA
Chrysler/Dodge/Jeep 68157995AA
Citroen PSA Standard 9735EF
Daewoo LT 71141
Daihatsu AMMIX ATF D-II
Daihatsu AMMIX ATF D-III SP

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Daihatsu AMMIX CVT Fluid DC
Daihatsu AMMIX CVT Fluid DFC
Daihatsu AMMIX CVTF DFE
Daihatsu Fluid TC Dodge/Jeep/Chrysler NS-2
Dodge/Chrysler/Jeep/Mopar CVT+4
Esso LT 71141
FIAT T-IV type, JWS 3309
Fiat Tutela Car CVT N.G
Ford Escape Hybrid with eCVT
Ford ESP-M2C166H, XL-12
Ford FNR5
Ford MERCON®
Ford MERCON® SP (XTG-QSP & -DSP)
Ford ST-9-QMMF5
Ford WSD-M2C-199A
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
Ford XT-2-QDX (M)
Ford XT-2-QSM (Syn)
Ford XT-5-QM (V)
Ford XT-6-QSP or -DSP (SP)
Fujjyuuko i-CVTF FG
Fuso ATF-A4
Fuso ATF-II
Fuso ATF-SPIII
GM 1940700
GM 1940767
GM 21005966
GM 22717466
GM 88900925
GM 93160393
GM 9985010 / 9985835
GM 9986195
GM Autotrak II
GM DEXRON®-II
GM DEXRON®-IID
GM DEXRON®-IIE
GM DEXRON®-IIIG
GM DEXRON®-IIIH
GM HP CVT
GM TASA
GM VT40
GM/GMC Opel/Saturn 88863400
GM/GMC Opel/Saturn 88863401
GM/GMC Opel/Saturn AW-1
GM/Saturn CVTF I-Green2

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

GM/Saturn DEX-CVT,
GM1940713 and 1940714
GM9986195 (Aisin AW, JWS 3309)
Hino Blue ribbon ATF
Honda ATF-Z1
Honda CVT (not for use in any Honda with starting clutch)
Honda DW-1
Honda e:HEV
Honda HCF2
Honda iMMD Jatco JR712E
Honda Multimatic HMMF (without starting clutch)
Honda Type 3.0 and 3.1
Honda Z-1 (CVT model, without starting clutch)
Hyundai SP-II M
Hyundai/Kia 040000C90SG
Hyundai/Kia CVT-1
Hyundai/Kia Dex-II/ SP-II
Hyundai/Kia JWS 3314
Hyundai/Kia NWS 9638
Hyundai/Kia SP III (CVT model)
Hyundai/Kia SPH-IV
Hyundai/Kia SP-III
Hyundai/Kia SP-IV
Hyundai/Kia SP-IV M
Hyundai/Kia SP-IV-RR
Idemitsu CVTF-EX1
Idemitsu K17 3100 PL085
ISUZU 08200-9001
ISUZU ATF WSI
ISUZU BESCO ATF-II
ISUZU BESCO ATF-III
ISUZU BESCO ATF-SP
ISUZU SCS Fluid
Jaguar ATF 3403 JLM20238,
Jaguar ATF 3403 M115, ATF 3403-M115, J
Jaguar ATF LT71141, ZF 5HP24
Jaguar Fluid 8432
Jaguar JLM 20292
JASO M315-2013 1A
JASO M315-2013 1A-LV
JASO M315-2013 2A
Jatco CVT 8 Hybrid
JEEP ATF+3
KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
Land Rover LR0022460

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Land Rover LR023288
Land Rover TYK500050
Lexus Fluid TC, Fluid FE
Lexus JWS 3309
Maserati 231603
MAZDA ATF 3317
Mazda ATF A7
Mazda ATF D-II
Mazda ATF F-1
Mazda ATF FZ
Mazda ATF M-III
Mazda ATF M-V
Mazda ATF N-1
Mazda ATF S-1
Mazda JWS 3320
Mazda SKYACTIVE-HYBRID
MG Rover EM-CVT
Mini Cooper EZL/EZL 799A.
MINI COOPER T-IV
Mitsubishi (Diaqueen) SP-III (CVT model only)
Mitsubishi CVTF ECO J4
Mitsubishi CVTF-J1 (MMC Diaqueen CVT Fluid J1)
Mitsubishi CVTF-J4 and -J4+ (MMC Diaqueen CVT Fluid J4 and J4+)
Mitsubishi Diaqueen ATF PA
Mitsubishi Diaqueen ATF-MA1
Mitsubishi Diaqueen AW
Mitsubishi Diaqueen J2
Mitsubishi Diaqueen J3
Mitsubishi Diaqueen SK
Mitsubishi Diaqueen SP
Mitsubishi Diaqueen SP-II
Mitsubishi Diaqueen SP-III
Mitsubishi Diaqueen SP-IV
NAG 1 (Chrysler, Jeep, Cherokee)
Nissan Altima Hybrid
Nissan ePower
Nissan Matic Fluid C
Nissan Matic Fluid D
Nissan Matic Fluid J
Nissan Matic Fluid K
Nissan Matic Fluid P
Nissan Matic Fluid S
Nissan Matic Fluid W
Nissan N-CVT
Nissan NS-1

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Nissan NS-1, -2, -3
Nissan NS-2
Nissan NS-2V
Nissan NS-3
Opel/GM 19 40 700
Opel/GM 19 40 767
Opel/GM 21005966 Transaxle
Opel/GM 22 17466
Opel/GM 88900925
Opel/GM 9986195
Opel/Vauxhall 7-speed CVT, 95529854
Peugeot PSA Standard 9735EF Punch CVT (without starting clutch)
Peugeot/Citroen Z 000169756
Peugot ZF 4HP20
Porsche 000 043 205 09
Porsche 000 043 205 28
Porsche 999 917 547 00 (A2)
Porsche ATF 3403-M115,
Porsche T-IV (JWS 3309)
Porsche Z 000169756
PSA 16 350 560 80,
PSA B71 2340
Renault DPO/AL4
Renault Elf Matic CVT
Renault Matic D2
Renault Samsung SATF-D
Saab 93 160 393
Saab 93 165 147
Saab T-IV (JWS 3309)
Saturn T-IV (JWS 3309)
Scion (all vehicles)
Service-fill 9 & 10 speed step-Ats
Shell 134
Shell 3353
Shell Green 1V
Shell L12108
Shell M-1375.4
Ssang Yong DSIH 5M-66
Subaru ATF
Subaru ATF 5AT
Subaru ATF, ATF HP
Subaru Dexron®-II
Subaru ECVT
Subaru High Torque CVTF-LV
Subaru iCVT

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT

Complete specification list:

Subaru iCVT FG
Subaru K0140Y0700
Subaru Lineartronic chain CVT 3 Fluid
Subaru Lineartronic chain CVT and CVT II Fluid, K0425Y0710 & K0425Y0711
Subaru Lineartronic High Torque (HT) CVT Fluid, CV-30, K0421Y0700
Subaru Opel Original ATF 09117946/93160393
Suzuki AT OIL 5D06
Suzuki ATF 2326
Suzuki ATF 2384K
Suzuki ATF 3314
Suzuki ATF 3317
Suzuki ATF AW-1
Suzuki CVT Green 1 & 2
Suzuki CVT Green 1V
Suzuki CVTF 3320
Suzuki CVTF 4401
Suzuki CVTF TC
Suzuki JWS 3309
Suzuki NS-2
Tesla Model S and Model 3
Texaco 7045-E
Texaco 8072B
Texaco N402
Toyota ATF D-II
Toyota ATF D-III
Toyota ATF T-III
Toyota ATF T-IV
Toyota ATF Type T
Toyota ATF WS
Toyota CVTF FE
Toyota CVTF TC
Toyota Noah, Voxy e
Toyota Prius
Toyota THS 5th Gen.
Toyota THSII
Vickers M2950-S, I-286-S
Voith Svc Bltn #013 and #118
Volvo 97325
Volvo 97335
Volvo CE 97340
Volvo CE 97341
Volvo CVT 4959
Volvo PN 1161521
Volvo PN 1161540/1161640
VW 5 HP (ZF 5 HP 30)

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.



E113668 Eurol Transfluid ATF-CVT Complete specification list:

VW 5HP (18FL, 30)
VW 5HP (19FL, 24A)
VW G 052 025-A2
VW G 052 055
VW G 052 162-A1/A2 (ZF Lifeguardfluid 5)
VW G 052 990
VW G 053 001
VW G 053 025-A2
VW G 055 005-A/A1/A2 (ZF Lifeguardfluid 6)
VW G 055 025 A2 (JWS 3309)
VW G 055 540-A2
VW G 060 162 (ZF Lifeguardfluid 8)
VW G US 000 162
VW G-053 162 A1 (ZF Lifeguardfluid 5)
VW TL 521 62
VW/Audi TL 521 80 (G 052 180)
VW/Audi TL 525 16 (G 052 516)
ZF 3, 4, & 6 speed transmissions
ZF 8 speed transmissions
ZF 9AT
ZF CVT V1
ZF TE-ML 05L
ZF TE-ML 09
ZF TE-ML 09X
ZF TE-ML 11A, 11B
ZF TE-ML 21L
Zoyote CVT

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.