



Passenger car engine oils - Fully Synthetic

Eurol PLX 5W-40

Fully synthetic oil for gasoline and diesel engines, with or without turbo

Beschreibung

Eurol PLX 5W-40 is a fully synthetic motor oil for gasoline and diesel engines in passenger cars and light duty commercial vehicles. This oil can be applied to cars equipped with catalytic converters, turbo charged engines or for direct fuel injection systems.

Eurol PLX 5W-40 quickly forms a stable lubricant film during cold cranking and offers high thermal stability under heavy duty operating conditions.

Eurol PLX 5W-40 not only offers an extremely good wear protection, but also protects against rust and corrosion, while special additives keep all parts free from dirt, sludge and deposits. Eurol PLX 5W-40 offers fuel saving properties and can be mixed with both synthetic and mineral motor oils.

Performance level

- API SN/CF
- ACEA A3/B4
- VW 502.00
- VW 505.00
- MB 229.3
- PSA B71 2296 / PSA B71 2293
- Porsche A40
- Renault RN0710
- Renault RN0700
- GM-LL-B-025
- MB 229.1

Recommended for use

- Fiat 9.55535-M2
- Fiat 9.55535-H2

Physikalische Eigenschaften

Farbe	braun	
Dichte bei 20°C	0.848 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	93.1 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	15.2 cSt	ASTM D 445
Viskositätsindex	173	ASTM D 2270
Viskosität, dynamisch (CCS)	5067 cP	ASTM D 5293
Base number	10.4 mg	ASTM D 2896
Sulfatasche	1.32 wt%	ASTM D 874
Flammpunkt	200 °C	ASTM D 93
Stockpunkt	-42 °C	ASTM D 97

Artikelnummer E100053
Version 2.1, 18-09-2020

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.