



Passenger car engine oils - mid SAPS

Eurol Ultrance ST 0W-20

Fuel economy, fully synthetic engine oil for diesel and petrol engines

Beschreibung

Eurol Ultrance ST 0W-20 is tailor-made for engines in Peugeot, Opel/Vauxhall, and Citroen, aligning with the PSA B71 2010 recommendation. It's also compatible with engines that demand ACEA C5 performance.

This engine oil is a low viscosity oil, enhancing fuel efficiency while ensuring robust wear protection, even during prolonged usage at elevated temperatures. It's versatile, catering to both petrol (including (T)GDI) and diesel engines, as well as those running on alternative fuels like LPG, CNG, biodiesel (B10), ethanol (E85), and even hybrid engines.

Its cleaning properties prevent deposits in the engine and turbo throughout its lifespan.

Eurol Ultrance ST 0W-20 is characterized by its shear stability, minimal evaporation, and excellent cold-start performance. It's an ideal choice for numerous Stellantis vehicles meeting Euro 6 standards and CO2 limitations.

For further guidance, refer to the manual or seek oil recommendations on our product advisor at www.eurol.com.

Performance level

- ACEA C5
- PSA B71 2010

Recommended for use

- Fiat 9.55535-DM1

Physikalische Eigenschaften

Farbe	Bernsteinfarben		
Dichte bei 20°C	0.84 kg/L	ASTM D 4052	
Viskosität, kinematisch bei 40°C	42.8 cSt	ASTM D 445	
Viskosität, kinematisch bei 100°C	8.3 cSt	ASTM D 445	
Viskositätsindex	170	ASTM D 2270	
Flammpunkt	232 °C	ASTM D 93	
Stockpunkt	-48 °C	ASTM D 97	

Artikelnummer E100182
Version 1.0, 15-12-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.