



Passenger car engine oils - Mineral

## **Eurol Supreme Classic 10W-40**

ZDDP Fortified premium mineral engine oil for classic cars

## **Beschreibung**

Eurol Supreme Classic 10W-40 is an engine oil for older and restored engines from 1950 till 1994. This oil offers improved wear protection, in particular for plain bearings used in older engines.

By using carefully selected quality base oils and high levels of traditional anti-wear additives (ZDDP), this oil extends service life of older engines (by reducing cam wear).

Eurol Supreme Classic 10W-40 offers a very good oxidation stability to avoid sludge formation at high temperatures. Deposits are prevented by an effective cleaning action.

This oil is compatible with all seal materials and suitable for engines with and without turbochargers. It provides an easy start and can be used as a year round oil for temperatures above -25 °C.

Eurol Supreme Classic 10W-40 is applicable for use in American, European and Asian engines requiring ACEA A3/B4 or API SL/SJ (or older) where a SAE grade 10W-30, 10W-40 or 15W-40 was originally recommended.

## Recommended for use

- API SJ/SL
- ACEA A3/B4
- MB 229.1

## Physikalische Eigenschaften

i nysikansene Eigensenaiten		
Farbe	braun	
Dichte bei 20°C	0.861 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	100.9 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	15.1 cSt	ASTM D 445
Viskositätsindex	157	ASTM D 2270
Viskosität, dynamisch (CCS)	4904 cP	ASTM D 5293
Base number	10.1 mg	ASTM D 2896
Sulfatasche	1.5 wt%	ASTM D 874
Zinc	0.14 wt%	
Phosphorus	0.12 wt%	
Flammpunkt	220 °C	ASTM D 93
Stockpunt	-36 °C	ASTM D 97

Artikelnummer E100256 Version 5.0, 10-09-2021