



Transmission oils - Fully Synthetic

Eurol HPX MB 75W-85 GL-5

Full synthetic transmission oil for manual gearboxes and differentials

Beschreibung

Eurol HPX MB 75W-85 GL-5 is a high-quality full synthetic transmission oil, designed for manual gearboxes and differentials where SAE 75W-85 oil with API: GL-5 specification is recommended. This oil is particularly suitable for the differentials of Mercedes-Benz vehicles, which require specifications DTFR 12B120 (MB 235.31) and MB 235.33.

Thanks to an exceptionally low pour point and high viscosity index, Eurol HPX MB 75W-85 GL-5 guarantees smooth shifting under all conditions, both at high and low temperatures. The combination of advanced additives and synthetic base oils ensures excellent stability and effective protection against wear.

Eurol HPX MB 75W-85 GL-5 is a fuel-saving transmission oil that meets the demands of modern transmission systems with synchromesh rings, providing superior performance in demanding applications.

Benefits:

- Supports smooth shifting in extreme temperatures
- Compatible with Mercedes-Benz specifications DTFR 12B120 (MB 235.31) and MB 235.33
- Fuel-saving, reduces component wear
- Promotes a long lifespan of transmission systems

For more information, consult the manual or use the product advisor at www.eurol.com for advice on the right transmission oil for your vehicle.

Performance level

- DTFR 12B120 (MB 235.31)
- MB 235.33
- API GL-5
- Arvin Meritor O-94
- SAE J2360
- DETROIT DIESEL DFS93K219.03
- Scania STO 1:0

Recommended for use

- ZF TE-ML 04G
- ZF TE-ML 07A
- ZF TE-ML 08

Physikalische Eigenschaften

Farbe	Gelb	
Dichte bei 20°C	0.853 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	70.7 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	12 cSt	ASTM D 445
Viskositätsindex	167	ASTM D 2270
Flammpunkt	200 °C	ASTM D 92
Stockpunkt	-42 °C	ASTM D 97

Artikelnummer E110607
Version 1.0, 19-09-2024

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.