



Automatic transmission fluids - Fully Synthetic

Eurol ATF 6700

Synthetic all-round low viscosity Automatic Transmission oil

Beschreibung

Eurol ATF 6700 is a synthetic automatic transmission oil, which has been especially developed for automatic gear boxes requiring low viscosity ATF.

Eurol ATF 6700 ensures easy shifting under all operating temperatures, without unnecessary friction. Because of the low pour point and the high VI, Eurol ATF 6700 can be applied in a wide temperature range.

Because of the excellent oxidation and thermal stability, Eurol ATF 6700 keeps its unique properties, so it easily meets the prescribed drain intervals.

A unique combination of synthetic base oils and state-of-the-art additives, guarantee all-round, easy shifting. The low viscosity ensures a fuel economy benefit compared to conventional viscosity ATF's.

Recommended for use

- Aisin Warner AW-1
- Bentley Oil PY112995PA
- CHRYSLER 68157995AA
- DSI H 6-SPEED TRANSMISSION (AT 3292)
- Fiat 9.55550-AV2
- Fiat 9.55550-AV5
- Ford WSS-M2C924-A
- GM Dexron VI
- Honda ATF DW-1
- HYUNDAI NWS-9638
- Hyundai SP IV, SPH-IV
- JAGUAR 02JDE26444
- Jaguar Fluid 8432
- JWS 3324 (ATF WS)
- LAND ROVER LR023288
- Land Rover TYK 500050
- M-1375.4
- Maserati 231603
- Mazda FZ
- MB 236.12
- MB 236.41
- Mercon LV
- Mercon SP
- Mitsubishi SP-IV & ATF J-2
- Nissan Matic S
- SAAB 93 165 147
- Toyota Type WS (JWS 3324)
- VW G 055 005
- VW G 055 162
- VW G 055 540
- VW G 060 162
- ZF Lifeguardfluid8

Physikalische Eigenschaften

Farbe	Bernsteinfarben	
Dichte bei 20°C	0.843 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	29.4 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	6 cSt	ASTM D 445
Viskositätsindex	156	ASTM D 2270
Flammpunkt	200 °C	ASTM D 93
Stockpunkt	-45 °C	ASTM D 97

Artikelnummer E113653
Version 1.4, 15-11-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.