



Industrial oils - Slideway oil

Eurol Slideway Oil 220

High performance lubricant for metal and plastic slideways

Beschreibung

Eurol Slideway Oil 220 is a series of new zinc free high performance oils, recommended for the lubrication of both metal, as well as plastic slideways.

Eurol Slideway Oil 220 provides excellent friction characteristics and lubricity, eliminating 'stick-slip'. Because of this, a very good surface finish can be achieved, with less production rejects.

Eurol Slideway Oil 220 has excellent demulsifying properties and will not drip, which extends the lifetime of both the slideway oil, as well as the cutting fluid. Oxidation and corrosion inhibitors keep the oil and the machine tool in a perfect condition.

Besides an excellent protection against corrosion, Eurol Slideway Oil 220 also offers a strong and stable lubricant film.

Eurol Slideway Oil 220 can also be used in hydraulic systems, as a chain oil in circulating lubrication systems and for the lubrication of conveyor belts.

Performance level

- DIN 51524/2 (HLP)
- Cincinnati Machine P-50
- GM LS-2
- DIN 51 502 CGLP

Physikalische Eigenschaften

Farbe	Bernsteinfarben	
Dichte bei 20°C	0.893 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	222.4 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	19.7 cSt	ASTM D 445
Viskositätsindex	101	ASTM D 2270
Flammpunkt	259 °C	ASTM D 93
Stockpunkt	-12 °C	ASTM D 97

Artikelnummer E121492
Version 1.1, 08-08-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.