



Coolants & screenwash - Cooling fluids

Eurol Coolant -36°C G12 EVO

Sustainable LOBRID coolant based on phosphate-silicate technology

Beschreibung

Eurol Coolant -36°C G12 Evo is an advanced coolant, specifically designed for vehicles from the VAG group, produced after 2018, requiring the VW G 12 evo TL 774-L specification. This coolant utilizes LOBRID PSi-OAT technology, enabling extended service intervals.

Thanks to the combination of phosphate and silicate inhibitors, it offers superior anti-corrosion protection. These additives create a protective layer on the aluminum components in the cooling system. Moreover, it ensures frost protection down to -36°C and contains environmentally friendly LOBRID components.

Eurol Coolant -36°C G12 Evo is compatible with VAG vehicles recommending G12+, G12++, or G13. It is a ready-to-use solution, so there is no need to add or mix water. Eurol Coolant -36°C G12 Evo is fully mixable with Eurol coolants meeting previous specifications.

This product is free from borate, nitrate, amine, and 2-ethylhexanoate and is safe for use with rubbers, plastics, metals, and their alloys.

Performance level

- PSi-OAT
- VW G12 EVO (TL 774-L)

Physikalische Eigenschaften

Farbe	Rosa	
Dichte bei 20°C	1.073 kg/L	ASTM D 4052
Flammpunkt	111 °C	ASTM D 93
Frostschutz	-36 °C	ASTM D 1177
pH-Wert	8.3	

Artikelnummer E504146
Version 1.0, 21-12-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Niederlande, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.