

## **Eurol Transmission Stop Leak**

Oil additive aimed at eliminating leakages from the transmission

## **Beschreibung**

Eurol Transmission Stop Leak is an additive developed to swell and revitalize seals and o-rings to stop leaks in automatic transmissions where ATF is used.

Eurol Transmission Stop Leak prevents further leaks in order to avoid reduced transmission oil level as well as to avoid contamination of the soil or the ground water.

Eurol Transmission Stop Leak does not contain solvents or solids and does not only swell the seals but keeps them elastic too.

Eurol Transmission Stop Leak is compatible with all mineral and synthetic transmission oils.

The 250ml bottle of Eurol Transmission Stop Leak is recommended for use in 8 to 10L of ATF (approx. 25ml/l). Do not overfill your transmission, oil should mark full on dipstick. After dosage, it is recommended to run the engine idle for at least 10 minutes in order to have this additive mixed in the oil completely.

It is not advisable to use Eurol Transmission Stop Leak if the transmission has a major oil leak. A major oil leak may be due to a cracked seal. In that case, it is advised to replace the seals that are leaking.

Users should consult the Material Safety Data Sheet of Eurol Transmission Stop Leak for information about storage and shelf life. Please ask Eurol Research & Development if any further information is required.

## Physikalische Eigenschaften

Farbe	Bernsteinfarb	
Dichte bei 20°C	0.898 kg/L	ASTM D 4052
Viskosität, kinematisch bei 40°C	78.8 cSt	ASTM D 445
Viskosität, kinematisch bei 100°C	9.8 cSt	ASTM D 445
Viskositätsindex	103	ASTM D 2270
Flammpunkt	120 °C	ASTM D 93
Stockpunt	-27 °C	ASTM D 97

Artikelnummer E802320 Version 1.0, 25-03-2016

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.

Additives - Öl