

Eurol Bediga GR-X 25W-60

Extra viscous mineral heavy-duty engine oil
Article number E100038 Version 1.0 14/04/2025

Product information

Eurol Bediga GR-X 25W-60 is an engine oil that provides optimal lubrication for older passenger cars and commercial vehicles equipped with gasoline, LPG, and diesel engines.

Eurol Bediga GR-X 25W-60 is suitable for turbo engines, multivalve technology, and engines with catalytic converters.

Eurol Bediga GR-X 25W-60 utilizes groundbreaking GR-X technology.

GR-X Technology

To stay ahead of the increasing demands on engine oils, our top researchers have taken the next step in lubricant technology. Designed in the laboratory, thoroughly tested under the most extreme conditions: the Dakar Rally, GR-X Technology ensures the best possible and long-lasting protection for your engine.

It does this by forming an almost indestructible protective layer on the metal surface, neutralizing acidic combustion by-products, encapsulating microscopic soot particles, and much more.

Read more about GR-X technology on our website.

Ensure yourself of this superior technology by checking for the recognizable green color.

Performance level

Recommended for use

API SG/CF-4

- MIL-L-2104D
- MIL-L-46152

Physical properties

Characteristic	Value/Result	ASTM Standard
Color	dark green	
Density at 20°C	0.89 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	245.7 cSt	ASTM D 445
Viscosity, kinematic at 100°C	23.8 cSt	ASTM D 445
Viscosity Index	121	ASTM D 2270
Viscosity, dynamic (CCS)	7,977 cP	ASTM D 5293
Flash Point	259 °C	ASTM D 92
Sulfated Ash	1.6 wt%	ASTM D 874
Pour point	-24 °C	ASTM D 97