



Passenger car engine oils - Fully Synthetic

Eurol Actence 5W-30

Fully synthetic long-life motor oil ACEA C4

Description

Eurol Actence 5W-30 is a fully synthetic motor oil for gasoline and diesel engines in passenger cars and light duty commercial vehicles. This oil can be applied for cars equipped with catalytic converters, turbo charged engines and for direct fuel injection systems.

Eurol Actence 5W-30 offers an extremely high protection over prolonged drain intervals. Especially recommended for Euro-4 cars for which ACEA C4 is prescribed, to prevent soot filters from blocking.

Because of this, Eurol Actence 5W-30 has low sulphated ash contents and also low levels of phosphor and sulphur (so called "low-SAPS" technology).

Eurol Actence 5W-30 not only offers an extremely good wear protection but also protects against rust and oxidation, while special additives keep the engine clean from dirt, sludge and deposits during the sometimes extremely long drain intervals.

Eurol Actence 5W-30 provides an extremely quick and stable lubricant film at the cold start and a high thermal stability under heavy duty operating conditions.

Approved

• Renault RN0720

Performance level

- ACEA C4
- MB 229.51
- MB 226.51

Physical properties

i ilyolodi proportico		
Colour	brown	
Density at 20°C	0.847 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	69.7 cSt	ASTM D 445
Viscosity, kinematic at 100°C	12.1 cSt	ASTM D 445
Viscosity Index	172	ASTM D 2270
Viscosity, dynamic (CCS)	5190 cP	ASTM D 5293
Base number	7.8 mg	ASTM D 2896
Sulphated ash	0.5 wt%	ASTM D 874
Flash point	210 °C	ASTM D 93
Pour point	-42 °C	ASTM D 97

Article number E100058 Version 3.1, 17-09-2020