



Passenger car engine oils - Fully Synthetic

# Eurol Evolence 10W-30

Fully synthetic long-life motor oil

## Description

Eurol Evolence 10W-30 is a fully synthetic engine oil, especially suitable for American and Asian petrol engines in passenger cars, SUV's, and delivery vans. This engine oil can be used in cars equipped with catalytic converters, turbo charged engines and direct injection systems where API SP(-RC) or ILSAC GF-6a is prescribed. Evolence 10W-30 is compatible with petrol fuels containing up to 85% ethanol (E85) as well as LPG and CNG.

Eurol Evolence 10W-30 provides optimum lubrication and cleaning for in particular Asian and American petrol engines from different automobile manufacturers as Ford, Chrysler, GM, Toyota, Lexus, Kia, Subaru, Mitsubishi and Honda.

Eurol Evolence 10W-30 is designed to give improved fuel economy, turbocharger protection, and emission control system compatibility. This oil offers excellent protection against wear, corrosion, sludge and deposits as soon as the engine has started up to ensure maximum engine durability.

Eurol Evolence 10W-30 minimizes the risk of LSPI (Low Speed Pre Ignition) in modern engines with GDI/and TGDI and gives ultimate protection to the timing chain against deposits and wear.

Evolence 10W-30 is backward compatible to previous API specifications as API SM, SN and SN Plus as well as ILSAC GF 4 and GF-5.

## Approved

- API SP

## Performance level

- API SP-RC
- ILSAC GF-6A

## Recommended for use

- API CF
- GM 6094-M
- Ford WSS-M2C946-A
- Chrysler MS 6395
- GM 6049-M

## Physical properties

Colour	amber	
Density at 20°C	0.846 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	59.8 cSt	ASTM D 445
Viscosity, kinematic at 100°C	10.1 cSt	ASTM D 445
Viscosity Index	157	ASTM D 2270
Viscosity, dynamic (CCS)	3370 cP	ASTM D 5293
Base number	7.2 mg	ASTM D 2896
Sulphated ash	0.72 wt%	ASTM D 874
Flash point	200 °C	ASTM D 93
Pour point	-36 °C	ASTM D 97

Article number E100132  
Version 7.0, 23-03-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, [www.eurol.com](http://www.eurol.com)

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.