

Eurol Pro Lite 20W-50 SN

Engine oil with universal applicability Article number E100162 Version 2.0 14/04/2025

Product information

Eurol Pro Lite SAE 20W-50 API SN is a motor oil with universal applicability in gasoline and diesel engines in passenger cars.

Eurol Pro Lite SAE 20W-50 API SN, with a special additive package, enables the engine to perform under all driving conditions.

Due to the formulation, the oil has a low evaporation tendency, Eurol Pro Lite SAE 20W-50 API SN offers excellent antiwear, anti-foam, and corrosion protective properties. Along with cleaning and dispersing properties, the oil keeps the engine clean.

Due to the high temperature stability, Eurol Pro Lite SAE 20W-50 API SN maintains its quality level and does not thicken during use.

Performance level

- ACEA A3/B4
- API SN/CF
- MB 229.1
- VW 501.01
- VW 505.00

Physical properties

A combination of		
Characteristic	Value/Result	ASTM Standard
Color	brown	
Density at 20°C	0.87 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	153.0 cSt	ASTM D 445
Viscosity, kinematic at 100°C	18.1 cSt	ASTM D 445
Viscosity Index	132	ASTM D 2270
Viscosity, dynamic (CCS)	5,853 cP	ASTM D 5293
Flash Point	230 °C	ASTM D 92
Pour point	-30 °C	ASTM D 97