



Passenger car engine oils - Fully Synthetic

Eurol Ultrance JLR 0W-30

Fully synthetic motor oil STJLR 03.5007

Description

Eurol Ultrance JLR 0W-30 is a fully synthetic high performance oil for use in Jaguar Land Rover vehicles for which an engine oil is prescribed that meets STJLR 03.5007 specification.

Eurol Ultrance JLR 0W-30 provides an extremely stable lubricant film at the cold start and offers high thermal stability under heavy duty operating conditions. The oil is able to flow and to lubricate critical parts, preventing wear and ensuring engine protection.

Eurol Ultrance JLR 0W-30 provides maximum protection against rust and corrosion, while the used additive package keeps the engine clean and well lubricated.

Eurol Ultrance JLR 0W-30 is also suitable for use in engines where ACEA C2 or Ford WSS-M2C950-A with SAE 0W-30 are recommended.

Performance level

- Jaguar Land Rover STJLR.03.5007

Recommended for use

- ACEA C2
- Ford WSS M2C-950A

Physical properties

Colour	brown	
Density at 20°C	0.839 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	46.9 cSt	ASTM D 445
Viscosity, kinematic at 100°C	9.6 cSt	ASTM D 445
Viscosity Index	195	ASTM D 2270
Viscosity, dynamic (CCS)	5764 cP	ASTM D 5293
MRV	34800 cP	ASTM D 4684
HTHS	3 cP	CEC CL 23
Base number	7.9 mg	ASTM D 2896
Sulphated ash	0.8 wt%	ASTM D 874
Flash point	206 °C	ASTM D 93
Pour point	-48 °C	ASTM D 97

Article number E100166
Version 1.0, 05-10-2017

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.