

Eurol MTF 75W GL-4

Synthetic gear oil with fuel-saving properties

Article number E110073 Version 2.0 15/04/2025

Product information

Eurol MTF 75W GL4 is a synthetic transmission oil, suitable for final drives as well as manual transmissions.

Eurol MTF 75W GL4 is highly compatible with synchromesh and ensures smooth shifting even at low temperatures.

Eurol MTF 75W GL4 contains special friction reducers, which guarantee sustainable fuel savings and reduce heat development.

Eurol MTF 75W GL4 provides adequate lubrication at both very low and very high temperatures and offers protection against corrosion, wear, thickening, and deposits.

Eurol MTF 75W GL4 is compatible with most elastomers and sealing materials and does not foam under extreme loads.

Performance level

- API GL-4
- MIL-L-2105

Recommended for use

- Ford WSS-M2C200-D2
- MB 235.73
- VW G 052 171
- VW G 052 178
- VW G 052 512
- VW G 052 726
- VW G 055 512

Physical properties

Characteristic	Value/Result	ASTM Standard
Color	amber	
Density at 20°C	0.85 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	37.4 cSt	ASTM D 445
Viscosity, kinematic at 100°C	6.7 cSt	ASTM D 445
Viscosity Index	137	ASTM D 2270
Flash Point	233 °C	ASTM D 92
Pour point	-42 °C	ASTM D 97