

Eurol CVT 1304

Fully synthetic transmission fluid for CVT's

Description

Eurol CVT 1304 is a fully synthetic transmission oil for the lubrication of modern Continuously Variable Transmissions (CVT's).

Eurol CVT 1304 can be applied in all metal-belt, which are mentioned under Performance Level.

Eurol CVT 1304 offers optimal protection of the CVT under every condition and prevents wear at the metal-metal contact points on the belts and pulleys.

Eurol CVT 1304 protects the metal parts against wear and corrosion as well as inconvenient vibrations. Because of the special additives this oil has a durable quality, even under ongoing pressure.

Eurol CVT 1304 is formulated to prevent air entry and foam building in order to guarantee optimum lubrications.



Recommended for use

- BMW 83 22 0 136 376
- BMW 83 22 0 429 154
- Chrysler CVTF+4
- CVT EZL 799 A
- DAIHATSU AMIX CVTF-DC
- Daihatsu CVTF DFE
- Daihatsu/Suzuki TC
- DEX-CVT
- Dia Queen CVTF J1
- Dia Queen CVTF J4
- Elf Matic CVT
- EZL-799
- Ford CVT23
- Honda HCF-2
- Honda HMMF
- MB 236.20
- Mopar CVTF +4
- Nissan NS-3
- Nissan NS-2
- Nissan NS-1
- Subaru Lineartronic CVTF
- Suzuki CVT Green 1
- Suzuki CVTF Green 2
- Suzuki NS-2
- Toyota CVT FE
- Toyota CVT TC
- VW G 052 180
- VW G 052 516
- Ford WSS-M2C928-A

Physical properties

Colour	amber	
Density at 20°C	0.844 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	33.1 cSt	ASTM D 445
Viscosity, kinematic at 100°C	7 cSt	ASTM D 445
Viscosity Index	184	ASTM D 2270
Flash point	170 °C	ASTM D 93
Pour point	-42 °C	ASTM D 97

Article number E113663 Version 1.1, 18-09-2020

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.