

Eurol SX Sport 2-Stroke

Mineral 2-stroke oil for small air- and water-cooled 2-stroke engines

Article number E128400 Version 1.0 25/04/2025

Produktinformationen

Eurol SX Sport 2-Stroke is an oil for the lubrication of small air- or water-cooled two-stroke engines (up to 50 cc) with or without an injection system, such as mopeds, scooters, pumps, lawn mowers, and small generators.

Eurol SX Sport 2-Stroke is durably tested and formulated from selected base oils and additives that ensure optimal lubrication even at high temperatures and heavy loads.

Eurol SX Sport 2-Stroke prevents wear and corrosion of all vital parts and reduces exhaust smoke. Due to the low sulfate ash content, the risk of a holed piston due to pre-ignition or knocking is minimal. Eurol SX Sport 2-Stroke mixes easily with gasoline (Unleaded and Super).

Eurol SX Sport 2-Stroke Blue is a variant that is colored blue for identification in pre-mixed fuel.

It prevents spark plug fouling, deposits on pistons, carbon deposits on the intake and exhaust ports, sticking piston rings, and premature combustion.

• Mixing ratio: Under normal conditions 1:50, unless otherwise specified by the manufacturer in the instructions.

Performance level

- ISO-L- EGB
- JASO FB

Physical properties

Characteristic	Value/Result	ASTM Standard
Color	brown	
Density at 20°C	0.87 kg/l	ASTM D 4052
Viscosity, kinematic at 40 °C	67.4 cSt	ASTM D 445
Viscosity, kinematic at 100 °C	9.1 cSt	ASTM D 445
Viscosity index	111	ASTM D 2270
Flash point	117 °C	ASTM D 92
Pour point	-12 °C	ASTM D 97