



Greases

Eurol Lithium Grease EP 000

Grease for central lubrication, very good pumpability

Description

Eurol Lithium Grease EP 000 is a high performance grease with EP additives. It has been especially developed for trucks and buses, but also for applications with a central lubrication system.

Eurol Lithium Grease EP 000 is semi-fluid and has a homogeneous structure, providing a good pumpability. Moreover, it has good anti-corrosion and anti-oxidation properties.

Eurol Lithium Grease EP 000 has Extreme Pressure properties, making it suitable for high (shock) loads.

Performance level

- DIN GP000H-30
- ISO-L-XC(F)BCB000

Physical properties

Colour	yellow to	
Density at 20°C	0.9 kg/l	ASTM D 4052
Flash point	160 °C	ASTM D 93
NLGI consistency	000	
Thickener type	Lithium	
Base oil type	Mineral	
Base oil viscosity	190 cSt	ASTM D 445
4-ball weld load	260 kg	ASTM D 2596
Operating temperature	-30 – 100 °C	
Dropping point	160 °C	

Article number E901005
Version 1.0, 20-07-2016

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurol.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.