



Eurol BlueStar Grease EP 2

Especially for wheel bearings and wheel hubs of trailers and caravans

Description

Eurol BlueStar Grease EP 2 has been developed to meet the ongoing technical progress and demands in both the transport sector, as well as in the industrial sector for application in bearings and chassis components.

Eurol BlueStar Grease EP 2 is used in ball, roller, wheel and plain bearings operating under high (shock) loads or vibrations at both high (temporary up to 200 °C.) as well as low temperatures, while keeping its consistency.

Eurol BlueStar Grease EP 2 has an excellent temperature stability and a good adherence capability. In actual practice, it has been proved to be an excellent grease for wheel bearings and hubs of trailers and caravans.

Besides, Eurol BlueStar Grease EP 2 characterizes itself by good corrosion protection properties (also in the presence of water), excellent wear protection and resistance against water wash-out, resulting in a very long life-time. The grease has a good pumpability over a wide temperature range and offers an excellent oxidation stability. Chemical reaction with sealings will not occur.

Performance level

- DIN KP2N-30
- ISO-L-XCDHB 2
- NLGI GC-LB

Physical properties

Colour	Blue	
NLGI consistency	2	ASTM D 217
Thickener type	Lithium Complex	
Base oil type	Mineral	
Base oil viscosity	220 cSt	ASTM D 445
4-ball weld load	280 kg	ASTM D 2596
Operating temperature	-35 – 150 °C	
Dropping point	260 °C	IP 396

Article number E901304 Version 1.4, 07-09-2023