



# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 12-2-2014 Revision date: 15-8-2025 Supersedes: 19-7-2024 Version: 4.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Eurol Fusion 10W-40  
Product code : E100113  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Lubricant  
Function or use category : Lubricants and additives

#### 1.3. Details of the supplier of the safety data sheet

Eurol B.V.  
Energiestraat 12  
NL-7442 DA Nijverdal  
The Netherlands  
Tel: +31 548 615 165  
[reach@eurol.com](mailto:reach@eurol.com) - [www.eurol.com](http://www.eurol.com)

#### 1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 88 303 7598 (24hr/day 7days/week)

| Country/Area   | Organisation/Company   | Address                                       | Emergency number   | Comment                              |
|----------------|--|---|--|--------------------------------------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                     | PO Box 1297<br>Beaumont Road<br>9 Dublin      | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |                                      |
| Malta          | Medicines & Poisons Info Office  | Mater Dei Hospital<br>Msida<br>MSD 2090 Msida | 112<br>+356 2545 6508  |                                      |
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH                        | 0344 892 0111  | Only for healthcare<br>professionals |
| United Kingdom | NHS 111/NHS 24/NHS Direct  |   | 111<br>0845 4647   | or call a doctor                     |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

# Eurof Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

|                                |   |
|--------------------------------|---|
| Precautionary statements (CLP) | : P102 - Keep out of reach of children.   |
| EUH-statements                 | : EUH208 - Contains maleic anhydride. May produce an allergic reaction.<br>EUH210 - Safety data sheet available on request. |
| Child-resistant fastening      | : Not applicable  |
| Tactile warning                | : Not applicable  |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name  | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|--|-----------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (Note L)                       | CAS-No.: 64742-54-7<br>EC-No.: 265-157-1<br>EC Index-No.: 649-467-00-8<br>REACH-no: 01-2119484627-25 | $\geq 50$ | Asp. Tox. 1, H304  |
| Mineral Oil   | -  | 5 – 10    | Asp. Tox. 1, H304  |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts | CAS-No.: 84605-29-8<br>EC-No.: 283-392-8<br>REACH-no: 01-2119493626-26                               | 1 – 3     | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411   |
| maleic anhydride<br>substance with national workplace exposure limit(s)<br>(GB, IE)   | CAS-No.: 108-31-6<br>EC-No.: 203-571-6<br>EC Index-No.: 607-096-00-9<br>REACH-no: 01-2119472428-31   | $< 0,1$   | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>STOT RE 1, H372<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Resp. Sens. 1, H334<br>Skin Sens. 1A, H317 |

#### Specific concentration limits:

| Name  | Product identifier   | Specific concentration limits (%)  |
|---|--|--|
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts | CAS-No.: 84605-29-8<br>EC-No.: 283-392-8<br>REACH-no: 01-2119493626-26                             | (6,25 $\leq$ C < 100) Skin Irrit. 2; H315<br>(10 $\leq$ C < 12,5) Eye Irrit. 2; H319<br>(12,5 $\leq$ C < 100) Eye Dam. 1; H318 |
| maleic anhydride  | CAS-No.: 108-31-6<br>EC-No.: 203-571-6<br>EC Index-No.: 607-096-00-9<br>REACH-no: 01-2119472428-31 | (0,001 $\leq$ C $\leq$ 100) Skin Sens. 1A; H317  |

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : If you feel unwell, seek medical advice.                       |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water.                                |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                         |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.           |

#### 4.2. Most important symptoms and effects, both acute and delayed

|  |  |
|--|--|
| Symptoms/effects after inhalation                | : At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs. |
| Symptoms/effects after skin contact              | : Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis. High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.   |
| Symptoms/effects after eye contact               | : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.  |
| Symptoms/effects after ingestion                 | : Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.   |
| Symptoms/effects upon intravenous administration | : Unknown.   |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide.                                 |
| Unsuitable extinguishing media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |

#### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Fire hazard                                      | : Combustion generates: CO, CO <sub>2</sub> , PO <sub>x</sub> , NO <sub>x</sub> , SO <sub>x</sub> , H <sub>2</sub> S. Metal oxides. |
| Explosion hazard                                 | : Not expected to be a fire/explosion hazard under normal conditions of use.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.  |

#### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Precautionary measures fire    | : Do not enter fire area without proper protective equipment, including respiratory protection.   |
| Firefighting instructions      | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.                       |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.                                    |
| Other information              | : Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations. |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |  |
|------------------|--|
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.<br>Absorb spillage to prevent material damage. |
|------------------|--|

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### For non-emergency personnel

- Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.
- Emergency procedures : Ventilate spillage area.

### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep container tightly closed and in well ventilated place.
- Storage conditions : Keep cool. Protect from sunlight.
- Incompatible products : Reacts vigorously with strong oxidizers and acids.
- Maximum storage period : 5 year
- Storage temperature : ≤ 40 °C
- Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.
- Storage area : Store at ambient temperature.
- Special rules on packaging : Keep container tightly closed and dry.
- Packaging materials : Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| maleic anhydride (108-31-6)                          |  |
|--|--|
| <b>Ireland - Occupational Exposure Limits</b>        |  |
| Local name   | Maleic anhydride   |
| OEL (8 hours ref) (ppm)                              | 0,01 ppm IFV (Inhale Fraction and Vapour)  |
| Remark   | Advisory OELV (Advisory Occupational Exposure Limit Values), Sens (In the workplace, respiratory or dermal exposures to sensitising agents may occur. Sensitisers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The "sens" notation alone does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitisers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE)) |
| Regulatory reference                                 | Chemical Agents Code of Practice 2024  |
| <b>United Kingdom - Occupational Exposure Limits</b> |  |
| Local name   | Maleic anhydride   |
| WEL TWA (mg/m <sup>3</sup> )                         | 1 mg/m <sup>3</sup>  |
| WEL STEL (mg/m <sup>3</sup> )                        | 3 mg/m <sup>3</sup>  |
| Remark (WEL)   | Sen (Capable of causing occupational asthma)   |
| Regulatory reference                                 | EH40/2005 (Fourth edition, 2020). HSE  |

### DNEL and PNEC

Exposure-value for oil mist : 10 mg/m<sup>3</sup> (15 min.) or 5 mg/m<sup>3</sup> (8 hours).

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Safety glasses

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### Other skin protection

#### Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                 |  |
|---------------------------------|--|
| Physical state                  | : Liquid   |
| Colour                          | : brown.   |
| Appearance                      | : Oily. Liquid.                                    |
| Odour                           | : characteristic.                                  |
| Odour threshold                 | : Not available                                    |
| Melting point                   | : -36 °C ASTM D 97                                 |
| Freezing point                  | : Not available                                    |
| Boiling point                   | : > 280 °C   |
| Flammability (solid, gas)       | : Non flammable.                                   |
| Lower explosive limit (LEL)     | : 0,6 vol %  |
| Upper explosive limit (UEL)     | : 7 vol %  |
| Flash point                     | : 229 °C   |
| Auto-ignition temperature       | : > 240 °C   |
| Decomposition temperature       | : Not available                                    |
| pH                              | : Not available                                    |
| Viscosity, kinematic            | : 50 – 150 mm <sup>2</sup> /s at 40 °C, ASTM D 445 |
| Solubility                      | : insoluble in water.                              |
| Log Kow                         | : Not available                                    |
| Vapour Pressure 20°C            | : < 0,1 hPa  |
| Vapour pressure at 50°C         | : Not available                                    |
| Density                         | : 0,86 – 0,87 kg/l ASTM D 4052                     |
| Relative density                | : Not available                                    |
| Relative vapour density at 20°C | : > 1 (air=1)                                      |
| Particle characteristics        | : Not applicable                                   |

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosion limits : 0,6 – 7 vol %

#### Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1

VOC content : 0 %

Other properties : Gas/vapour heavier than air at 20°C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

Moisture. Overheating.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

### 10.6. Hazardous decomposition products

CO, CO<sub>2</sub>, PO<sub>x</sub>, NO<sub>x</sub>, SO<sub>x</sub>, H<sub>2</sub>S. Metallic oxides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                       |              |
|-----------------------|--------------|
| LD50 oral rat         | > 5000 mg/kg |
| LD50 dermal rat       | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 5,53 mg/l  |

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

|                       |  |
|-----------------------|--|
| LD50 oral             | 3150 mg/kg (OECD 401 method)   |
| LD50 dermal rat       | > 2002 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 2,3 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)          |

#### maleic anhydride (108-31-6)

|                    |   |
|--------------------|---|
| LD50 dermal rabbit | 2620 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|--------------------|---|

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : The mixture contains a substance with skin sensitization potential, but allergic skin reactions are not expected.  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

|                            |   |
|----------------------------|---|
| NOAEL (oral, rat, 90 days) | 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
|----------------------------|---|

#### maleic anhydride (108-31-6)

|  |   |
|--|---|
| NOAEL (oral, rat, 90 days)               | ≈ 10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)                 |
| NOAEC (inhalation, rat, vapour, 90 days) | ≈ 0,0033 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| maleic anhydride (108-31-6) |   |
|-----------------------------|---|
| STOT-repeated exposure      | Causes damage to organs (respiratory system) through prolonged or repeated exposure (inhalation). |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

| Eurol Fusion 10W-40  |  |
|----------------------|--|
| Viscosity, kinematic | 50 – 150 mm <sup>2</sup> /s at 40 °C, ASTM D 445 |

### 11.2. Information on other hazards

#### Other information

Other information : Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Ecology - water : This product floats on water and may affect the oxygen-balance in the water.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |            |
|---|------------|
| LC50 fish 1   | > 100 mg/l |
| EC50 Daphnia 1  | 10000 mg/l |
| EC50 72h - Algae [1]  | > 100 mg/l |

| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8) |   |
|--|---|
| LC50 fish 1  | 46 mg/l Test organisms (species): Cyprinodon variegatus |
| EC50 Daphnia 1   | 23 mg/l EC50 48h - Daphnia magna [mg/l]                 |
| EC50 72h - Algae [1]   | 21 mg/l   |
| ErC50 (algae)  | 21 mg/l 72h; Desmodesmus subspicatus                    |
| NOEC (acute)   | 1,8 mg/l  |
| NOEC chronic crustacea   | 0,4 mg/l  |
| NOEC chronic algae   | 10 mg/l   |

| Mineral Oil          |                                    |
|----------------------|------------------------------------|
| LC50 fish 1          | > 100 mg/l Pimephales promelas     |
| EC50 Daphnia 1       | > 10000 mg/l                       |
| EC50 72h - Algae [1] | > 100 mg/l Scenedesmus quadricauda |

| maleic anhydride (108-31-6) |  |
|-----------------------------|--|
| LC50 fish 1                 | 75 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| LC50 fish 2                 | 75 mg/l Test organisms (species): Lepomis macrochirus                                  |
| EC50 Daphnia 1              | 330 mg/l Test organisms (species): Daphnia magna                                       |

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| maleic anhydride (108-31-6) |  |
|-----------------------------|--|
| EC50 72h - Algae [1]        | > 150 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

### 12.2. Persistence and degradability

| EuroI Fusion 10W-40           |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                    |
|---|--------------------|
| Persistence and degradability                                       | Rapidly degradable |

| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8) |                          |
|--|--------------------------|
| Persistence and degradability  | Not rapidly degradable   |
| Biodegradation   | 1,5 % (OECD 301B method) |

| Mineral Oil                   |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
| Biodegradation                | 31 % OECD TG 301 B |

| maleic anhydride (108-31-6)   |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |

### 12.3. Bioaccumulative potential

| EuroI Fusion 10W-40       |   |
|---------------------------|---|
| Bioaccumulative potential | This product is not expected to bioaccumulate through food chains in the environment. |

| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8) |   |
|--|---|
| Log Pow  | 0,56 Based on the n-octanol/water partition coefficient accumulation in organisms is not expected |
| Log Kow  | 0,56 Partition coefficient n-octanol/water [log Kow]  |

| maleic anhydride (108-31-6) |       |
|-----------------------------|-------|
| Log Pow                     | -2,61 |

### 12.4. Mobility in soil

| EuroI Fusion 10W-40 |  |
|---------------------|--|
| Ecology - soil      | Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water. |

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

|  |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.  |
| Product/Packaging disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions.   |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.  |
| Waste disposal recommendations             | : Disposal must be done according to official regulations.  |
| Additional information                     | : Do not re-use empty containers.   |
| Ecology - waste materials                  | : Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point. |
| European List of Waste (LoW, EC 2000/532)  | : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils   |

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN

| ADR                                     | IMDG  | IATA                              | ADN                               |
|---|---|-----------------------------------|-----------------------------------|
| <b>14.1. UN number or ID number</b>     |   |                                   |                                   |
| Not regulated for transport             |   |                                   |                                   |
| <b>14.2. UN proper shipping name</b>    |   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    |
| <b>14.3. Transport hazard class(es)</b> |   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    |
| <b>14.4. Packing group</b>              |   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    |
| <b>14.5. Environmental hazards</b>      |   |                                   |                                   |
| Dangerous for the environment: No       | Dangerous for the environment: No<br>Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available  |   |                                   |                                   |

#### 14.6. Special precautions for user

##### Overland transport

No data available

##### Transport by sea

No data available

##### Air transport

No data available

##### Inland waterway transport

No data available

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |  |   |
|--|--|---|
| Reference code                         | Applicable on  | Entry title or description  |
| 3(b)                                   | Distillates (petroleum), hydrotreated heavy paraffinic ;<br>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts ;<br>Mineral Oil | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c)                                   | Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts  | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1   |

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### VOC Directive (2004/42)

VOC content : 0 %

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

### SECTION 16: Other information

| Indication of changes |              |          |
|-----------------------|--------------|----------|
| Section               | Changed item | Comments |
| 1.1                   | Name         | Added    |

# Eurol Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes |                            |                 |
|-----------------------|----------------------------|-----------------|
| Section               | Changed item               | Comments        |
| 2.2                   | Extra phrases              | <b>Removed</b>  |
| 16                    | Abbreviations and acronyms | <b>Modified</b> |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ACGIH                       | American Conference of Government Industrial Hygienists   |
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| CAS-No.                     | Chemical Abstract Service number  |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| COD                         | Chemical oxygen demand (COD)  |
| CSA                         | Chemical safety assessment  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| ED                          | Endocrine disruptor   |
| EN                          | European Standard   |
| EWC                         | European waste catalogue  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| Log Kow                     | Partition coefficient n-octanol/water (Log Kow)   |
| Log Pow                     | Partition coefficient n-octanol/water (Log Pow)   |
| MAK                         | maximum workplace concentration   |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| N.O.S.                      | Not Otherwise Specified   |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| OSHA                        | Occupational Safety Health Administration   |

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| PPE                         | Personal protection equipment  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| TF                          | Technical function   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| TWA                         | Time Weighted Average  |
| VOC                         | Volatile Organic Compounds   |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| UFI                         | Unique Formula Identifier  |

|                   |  |
|-------------------|--|
| Data sources      | : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents. ECHA (European Chemicals Agency).   |
| Training advice   | : Normal use of this product shall imply use in accordance with the instructions on the packaging.   |
| Other information | : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. |

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                     |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| Resp. Sens. 1                       | Respiratory sensitisation, Category 1                             |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B            |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1A                       | Skin sensitisation, category 1A                                   |
| STOT RE 1                           | Specific target organ toxicity – Repeated exposure, Category 1    |
| H302                                | Harmful if swallowed.   |
| H304                                | May be fatal if swallowed and enters airways.                     |
| H314                                | Causes severe skin burns and eye damage.                          |
| H315                                | Causes skin irritation.   |

# EuroI Fusion 10W-40

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| H317                                | May cause an allergic skin reaction.                                       |
| H318                                | Causes serious eye damage.   |
| H319                                | Causes serious eye irritation.   |
| H334                                | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H372                                | Causes damage to organs through prolonged or repeated exposure.            |
| H411                                | Toxic to aquatic life with long lasting effects.                           |
| EUH208                              | Contains maleic anhydride. May produce an allergic reaction.               |
| EUH210                              | Safety data sheet available on request.                                    |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.