

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10-7-2024 Revision date: 12-3-2025 Supersedes: 10-7-2024 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : Eurol Ultrance HMB 0W-40

Product code : E100198
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Lubricant

Function or use category : Lubricants and additives

## 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

## 1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 88 303 7598 (24hr/day 7days/week)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

EUH-statements : EUH208 - Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex,

C14-16-18 Alkyl phenol. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	35 – 50	Asp. Tox. 1, H304
Dec-1-ene, trimers, hydrogenated	CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949- 12	10 – 25	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	10 – 25	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed light paraffinic (Note L)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132-	1 – 3	Asp. Tox. 1, H304
Paraffin oils (petroleum), catalytic dewaxed heavy (Note L)	CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080-	1 – 3	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 REACH-no: 01-2119471299- 27	1 – 3	Asp. Tox. 1, H304

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	CAS-No.: 36878-20-3 EC-No.: 253-249-4 EC Index-No.: 701-385-4 REACH-no: 01-2119488911- 28	1 – 3	Aquatic Chronic 4, H413
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	0,1 – 1	Skin Sens. 1B, H317 STOT RE 2, H373
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	EC-No.: 457-320-2 REACH-no: 01-0000019337- 66	0,1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : At normal ambient temperatures this product will be unlikely to present an inhalation hazard

because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or

fumes resulting from thermal decomposition products occurs.

Symptoms/effects after skin contact : Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated

exposure may lead to dermatitis. High pressure injection of product into the skin may lead to

local necrosis if the product is not surgically removed.

Symptoms/effects after eye contact : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger

quantities may cause nausea and diarrhoea.

Symptoms/effects upon intravenous administration : Unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Symptoms/effects after ingestion

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion generates: CO, CO2, POx, NOx, SOx, H2S. Metallic oxides. Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

12-3-2025 (Revision date) EN (English) 3/14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous decomposition products in case of fire Toxic fumes may be released.

## 5.3. Advice for firefighters

Precautionary measures fire Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information Prevent fire fighting water from entering the environment. Sweep up and remove to a

suitable, clearly marked container for disposal in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of

splashing) then chemical resistant aprons and/or impervious chemical suits and boots will

be required. Use protective clothing.

: Ventilate spillage area. **Emergency procedures** 

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** Evacuate unnecessary personnel. Stop leak if safe to do so.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Take up liquid spill into absorbent material. Methods for cleaning up

Other information Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous.

> Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and

promptly returned to a drum reconditioner or disposed of properly.

Precautions for safe handling Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures

Do no eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and in well ventilated place.

Storage conditions : Keep only in original container.

Incompatible products : Reacts vigorously with strong oxidizers and acids.

Maximum storage period

12-3-2025 (Revision date) EN (English) 4/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage temperature : ≤ 40 °C

Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.

Storage area : Store at ambient temperature.

Special rules on packaging : Keep container tightly closed and dry.

Packaging materials : Store always product in container of same material as original container.

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL and PNEC**

Exposure-value for oil mist : 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.

## Personal protective equipment symbol(s):







## Eye and face protection

## Eye protection:

Safety glasses

#### **Skin protection**

## Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves

## Other skin protection

## Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

## **Respiratory protection**

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

## Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

## Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid : brown. Colour Oily. Liquid. **Appearance** Odour : characteristic. Odour threshold : Not available Melting point : -45 °C ASTM D 97 Freezing point : Not available Boiling point : > 280 °C Flammability (solid, gas) : Non flammable. : 0,6 vol % Lower explosive limit (LEL) : 7 vol % Upper explosive limit (UEL)

Flash point : 230 °C ASTM D 92

Auto-ignition temperature : > 240 °C

Decomposition temperature : Not available
pH : Not available

Viscosity, kinematic : 60 – 80 mm²/s at 40 °C, ASTM D 445

Solubility : insoluble in water.

Log Kow : Not available

Vapour Pressure 20°C : < 0,1 hPa

Vapour pressure at 50°C : Not available

Density : 0,835 – 0,845 kg/l ASTM D 4052

Relative density : Not available
Relative vapour density at 20°C : > 1 (air=1)
Particle characteristics : Not applicable

#### 9.2. Other information

# Information with regard to physical hazard classes

Explosion limits : 0.6 - 7 vol %

Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1 VOC content : 0 %

Other properties : Gas/vapour heavier than air at 20°C

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Stable under normal conditions of use.

# 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

# 10.4. Conditions to avoid

Moisture. Overheating.

## 10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

# 10.6. Hazardous decomposition products

CO, CO2, POx, NOx, SOx, H2S. Metallic oxides.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 11: Toxicological information

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)				
Acute toxicity (dermal)  Not classified (Based on available data, the classification criteria are not met)  Not classified (Based on available data, the classification criteria are not met)  Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)  LD50 cral rat  > 5000 mg/kg  LC50 Inhalation - Rat  > 5,53 mg/l  Dec-1-ene, trimers, hydrogenated (157707-86-3)  LD50 cral rat  > 5000 mg/kg  > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LC50 Inhalation - Rat (Dust/Mist)  > 5,2 mg/Mh  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LD50 oral rat  > 5000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl- with none (branched) (36878-20-3)  LD50 oral rat  > 5000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl- with none (branched) (36878-20-3)  LD50 oral rat  > 5000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:  Molybdenum polysulphide long chain alkyl dithiocarbamate complex  LD50 oral rat  2000 mg/kg  LD50 dermal rat  Solicity or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classific	11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008		
LD50 oral rat	cute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)			
LD50 dermal rat  > 2000 mg/kg  > 5.53 mg/l  Dec-1-ene, trimers, hydrogenated (157707-86-3)  LD50 oral rat  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rat  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 inhalation - Rat (Dust/Mist)  > 5.2 mg/l4h  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LD50 oral rat  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl-with nonene (branched) (36878-20-3)  LD50 oral rat  > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl-with nonene (branched) (36878-20-3)  LD50 oral rat  > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:  Molybdenum polysulphide long chain alkyl dithiocarbamate complex  LD50 oral rat  2000 mg/kg  LD50 dermal rat  2000 mg/kg  LD50 dermal rat  2000 mg/kg  Skin corrosion/irritation  Not classified (Based on available data, the classification criteria are not met)  Skin corrosion/irritation  Not classified (Based on available data, the classification criteria are not met)  Skin corrosion/irritation  Not classified (Based on available data, the classification criteria are not met)  Not classified (Based on available data, the classification criteria are not met)  Not classified (Based on available data, the classification criteria are not met)  Stort-repeated exposure  Not classified (Based on available data, the classification criteria are not met)  Stort-repeated exposure  Not classified (Based on available data, the classification criteria are not met)  Stort-repeated exposure  Not classified (Based on available data, the classification criteria are not met)  Stort-repeated exposure  Not classified (Based on available data, the classification criteria are not met)	Distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)		
LC50 Inhalation - Rat    So,53 mg/l	LD50 oral rat	> 5000 mg/kg		
Dec-1-ene, trimers, hydrogenated (157707-86-3)  LD50 oral rat   > 5000 mg/kg    LD50 dermal rat   > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LC50 Inhalation - Rat (Dust/Mist)   > 5.2 mg/l/4h  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LD50 oral rat   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)  LD50 oral rat   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Molybdenum polysulphide long chain alkyl dithiocarbamate complex  LD50 oral rat   2000 mg/kg  LD50 dermal rat   2000	LD50 dermal rat	> 2000 mg/kg		
LD50 oral rat    S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   C50 Inhalation - Rat (Dust/Mist)   S.2 mg/Wh   Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)   LD50 oral rat   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   C500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) (Acu	LC50 Inhalation - Rat	> 5,53 mg/l		
Substitution	Dec-1-ene, trimers, hydrogenated (157707-86	5-3)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LD50 oral rat	LD50 oral rat	> 5000 mg/kg		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LD50 oral rat   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)  LD50 oral rat   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:  Molybdenum polysulphide long chain alkyl dithiocarbamate complex  LD50 oral rat   2000 mg/kg   LD50 dermal rat   2000 mg/kg   Skin corrosion/fritation   : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation   : Not classified (Based on available data, the classification criteria are not met) Respiratory or skin sensitisation   : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity   : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity   : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure   : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure   : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure   : Not classified (Based on available data, the classification criteria are not met) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1) LOAEL (oral, rat, 90 days)   125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   29 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Based on available data, the classif	LD50 dermal rat			
LD50 oral rat   S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	LC50 Inhalation - Rat (Dust/Mist)	> 5,2 mg/l/4h		
Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)  LD50 oral rat   > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:  Molybdenum polysulphide long chain alkyl dithiocarbamate complex  LD50 oral rat   2000 mg/kg  LD50 dermal rat   2000 mg/kg  Skin corrosion/irritation   Not classified (Based on available data, the classification criteria are not met)  Serious eye damage/irritation   Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation   Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity   Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity   Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity   Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure   Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure   Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure   Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)   125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   20,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard   Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic   60 - 80 mm²/s at 40 °C	Lubricating oils (petroleum), C20-50, hydrotr	eated neutral oil-based; Baseoil— unspecified (72623-87-1)		
LD50 oral rat	LD50 oral rat	,		
Toxicity), Remarks on results: other:	Reaction products of Benzeneamine, N-pher	yl- with nonene (branched) (36878-20-3)		
LD50 oral rat  LD50 dermal rat  2000 mg/kg  2000 ml/kg  Skin corrosion/irritation  : Not classified (Based on available data, the classification criteria are not met)  Serious eye damage/irritation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity  : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity  : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity  : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  > 0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic  60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	LD50 oral rat			
LD50 dermal rat  2000 ml/kg  Skin corrosion/irritation  : Not classified (Based on available data, the classification criteria are not met)  Serious eye damage/irritation  : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation  : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity  : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity  : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity  : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  20,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic  60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	Molybdenum polysulphide long chain alkyl o	lithiocarbamate complex		
Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days) (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 2-0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic 60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	LD50 oral rat	2000 mg/kg		
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	LD50 dermal rat	2000 ml/kg		
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Serious eye damage/irritation :	•		
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Carcinogenicity :	Not classified (Based on available data, the classification criteria are not met)		
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)	Reproductive toxicity :	,		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)  LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  > 0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard: Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic: 60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	STOT-single exposure	•		
LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  > 0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic  60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)		
(Repeated Dose 90-Day Oral Toxicity Study in Rodents)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  > 0,98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic  60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	Lubricating oils (petroleum), C20-50, hydrotr	eated neutral oil-based; Baseoil— unspecified (72623-87-1)		
28-Day Study)  C14-16-18 Alkyl phenol  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic 60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	LOAEL (oral, rat, 90 days)			
STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  STOT-repeated exposure  In the classification criteria are not met in the classification criteria are not	NOAEC (inhalation, rat, dust/mist/fume, 90 days)			
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  Eurol Ultrance HMB 0W-40  Viscosity, kinematic 60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	C14-16-18 Alkyl phenol			
Eurol Ultrance HMB 0W-40  Viscosity, kinematic  60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Viscosity, kinematic 60 – 80 mm²/s at 40 °C, ASTM D 445  Dec-1-ene, trimers, hydrogenated (157707-86-3)	Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)		
Dec-1-ene, trimers, hydrogenated (157707-86-3)	Eurol Ultrance HMB 0W-40			
	Viscosity, kinematic	60 – 80 mm²/s at 40 °C, ASTM D 445		
Viscosity, kinematic 17 – 17,8 mm²/s	Dec-1-ene, trimers, hydrogenated (157707-86-3)			
	Viscosity, kinematic	17 – 17,8 mm²/s		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)		
Viscosity, kinematic 10000 – 12000 mm²/s		
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
Viscosity, kinematic 8,4 mm²/s		

## 11.2. Information on other hazards

#### Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ecology - water

: This product floats on water and may affect the oxygen-balance in the water.

Hazardous to the aquatic environment, short–term

Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

: Not classified (Based on available data, the classification criteria are not met)

(chronic)

on one		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 fish 1	> 100 mg/l	
EC50 Daphnia 1	10000 mg/l	
EC50 72h - Algae [1]	> 100 mg/l	
Dec-1-ene, trimers, hydrogenated (157707-86-	3)	
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout)	
LC50 fish 2	> 750 mg/l Pimephales promelas	
EC50 Daphnia 1	190 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 72h - Algae [1]	1000 mg/l Scenedesmus capricornutum	
Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)		
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 other aquatic organisms 1	733 mg/l invertebrates	
EC50 72h - Algae [1]	600 mg/l	
Molybdenum polysulphide long chain alkyl dithiocarbamate complex		
EC50 Daphnia 1	50 ppm EC50 48h - Daphnia magna [mg/l]	
ErC50 (algae)	9,62 mg/l 72h; Pseudokirchneriella subcapitata	
NOEC chronic fish	94,8 mg/l 96h; Oncorhynchus mykiss (Rainbow trout)	
NOEC chronic crustacea	100 mg/l 21d; Daphnia Magna	

# 12.2. Persistence and degradability

Eurol Ultrance HMB 0W-40	
Persistence and degradability	Not readily biodegradable.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2000 and 100 100 100 100 100 100 100 100 100 10			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Persistence and degradability	Rapidly degradable		
Dec-1-ene, trimers, hydrogenated (157707-86-3)			
Persistence and degradability	Not readily biodegradable.		
Lubricating oils (petroleum), C20-50, hydrotre	eated neutral oil-based; Baseoil— unspecified (72623-87-1)		
Persistence and degradability	Rapidly degradable		
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)		
Persistence and degradability	Rapidly degradable		
Paraffin oils (petroleum), catalytic dewaxed he	eavy (64742-70-7)		
Persistence and degradability	Rapidly degradable		
Distillates (petroleum), solvent-dewaxed heav	ry paraffinic (64742-65-0)		
Persistence and degradability	Rapidly degradable		
Reaction products of Benzeneamine, N-pheny	yl- with nonene (branched) (36878-20-3)		
Persistence and degradability	Rapidly degradable		
Biodegradation	0 % Sturm - 28 days		
Molybdenum polysulphide long chain alkyl di	thiocarbamate complex		
Persistence and degradability	Rapidly degradable		
Biodegradation	22,75 % (OECD 301 method)		
C14-16-18 Alkyl phenol			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
Eurol Ultrance HMB 0W-40			
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.		
Dec-1-ene, trimers, hydrogenated (157707-86-	3)		
Log Pow	> 10		
Log Kow	> 6,5		
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.		
Lubricating oils (petroleum), C20-50, hydrotre	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified (72623-87-1)		
Log Pow	> 6		
Reaction products of Benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)			
Bioconcentration factor (BCF REACH)	1584,89		
12.4. Mobility in soil			
Eurol Ultrance HMB 0W-40			
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dec-1-ene, trimers	s. hvdro	genated (	157707-86-3)
<b>200</b> 1 0110, trillion	o,, a. o	gonacoa	101101 00 01

Ecology - soil

Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation

Product/Packaging disposal recommendations

Sewage disposal recommendations

Waste disposal recommendations

Additional information

Ecology - waste materials

- Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.

European List of Waste (LoW, EC 2000/532) : 13 02 06\* - Synthetic engine, gear and lubricating oils

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN		
14.1. UN number or ID number	14.1. UN number or ID number				
Not regulated for transport					
14.2. UN proper shipping name	e				
Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(e	s)				
Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available					

## 14.6. Special precautions for user

## **Overland transport**

Not regulated

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### **Inland waterway transport**

Not regulated

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU-Regulations**

## **REACH Annex XVII (Restriction List)**

EU restriction list	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(b)	Distillates (petroleum), hydrotreated heavy paraffinic; Dec-1-ene, trimers, hydrogenated; Lubricating oils (petroleum), C20-50, hydrotreated neutral oilbased; Baseoil— unspecified; Distillates (petroleum), solvent-dewaxed light paraffinic; Paraffin oils (petroleum), catalytic dewaxed heavy; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Molybdenum polysulphide long chain alkyl dithiocarbamate complex; C14-16-18 Alkyl phenol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	Reaction products of Benzeneamine, N-phenyl- with nonene (branched); Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

# **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

## Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

## VOC Directive (2004/42)

VOC content : 0 %

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

#### For the following substances of this mixture a chemical safety assessment has been carried out:

Dec-1-ene, trimers, hydrogenated

Paraffin oils (petroleum), catalytic dewaxed heavy

# **SECTION 16: Other information**

Indication of changes	Indication of changes			
Section	Changed item	Comments		
1.1	Name	Added		
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Removed		
2.2	EUH-statements	Modified		
15.1	REACH Annex XVII	Added		
16	Abbreviations and acronyms	Modified		

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ED	Endocrine disruptor	
EN	European Standard	
EWC	European waste catalogue	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
Log Kow	Partition coefficient n-octanol/water (Log Kow)	
Log Pow	Partition coefficient n-octanol/water (Log Pow)	
MAK	maximum workplace concentration	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise Specified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
OSHA	Occupational Safety Health Administration	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
PPE	Personal protection equipment	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TF	Technical function	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TWA	Time Weighted Average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
UFI	Unique Formula Identifier	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents. ECHA (European Chemicals Agency).

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH208	Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex, C14-16-18 Alkyl phenol. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.