

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 14.02.2014 Revision date: 17.10.2023 Supersedes: 02.02.2023 Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Product name	: Eurol Hykrol SVI 13
Product code	: E108687
Product group	: Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Industrial use, professional use, Consumer use
- : Lubricant
  - : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

#### 1.4. Emergency telephone number

#### Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways.

H304

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

### Hazard pictograms (CLP)

	GHS08
CLP Signal word	: Danger
Contains	: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons,
Containe	C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics; Dec-1-ene, trimers, hydrogenated
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P301+P310+P331 - IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting. P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
	EUH208 - Contains Methyl methacrylate, Alkyl dithiophosphate. May produce an allergic reaction.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable
2.3. Other hazards	
Other hazards not contributing to the classification	: This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT classified as H350: May cause cancer" (Note L).".

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	≥ 50	Asp. Tox. 1, H304
Dec-1-ene, trimers, hydrogenated	CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949- 12	25 – 35	Asp. Tox. 1, H304
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	EC-No.: 934-954-2 REACH-no: 01-2119826592- 36	5 – 10	Asp. Tox. 1, H304

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,6-Di-tert-butylphenol	CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822- 33	0,1 – 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 80-62-6 EC-No.: 201-297-1 EC Index-No.: 607-035-00-6 REACH-no: 01-2119452498- 28	0,1 – 1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335
Alkyl amine phosphate	-	0,1 – 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Alkyl dithiophosphate	-	0,1 – 1	Skin Sens. 1B, H317 Aquatic Chronic 4, H413

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Call a physician immediately.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Do not induce vomiting. Call a physician immediately.</li> </ul>
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects after inhalation	: At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.
Symptoms/effects after ingestion	: Risk of lung oedema.
Symptoms/effects upon intravenous administration	: Unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream. Use of heavy stream of water may spread fire.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Combustion generates: CO, CO2, POx, NOx, SOx, H2S.</li> <li>Not expected to be a fire/explosion hazard under normal conditions of use.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions	<ul><li>Do not enter fire area without proper protective equipment, including respiratory protection.</li><li>Use water spray or fog for cooling exposed containers.</li></ul>	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.
Other information	: Prevent fire fighting water from entering the environment. Sweep up and remove to a
	suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.	
6.1.1. For non-emergency personnel		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.	
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: No specific measures are necessary.	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Large quantities: Contain large spillage with sand or earth.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do no eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, include	ding any incompatibilities
Technical measures Storage conditions Incompatible products Maximum storage period Storage temperature Information on mixed storage Storage area Special rules on packaging	<ul> <li>Keep container tightly closed and in well ventilated place.</li> <li>Store locked up. Store in a well-ventilated place. Keep cool.</li> <li>Reacts vigorously with strong oxidizers and acids.</li> <li>5 year</li> <li>≤ 40 °C</li> <li>Keep away from : Oxidizing materials. Strong acids.</li> <li>Store at ambient temperature.</li> <li>Keep container tightly closed and dry.</li> </ul>
7.3. Specific end use(s)	
No additional information available	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
8.1.1 National occupational exposure and biological limit values			
methyl methacrylate; methyl 2-methylprop-2-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Methyl methacrylate		
IOELV STEL (ppm)	100 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU		
Ireland - Occupational Exposure Limits			
Local name	Methyl methacrylate		
OEL (8 hours ref) (ppm)	50 ppm		
OEL (15 min ref) (ppm)	100 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values), Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))		
Regulatory reference	Chemical Agents Code of Practice 2021		
Malta - Occupational Exposure Limits			
Local name	Methyl methacrylate		
OEL TWA (ppm)	50 ppm		
OEL STEL (ppm)	100 ppm		
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)		
United Kingdom - Occupational Exposure Limits			
Local name	Methyl methacrylate		
WEL TWA (mg/m³)	208 mg/m <sup>3</sup>		
WEL TWA (ppm)	50 ppm		
WEL STEL (mg/m³)	416 mg/m <sup>3</sup>		
WEL STEL (OEL STEL) [ppm]	100 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Exposure-value for oil mist

: 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

## 8.1.5. Control banding

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Other skin protection Materials for protective clothing: PVC gloves. Neoprene or nitrile rubber gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

0.4. Information on basis abusis	al and chemical properties
9.1. Information on basic physic	ar and chemical properties
Physical state	: Liquid
Colour	: Yellow.
Appearance	: Oily. Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: ≤ -51 °C ASTM D 97
Freezing point	: Not available
Boiling point	: > 280 °C
Flammability (solid, gas)	: Non flammable.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Upper explosive limit (UEL) Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Viscosity, dynamic	<ul> <li>: 0,6 vol %</li> <li>: 7 vol %</li> <li>: 87 °C ASTM D 92</li> <li>: &gt; 240 °C</li> <li>: Not available</li> <li>: Not available</li> <li>: 10 - 20 mm²/s at 40 °C, ASTM D 445</li> <li>: 13 - 16 at 40 °C</li> <li>: insoluble in water.</li> </ul>
Log Kow Log Pow Vapour Pressure 20°C Vapour pressure at 50°C Density	<ul> <li>insoluble in water.</li> <li>Not available</li> <li>&gt; 3</li> <li>&lt; 0,1 hPa</li> <li>Not available</li> <li>0,83 – 0,84 kg/l ASTM D 4052</li> <li>Not available</li> </ul>
	: > 1 (air=1) : Not applicable

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes		
Explosion limits	: 0,6 – 7 vol %	
9.2.2. Other safety characteristics		
Relative evaporation rate (butylacetate=1)	: < 0,1	
VOC content	: 0 %	
Other properties	: Gas/vapour heavier than air at 20°C	

## 10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Moisture. Overheating.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008	
	: Not classified : Not classified : Not classified	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LD50 oral rat	> 5000 mg/kg	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% ar	402 method)	
LC50 Inhalation - Rat       5000 mg/m³         methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-r         LD50 oral rat       > 5000 mg/kg         LD50 dermal rat       > 5000 ml/kg	, 	
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-r         LD50 oral rat       > 5000 mg/kg         LD50 dermal rat       > 5000 ml/kg	nethylpropenoate (80-62-6)	
LD50 oral rat     > 5000 mg/kg       LD50 dermal rat     > 5000 ml/kg		
LD50 dermal rat > 5000 ml/kg		
2,6-Di-tert-butylphenol (128-39-2)		
LD50 oral rat > 5000 mg/kg bodyv Toxicity)	weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral	
LD50 dermal rabbit > 10000 mg/kg		
Dec-1-ene, trimers, hydrogenated (157707-86-3)		
LD50 oral rat > 5000 mg/kg		
LD50 dermal rat > 2000 mg/kg bodyv Toxicity)	weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal	
LC50 Inhalation - Rat (Dust/Mist) > 5,2 mg/l/4h		
	pry irritation. methylpropenoate (80-62-6) eight/day ght Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-	
Days) Toxicity (Óral		
Aspiration hazard : May be fatal if swallowed and enters airways.		
Eurol Hykrol SVI 13		
Viscosity, kinematic 10 – 20 mm²/s at 40		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
	20°C' Parameter: 'kinematic viscosity (in mm²/s)'	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03%	6 aromatics	
Viscosity, kinematic 4 mm²/s		
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
Viscosity, kinematic 1400 mm²/s ASTM I	D 445	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dec-1-ene, trimers, hydrogenated (157707-86-3)		
Viscosity, kinematic	17 – 17,8 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		

No additional information available

## 11.2.2. Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products,Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water : Hazardous to the aquatic environment, short–term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. This product floats on water and may affect the oxygen-balance in the water. Not classified Not classified	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 fish 1	1000 mg/l (96h; Oncorhynchus mykiss)	
LC50 other aquatic organisms 1	1000 mg/l (72h; Pseudokirchneriella subcapitata)	
EC50 Daphnia 1	1000 mg/l (48h; Daphnia magna)	
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
LC50 fish 1	> 79 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 Daphnia 1	69 mg/l Daphnia magna (Water flea)	
NOEC (chronic)	110 mg/l Selenastrum capricornutum	
NOEC chronic fish	9,4 mg/l (OECD 210 method)	
NOEC chronic crustacea	37 mg/l Daphnia magna (Water flea)	
2,6-Di-tert-butylphenol (128-39-2)		
LC50 fish 1	1,4 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	0,45 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	3,6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	1,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	3,9 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	1,2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 (algae)	1000 mg/l 3h	
LOEC (chronic)	0,086 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0,035 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alkyl dithiophosphate		
LC50 fish 1	> 100 mg/l	
EC50 Daphnia 1	> 100 mg/l	
EC50 72h - Algae [1]	> 100 mg/l	
Dec-1-ene, trimers, hydrogenated (157707-86-3)		
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout)	
LC50 fish 2	> 750 mg/l Pimephales promelas	
EC50 Daphnia 1	190 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 72h - Algae [1]	1000 mg/l Scenedesmus capricornutum	
12.2. Persistence and degradability		
Eurol Hykrol SVI 13		
Persistence and degradability	Not readily biodegradable.	
methyl methacrylate; methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate (80-62-6)	
Persistence and degradability	Readily biodegradable in water.	
Biodegradation	94 % (OECD 301C method)	
Dec-1-ene, trimers, hydrogenated (157707-86-3)		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
Eurol Hykrol SVI 13		
Log Pow	> 3	
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.	
methyl methacrylate; methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate (80-62-6)	
Log Kow	1,38	
2,6-Di-tert-butylphenol (128-39-2)		
Log Pow	4,92	
Dec-1-ene, trimers, hydrogenated (157707-86-	3)	
Log Pow	> 10	
Log Kow	> 6,5	
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.	
12.4. Mobility in soil		
Eurol Hykrol SVI 13		
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.	
Dec-1-ene, trimers, hydrogenated (157707-86-	3)	
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessme	nt	
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations	5	
13.1. Waste treatment methods		
Regional waste regulation Product/Packaging disposal recommendations Waste disposal recommendations	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.</li> </ul>	
Additional information Ecology - waste materials	<ul> <li>Hazardous waste.</li> <li>Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be</li> </ul>	

dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not

empty dispose of this container at hazardous or special waste collection point.

: 13 01 10\* - mineral based non-chlorinated hydraulic oils

European List of Waste (LoW, EC 2000/532)

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID nu	umber	'	1	
Not regulated for transport				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	j name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard c	lass(es)		1	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haza	ards	-	-	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

## 14.6. Special precautions for user

### **Overland transport**

No data available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Transport by sea

No data available

#### Air transport No data available

#### Inland waterway transport No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

## EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(a)	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate
3(b)	Eurol Hykrol SVI 13 ; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics ; Hydrocarbons, C13- C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics ; methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate ; Alkyl dithiophosphate ; Dec-1-ene, trimers, hydrogenated ; Alkyl amine phosphate
3(c)	Alkyl dithiophosphate ; Alkyl amine phosphate
40.	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content

: 0 %

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

### No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

Dec-1-ene, trimers, hydrogenated

## **SECTION 16: Other information**

SECTION 10. OU			
Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
1.1	UFI on SDS 1.1	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
4.1	First-aid measures general	Modified	
4.2	Symptoms/injuries after skin contact	Modified	
4.2	Symptoms/injuries after ingestion	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
8.2	Environmental exposure controls	Modified	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
9.1	Flash point	Modified	
9.1	Upper explosive limit (UEL)	Added	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
9.1	Lower explosive limit (LEL)	Added	
10.6	Hazardous decomposition products	Added	
12.1	Ecology - general	Modified	
13.1	Product/Packaging disposal recommendations	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
EUH208	Contains Methyl methacrylate, Alkyl dithiophosphate. May produce an allergic reaction.	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

 Asp. Tox. 1
 H304
 Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.