

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 31.03.2014 Revision date: 08.01.2024 Supersedes: 10.02.2022 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Eurol Brake Cleaner Special UFI : 35AC-7RDC-T30X-D912

Product code : E302520

Type of product : Detergent, Degreasing cleaning product

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, professional use, Consumer use

Use of the substance/mixture : Organic solvent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word : Danger

Contains : Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; Propan-2-ol

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do

NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

Other hazards not contributing to the classification : Material can

: Material can accumulate some static charge during transfer. Flammable or explosive vapour/air mixtures may be formed.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	EC-No.: 920-750-0 REACH-no: 01-2119473851- 33	≥ 50	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	25 – 35	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

	4 44		
4.1. De	escription	of first aid	measures

First-aid measures general

- : Seek medical attention if ill effect develops. Call a physician immediately.
- First-aid measures after inhalation
- : Remove person to fresh air and keep comfortable for breathing. When symptoms occur: go into open air and ventilate suspected area. Allow the victim to rest. If you feel unwell, seek medical advice.
- First-aid measures after skin contact
- : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical attention if ill effect or irritation develops. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
- First-aid measures after eye contact
- : Ensure adequate flushing of eyes by separating eyelids with the fingers. Obtain medical attention if pain, blinking, tears or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion
- : Do not induce vomiting. If vomiting occurs spontaneously, keep head below the hips to prevent aspiration. Vomiting after ingestion may cause aspiration into the lungs, which may cause severe lungdamage or death. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

- : May cause drowsiness or dizziness.
- Symptoms/effects after inhalation
- : High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and

Symptoms/effects after skin contact

: Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated

Symptoms/effects after eye contact

exposure may lead to dermatitis. : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Contact with the eyes is likely to be irritating. Harmful: may cause lung damage if

oedema.

Symptoms/effects after ingestion

swallowed. Eye irritation. : Bad taste. Harmful: may cause lung damage if swallowed. Vomiting after ingestion may cause aspiration into the lungs, which may cause severe lungdamage or death. Risk of lung

Symptoms/effects upon intravenous administration · Unknown

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: carbon dioxide (CO2), dry chemical powder, foam. Water fog. Water spray. Dry powder. Foam. Carbon dioxide.

08.01.2024 (Revision date) EN (English) 3/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion generates: CO, CO2. Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : CO, CO2.

5.3. Advice for firefighters

Precautionary measures fire Firefighting instructions Protection during firefighting

Other information

: Do not enter fire area without proper protective equipment, including respiratory protection.

Use water spray or fog for cooling exposed containers.

: Use self-contained breathing apparatus and chemically protective clothing. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Complete protective clothing.

: Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Prevent soil and water pollution. Prevent build-up of electrostatic charges (e.g, by grounding). Remove all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment

: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

Emergency procedures

Ventilate spillage area. Consider evacuation. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

: No specific measures are necessary.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Dike for recovery or absorb with appropriate material. Notify authorities if product enters sewers or public waters. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Contain large spillage with sand or earth. Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Take up large spills with pump or vacuum and finish with dry chemical absorbent. Notify authorities if product enters sewers

or public waters.

Other information

: Use suitable disposal containers. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations. On water, recover/skim from surface and pour out in disposal container. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 13.

08.01.2024 (Revision date) EN (English) 4/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: In use, may form flammable vapour-air mixture. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

Precautions for safe handling

Avoid prolonged and repeated contact with skin. Do not eat, drink or smoke when using this product. May be dangerously slippery if spilled. Take off contaminated clothing. Where contact with eyes or skin is likely, wear suitable protection. Prevent build-up of electrostatic charges (e.g., by grounding). No naked lights. No smoking. Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Where contact with eyes or skin is likely, wear suitable protection. Wash contaminated clothing before reuse. Cloth, paper and other materials that are used to absorb spills present a fire hazard. Do no eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Store in a dry place. Store in a closed container. Store away from direct sunlight or other heat sources. Ground/bond container and receiving equipment.

Storage conditions

: Keep only in original container. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible products

: Reacts vigorously with strong oxidizers and acids.

Maximum storage period Storage temperature

: 5 year : ≤ 40 °C

Information on mixed storage

Keep away from : Oxidizing materials. Strong acids.

Storage area

: Store at ambient temperature.

Special rules on packaging

: Keep container tightly closed and dry.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Ireland - Occupational Exposure Limits	
Local name Isopropyl alcohol [Propan-2-ol]	
OEL (8 hours ref) (ppm)	200 ppm
OEL (15 min ref) (ppm)	400 ppm
Remark Sk (Substances which have the capacity to penetrate intact skin when they come contact with it, and be absorbed into the body)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	2-Propanol
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (mg/m³)	999 mg/m³
WEL TWA (ppm)	400 ppm
WEL STEL (mg/m³)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide for appropriate exhaust ventilation at places of vapours accumulation. Use explosion-proof equipment. Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn. Large quantities: Contain large spillage with sand or earth. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields. Eye protection should only be necessary where liquid could be splashed or sprayed. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use. Avoid repeated or prolonged skin contact. If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Equipment should conform to EN 166.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

In case of repeated or prolonged contact wear gloves. The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream). The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Other skin protection

Materials for protective clothing:

Neoprene or nitrile rubber gloves. PVC gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn. Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

See Heading 12. See Heading 6. Avoid release to the environment.

Consumer exposure controls:

Provide good ventilation in process area to prevent formation of vapour. Neoprene or nitrile rubber gloves. PVC gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Appearance : Liquid. : characteristic. Odour Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : 82 - 140 °C

Flammability (solid, gas) : Highly flammable liquid and vapour

Lower explosive limit (LEL) : 0,9 vol %
Upper explosive limit (UEL) : 12 vol %
Flash point : < 10 °C
Auto-ignition temperature : > 200 °C
Decomposition temperature : Not available pH : Not available Viscosity, kinematic : 2 mm²/s

Solubility : Completely miscible with water.

Log Kow: Not availableLog Pow: < 1</td>Vapour Pressure 20°C: < 35 hPa</td>Vapour pressure at 50°C: Not availableDensity: 0,74 - 0,75 kg/lRelative density: Not available

Relative vapour density at 20°C : > 1 (air = 1)
Particle characteristics : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 0.9 - 12 vol %

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1 VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use. Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Keep away from naked flames/heat. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. strong acids.

10.6. Hazardous decomposition products

CO, CO2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	
LD50 oral rat	> 5840 mg/kg
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat
LC50 Inhalation - Rat	> 23,3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

 Respiratory or skin sensitisation
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

 Reproductive toxicity
 : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	
STOT-single exposure	May cause drowsiness or dizziness.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Hydrocarbons, C7-C9, n-alkanes, isoalkanes,	cyclics
NOAEC (inhalation, rat, vapour, 90 days)	24,3 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard :	May be fatal if swallowed and enters airways.
Additional information :	May be fatal if swallowed and enters airways
Eurol Brake Cleaner Special	
Viscosity, kinematic	2 mm²/s
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	
Viscosity, kinematic	0,5 – 1,5 mm²/s
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Viscosity, kinematic	2,5 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Ecotoxicological data have not been determined specifically for this product. Information

given is based on a knowledge of the components and the ecotoxicology of similar

products. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	
LC50 fish 1	3 – 10 mg/l Leuciscus idus (golden orfe)
EC50 Daphnia 1	4,6 – 10 mg/l
EC50 72h - Algae [1]	10 – 30 mg/l Pseudokirchneriella subcapitata
LOEC (chronic)	0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l (96h; Pimephales promelas [flow-trough])
LC50 fish 2	11130 mg/l (96h; Pimephales promelas [static])
EC50 Daphnia 1	13299 mg/l (48h; Daphnia magna)
EC50 other aquatic organisms 1	> 1000 mg/l (96h; Desmodesmus subspicatus)
EC50 other aquatic organisms 2	> 1000 mg/l (72h; Desmodesmus subspicatus)
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus
EC50 96h - Algae [1]	> 1000 mg/l Desmodesmus subspicatus

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Eurol Brake Cleaner Special	
Persistence and degradability	Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Biodegradation	95 % (21 d; OECD 301E)

12.3. Bioaccumulative potential

Eurol Brake Cleaner Special	
Log Pow	<1
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Bioconcentration factor (BCF REACH)	< 100
Log Pow < 3 Slightly bioaccumulative	

12.4. Mobility in soil

Eurol Brake Cleaner Special	
	Spillages may penetrate the soil causing ground water contamination. Completely miscible with water.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

: Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

 $: \ \, {\hbox{Dispose of contents/container in accordance with licensed collector's sorting instructions}}.$

Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Do not discharge

into drains or the environment.

Additional information

: Hazardous waste. Flammable vapours may accumulate in the container.

Ecology - waste materials : When not empty dispose of this container at hazardous or special waste collection point.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document descr	iption			
UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics ; Propan-2-ol), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics ; Propan-2-ol), 3, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1993 Flammable liquid, n.o.s. (Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics; Propan-2-ol), 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics ; Propan-2-ol), 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n- alkanes, isoalkanes, cyclics ; Propan-2-ol), 3, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available		I	I

14.6. Special precautions for user

Overland transport

Classification code (UN) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR 2011) : 11 Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33

Orange plates :

33 1993

Tunnel restriction code (ADR) : D/E EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E
Stowage category (IMDG) : B

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) 353 PCA max net quantity (IATA) : 5L : 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 3H

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640C

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640C

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID): L1.5BNTransport category (RID): 2Colis express (express parcels) (RID): CE7Hazard identification number (RID): 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3(a)	Eurol Brake Cleaner Special ; Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics ; propan-2-ol; isopropyl alcohol; isopropanol	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REA	EU restriction list (REACH Annex XVII)		
Reference code Applicable on			
3(b)	Eurol Brake Cleaner Special ; Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics ; propan-2-ol; isopropyl alcohol; isopropanol		
3(c)	Eurol Brake Cleaner Special ; Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
40.	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics ; propan-2-ol; isopropyl alcohol; isopropanol		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 100 %

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
aliphatic hydrocarbons	≥30%	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Supersedes	Modified		
	Revision date	Modified		
	Flammability (solid, gas)	Added		
	Tank code (ADR)	Added		
	Packing instructions (ADR)	Added		
	Special provisions for carriage - Operation (ADR)	Added		

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
	Portable tank and bulk container special provisions (ADR)	Added	
	Portable tank and bulk container instructions (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Transport category (RID)	Added	
	Tank codes for RID tanks (RID)	Added	
	Special provisions (RID)	Added	
	Portable tank and bulk container special provisions (RID)	Added	
	Portable tank and bulk container instructions (RID)	Added	
	Packing instructions (RID)	Added	
	Packing group (RID)	Added	
	Mixed packing provisions (RID)	Added	
	Limited quantities (RID)	Added	
	Hazard identification number (RID)	Added	
	Excepted quantities (RID)	Added	
	Colis express (express parcels) (RID)	Added	
	Classification code (RID)	Added	
	Ventilation (ADN)	Added	
	Limited quantities (ADN)	Added	
	Danger labels (ADN)	Added	
	Excepted quantities (ADN)	Added	
	Equipment required (ADN)	Added	
	Classification code (ADN)	Added	
	Carriage permitted (ADN)	Added	
	Number of blue cones/lights (ADN)	Added	
	Tank special provisions (IMDG)	Added	
	Tank instructions (IMDG)	Added	
	Stowage category (IMDG)	Added	
	Special provisions (IMDG)	Added	
	Limited quantities (IMDG)	Added	
	IBC packing instructions (IMDG)	Added	
	Excepted quantities (IMDG)	Added	
	EmS-No. (Spillage)	Added	
	EmS-No. (Fire)	Added	
	Special provisions (IATA)	Added	
	PCA packing instructions (IATA)	Added	

Safety Data Sheet

Indication of changes				
Section	Changed item	Change	Comments	
	PCA max net quantity (IATA)	Added		
	PCA limited quantity max net quantity (IATA)	Added		
	PCA Limited quantities (IATA)	Added		
	PCA Excepted quantities (IATA)	Added		
	ERG code (IATA)	Added		
	CAO packing instructions (IATA)	Added		
	CAO max net quantity (IATA)	Added		
	Vehicle for tank carriage	Added		
	Danger labels (IMDG)	Added		
	Danger labels (ICAO)	Added		
	Type of product	Added		
	UN-No. (RID)	Added		
1.1	UFI on SDS 1.1	Added		
1.1	Product form	Added		
1.1	Product group	Added		
1.2	Use of the substance/mixture	Added		
1.2	Main use category	Added		
1.2	Intended for general public	Added		
2.1	Adverse physicochemical, human health and environmental effects	Added		
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added		
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Added		
2.1	Intended for general public	Added		
2.2	S-phrases	Added		
2.2	Precautionary statements (CLP)	Added		
2.2	Hazard statements (CLP)	Added		
2.2	CLP Signal word	Added		
2.2	Hazard pictograms (CLP)	Added		
2.3	Other hazards not contributing to the classification	Added		
3	Composition/information on ingredients	Modified		
4.1	First-aid measures general	Added		
4.1	First-aid measures after skin contact	Added		
4.1	First-aid measures after inhalation	Added		
4.1	First-aid measures after ingestion	Added		
4.1	First-aid measures after eye contact	Added		
4.2	Symptoms/effects	Added		

Safety Data Sheet

Indication of changes	Indication of changes				
Section	Changed item	Change	Comments		
4.2	Symptoms/injuries after ingestion	Added			
4.2	Symptoms/injuries after eye contact	Added			
4.2	Symptoms/injuries upon intravenous administration	Added			
4.2	Symptoms/injuries after skin contact	Added			
4.2	Symptoms/effects after inhalation	Added			
4.3	Treatment	Added			
5.1	Suitable extinguishing media	Added			
5.1	Unsuitable extinguishing media	Added			
5.2	Fire hazard	Added			
5.2	Hazardous decomposition products in case of fire	Added			
5.2	Explosion hazard	Added			
5.3	Protection during firefighting	Added			
5.3	EAC code	Added			
5.3	Precautionary measures fire	Added			
5.3	Firefighting instructions	Added			
5.3	Other information	Added			
6.1	Protective equipment	Added			
6.1	Emergency procedures	Added			
6.1	Emergency procedures	Added			
6.1	Protective equipment	Added			
6.1	General measures	Added			
6.2	Environmental precautions	Added			
6.3	For containment	Added			
6.3	Methods for cleaning up	Added			
6.3	Other information	Added			
6.4	Reference to other sections (8, 13)	Added			
7.1	Precautions for safe handling	Added			
7.1	Hygiene measures	Added			
7.1	Additional hazards when processed	Added			
7.2	Technical measures	Added			
7.2	Storage conditions	Added			
7.2	Incompatible products	Added			
7.2	Storage temperature	Added			
7.2	Storage area	Added			
7.2	Prohibitions on mixed storage	Added			
7.2	Maximum storage period	Added			
7.2	Special rules on packaging	Added			

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
8.2	Environmental exposure controls	Added	
8.2	Eye protection	Added	
8.2	Appropriate engineering controls	Added	
8.2	Other information	Added	
8.2	Consumer exposure controls	Added	
8.2	Respiratory protection	Added	
8.2	Personal protective equipment	Added	
8.2	Materials for protective clothing	Added	
8.2	Hand protection	Added	
8.2	Skin and body protection	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Viscosity, kinematic	Added	
9.1	Solubility	Added	
9.1	Vapour Pressure 20°C	Added	
9.1	Physical state	Added	
9.1	Relative vapour density at 20°C	Added	
9.1	Relative evaporation rate (butylacetate=1)	Added	
9.1	Odour	Added	
9.1	Melting point	Added	
9.1	Log Pow	Added	
9.1	Flash point	Added	
9.1	Explosive limits (vol %)	Added	
9.1	Boiling point	Added	
9.1	Auto-ignition temperature	Added	
9.1	Appearance	Added	
9.1	Density	Added	
9.2	VOC content	Added	
10.1	Reactivity	Added	
10.2	Chemical stability	Added	
10.3	Possibility of hazardous reactions	Added	
10.4	Conditions to avoid	Added	
10.5	Incompatible materials	Added	
10.6	Hazardous decomposition products	Added	
11	Reason for no classification	Added	
11	Additional information	Added	
11	Reason for no classification	Added	
11	Additional information	Added	

Safety Data Sheet

Indication of changes				
Section	Changed item	Change	Comments	
11	Reason for no classification	Added		
11	Additional information	Added		
11.1	Additional information	Added		
12.1	Ecology - general	Added		
12.2	Persistence and degradability	Added		
12.3	Bioaccumulative potential	Added		
12.3	Log Pow	Added		
12.4	Ecology - soil	Added		
13.1	Product/Packaging disposal recommendations	Added		
13.1	Additional information	Added		
13.1	Waste disposal recommendations	Added		
13.1	Regional legislation (waste)	Added		
13.1	Ecology - waste materials	Added		
14.1	UN-No. (ADN)	Added		
14.1	UN-No.	Added		
14.1	UN-No. (IMDG)	Added		
14.1	UN-No. (ICAO)	Added		
14.3	Danger labels (UN)	Added		
14.3	Class (UN)	Added		
14.3	Danger labels (RID)	Added		
14.4	Packing group (ADN)	Added		
14.4	Packing group (IMDG)	Added		
14.4	Packing group (IATA)	Added		
14.4	Packing group (UN)	Added		
14.6	Special provisions (ADR)	Added		
14.6	Special provisions (ADN)	Added		
14.6	Packing instructions (IMDG)	Added		
14.6	Classification code (UN)	Added		
14.6	Hazard identification number (Kemler No.)	Added		
14.6	Transport category (ADR)	Added		
14.6	Limited quantities (ADR)	Added		
14.6	Excepted quantities (ADR)	Added		
14.6	Tunnel restriction code	Added		
15.1	REACH Annex XVII	Added		
15.1	VOC content	Added		
15.2	Chemical safety assessment	Added		
16	Abbreviations and acronyms	Added		

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
16	Data sources	Added	
16	Other information	Added	

Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
CAS-No.	Chemical Abstract Service number			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
ED	Endocrine disrupting properties			
EN	European Standard			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
N.O.S.	Not Otherwise Specified			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
ThOD	Theoretical oxygen demand (ThOD)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H304	May be fatal if swallowed and enters airways.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H411	Toxic to aquatic life with long lasting effects.		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 2	H225	On basis of test data		
Eye Irrit. 2	H319	Calculation method		
STOT SE 3	H336	Calculation method		
Asp. Tox. 1	H304	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.