

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 08.06.2017 Revision date: 02.10.2023 Supersedes: 22.09.2022 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Eurol Screenwash Lemon -22°C Ready to use
UFI	: TM0J-Q6FH-K70J-M50Y
Product code	: E502265
Type of product	: Cleaner,Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Industrial use,professional use,Consumer use: Screenwash anti-freeze.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

H226

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	: GHS02
CLP Signal word	: Warning
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
	P241 - Use explosion-proof electrical, lighting, ventilating equipment.
	P280 - Wear eye protection.
	P370+P378 - In case of fire: Use alcohol resistant foam, extinguishing powder to extinguish.
	P501 - Dispose of contents/container to a hazardous or special waste collection point.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	
Other hazards not contributing to the classification	: Material can accumulate some static charge during transfer. Flammable or explosive vapour/air mixtures may be formed.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	25 – 35	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ethanediol; ethylene glycol substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373
butanone; ethyl methyl ketone substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 78-93-3 EC-No.: 201-159-0 EC Index-No.: 606-002-00-3 REACH-no: 011-2119457290- 43	0,1 – 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	0,1 – 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	(50 ≤ C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Seek medical attention if ill effect develops. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	both acute and delayed
Symptoms/effects after inhalation	: High concentration of vapours may induce: headache, dizziness, drowsiness, nausea and vomiting.
Symptoms/effects after skin contact	: Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.
Symptoms/effects after eye contact	: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs. Contact with the eyes is likely to be irritating. Harmful: may cause lung damage if swallowed.
Symptoms/effects after ingestion	: Bad taste. Vomiting after ingestion may cause aspiration into the lungs, which may cause severe lungdamage or death.
Symptoms/effects upon intravenous administration	: No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Water spray. Dry powder. Foam. Carbon dioxide. Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. CO, CO2.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	 Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Prevent soil and water pollution. Spill area may be slippery. Prevent build-up of electrostatic charges (e.g, by grounding). Remove all sources of ignition.	
6.1.1. For non-emergency personnel		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: No specific measures are necessary.	
6.2. Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment	: Contain large spillage with sand or earth.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: In use, may form flammable vapour-air mixture. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.
Hygiene measures	: Do no eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

· Departs viscouville strong svidinger and spide
: Reacts vigorously with strong oxidizers and acids.
: 5 year
: ≤ 40 °C
: Keep away from : Oxidizing materials. Strong acids.
: Store at ambient temperature.
: Keep container tightly closed and dry.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)			
Ireland - Occupational Exposure Limits			
Local name	Ethanol [Ethyl alcohol]		
OEL (15 min ref) (ppm)	1000 ppm		
Regulatory reference	Chemical Agents Code of Practice 2021		
United Kingdom - Occupational Exposure Limits			
Local name	Ethanol		
WEL TWA (mg/m³)	1920 mg/m³		
WEL TWA (ppm)	1000 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
ethanediol; ethylene glycol (107-21-1)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Ethylene glycol		
IOELV TWA (mg/m³)	52 mg/m³		
IOELV TWA (ppm)	20 ppm		
IOELV STEL (mg/m ³)	104 mg/m³		
IOELV STEL (ppm)	40 ppm		
Notes	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	Ethane-1,2-diol [Ethylene glycol]		
OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour		
OEL (8 hours ref) (ppm)	20 ppm vapour		
OEL (15 min ref) (mg/m3)	104 mg/m³ vapour		
OEL (15 min ref) (ppm)	40 ppm vapour		
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)		

Safety Data Sheet

ethanediol; ethylene glycol (107-21-1)			
Regulatory reference	Chemical Agents Code of Practice 2021		
Malta - Occupational Exposure Limits			
Local name	Ethylene glycol		
OEL TWA (mg/m³)	52 mg/m³		
OEL TWA (ppm)	20 ppm		
OEL STEL (mg/m³)	104 mg/m ³		
OEL STEL (ppm)	40 ppm		
Remark	Skin # Ġilda		
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)		
United Kingdom - Occupational Exposure Limits			
Local name	Ethane-1,2-diol		
WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour		
WEL TWA (ppm)	20 ppm vapour		
WEL STEL (mg/m³)	104 mg/m³ vapour		
WEL STEL (OEL STEL) [ppm]	40 ppm vapour		
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
butanone; ethyl methyl ketone (78-93-3)	butanone; ethyl methyl ketone (78-93-3)		
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Butanone		
IOELV TWA (mg/m³)	600 mg/m³		
IOELV TWA (ppm)	200 ppm		
IOELV STEL (mg/m³)	900 mg/m³		
IOELV STEL (ppm)	300 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	Methyl ethyl ketone (MEK)		
OEL (8 hours ref) (mg/m³)	600 mg/m³		
OEL (8 hours ref) (ppm)	200 ppm		
OEL (15 min ref) (mg/m3)	900 mg/m³		
OEL (15 min ref) (ppm)	300 ppm		
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
Ireland - Biological limit values			
Local name	Butan-2-one		
BMGV	70 µmol/l Parameter: butan-2- one - Medium: urine - Sampling time: Post shift		

Safety Data Sheet

butanone; ethyl methyl ketone (78-93-3)		
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
Malta - Occupational Exposure Limits		
Local name	Butanone	
OEL TWA (mg/m³)	600 mg/m³	
OEL TWA (ppm)	200 ppm	
OEL STEL (mg/m³)	900 mg/m³	
OEL STEL (ppm)	300 ppm	
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)	
United Kingdom - Occupational Exposure Limits	·	
Local name	Butan-2-one (methyl ethyl ketone)	
WEL TWA (mg/m³)	600 mg/m³	
WEL TWA (ppm)	200 ppm	
WEL STEL (mg/m³)	899 mg/m³	
WEL STEL (OEL STEL) [ppm]	300 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	Butan-2-one (methyl ethyl ketone)	
BMGV	70 μmol/l Parameter: butan-2-one - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Ireland - Occupational Exposure Limits		
Local name	Isopropyl alcohol [Propan-2-ol]	
OEL (8 hours ref) (ppm)	200 ppm	
OEL (15 min ref) (ppm)	400 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Ireland - Biological limit values		
Local name	2-Propanol	
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (mg/m³)	999 mg/m³	
WEL TWA (ppm)	400 ppm	
WEL STEL (mg/m³)	1250 mg/m³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
· · · · · · ·		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
8.1.2. Recommended monitoring procedures No additional information available		
8.1.3. Air contaminants formed No additional information available		
8.1.4. DNEL and PNEC No additional information available		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Other skin protection

Materials for protective clothing: Neoprene or nitrile rubber gloves. PVC gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Provide good ventilation in process area to prevent formation of vapour. Neoprene or nitrile rubber gloves. PVC gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Appearance	: Liquid.
Odour	: characteristic. lemon odour.
Odour threshold	: Not available
Melting point	: ≤ -22 °C ASTM D 97
Freezing point	: -22 °C
Boiling point	: 78 °C
Flammability (solid, gas)	: Flammable liquid and vapour
Lower explosive limit (LEL)	: 3,5 vol %
Upper explosive limit (UEL)	: 15 vol %
Flash point	: > 23 °C ASTM D 93
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
рН	: 7
Viscosity, kinematic	: 1 mm²/s
Solubility	: Soluble in water.
Log Kow	: Not available
Log Pow	: < 0,1
Vapour Pressure 20°C	: < 23 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,97 – 0,98 kg/l ASTM D 4052
Relative density	: Not available
Relative vapour density at 20°C	: > 1 (air = 1)
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard	cla	isses
Explosion limits	:	3,5 – 15 vol %
9.2.2. Other safety characteristics		
Relative evaporation rate (butylacetate=1)	:	< 0,1
VOC content	:	30 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

CO, CO2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as def	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	10470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 9720 - 11380	
LD50 dermal rabbit	> 15800 mg/kg	
LC50 Inhalation - Rat	51 mg/l/4h	
LC50 Inhalation - Rat (Dust/Mist)	124,7 mg/l/4h	
ethanediol; ethylene glycol (107-21-1)		
LD50 oral rat	7712 mg/kg bodyweight Animal: rat	
LD50 dermal	> 3500 mg/kg mouse	
LC50 Inhalation - Rat	> 2,5 mg/l (6h)	
butanone; ethyl methyl ketone (78-93-3)		
LD50 oral rat	2737 mg/kg	
LD50 dermal rabbit	6480 mg/kg	
LC50 Inhalation - Rat	34 mg/l/4h	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	> 20 mg/l	
Skin corrosion/irritation	: Not classified pH: 7	
ethanediol; ethylene glycol (107-21-1)		
рН	6 – 7,5	
Serious eye damage/irritation	: Not classified pH: 7	
ethanediol; ethylene glycol (107-21-1)		
рН	6 – 7,5	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

butanone; ethyl methyl ketone (78-93-3)		
STOT-single exposure	May cause drowsiness or dizziness.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
ethanol; ethyl alcohol (64-17-5)		
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	
ethanediol; ethylene glycol (107-21-1)		
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	
butanone; ethyl methyl ketone (78-93-3)		
NOAEC (inhalation, rat, gas, 90 days)	2500 ppmv/6h/day	
Aspiration hazard :	Not classified	
Additional information :	May be fatal if swallowed and enters airways	
Eurol Screenwash Lemon -22°C Ready to use		
Viscosity, kinematic	1 mm²/s	
ethanol; ethyl alcohol (64-17-5)		
Viscosity, kinematic	1 mm²/s	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Viscosity, kinematic	2,5 mm²/s	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information

SECTION 12. Ecological information	
12.1. Toxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
ethanol; ethyl alcohol (64-17-5)	
LC50 fish 1	12 – 16 ml/l (Oncorhynchus mykiss [static])
LC50 fish 2	> 100 mg/l (Pimephales promelas [static])
EC50 Daphnia 1	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)		
LC50 fish 1	> 72860 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'	
NOEC chronic fish	15380 mg/l Pimephales promelas	
NOEC chronic crustacea	8590 mg/l daphnia	
butanone; ethyl methyl ketone (78-93-3)		
LC50 fish 1	2973 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	308 mg/l Test organisms (species): Daphnia magna	
EC50 Daphnia 2	5091 mg/l (48 h ; Daphnia magna)	
EC50 72h - Algae [1]	1220 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	1240 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LC50 fish 1	9640 mg/l (96h; Pimephales promelas [flow-trough])	
LC50 fish 2	11130 mg/l (96h; Pimephales promelas [static])	
EC50 Daphnia 1	13299 mg/l (48h; Daphnia magna)	
EC50 other aquatic organisms 1	> 1000 mg/l (96h; Desmodesmus subspicatus)	
EC50 other aquatic organisms 2	> 1000 mg/l (72h; Desmodesmus subspicatus)	
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus	
EC50 96h - Algae [1]	> 1000 mg/l Desmodesmus subspicatus	

12.2. Persistence and degradability

Eurol Screenwash Lemon -22°C Ready to use		
Persistence and degradability	Readily biodegradable in water. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
ethanol; ethyl alcohol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.	
ethanediol; ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable in water. easily degradable in the soil.	
Biochemical oxygen demand (BOD)	0,47 g O ₂ /g substance	
Chemical oxygen demand (COD)	1,24 g O ₂ /g substance	
ThOD	1,29 g O ₂ /g substance	
BOD (% of ThOD)	0,36	
butanone; ethyl methyl ketone (78-93-3)		
Biodegradation	98 % 28 d	

Safety Data Sheet

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Biodegradation	95 % (21 d; OECD 301E)	
12.3. Bioaccumulative potential		
Eurol Screenwash Lemon -22°C Ready to use		
Log Pow	< 0,1	
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.	
ethanol; ethyl alcohol (64-17-5)		
Log Pow	-0,31	
ethanediol; ethylene glycol (107-21-1)		
Log Pow	-1,36	
Bioaccumulative potential	No bioaccumulation.	
butanone; ethyl methyl ketone (78-93-3)		
Log Kow	0,3	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Bioconcentration factor (BCF REACH)	< 100	
Log Pow	< 3 Slightly bioaccumulative	
12.4. Mobility in soil		
Eurol Screenwash Lemon -22°C Ready to use		
Ecology - soil	Spillages may penetrate the soil causing ground water contamination.	
ethanol; ethyl alcohol (64-17-5)		
Ecology - soil	Spillages may penetrate the soil causing ground water contamination. Completely miscible with water.	
ethanediol; ethylene glycol (107-21-1)		
Surface tension	0,048 N/m (20 °C)	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste) Product/Packaging disposal recommendations Waste disposal recommendations	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
Additional information Ecology - waste materials	Flammable vapours may accumulate in the container.When not empty dispose of this container at hazardous or special waste collection point.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW) code

: 07 06 04* - other organic solvents, washing liquids and mother liquors

accordance with ADR / IMI	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
I4.1. UN number or ID n	umber			
Not regulated for transport				
UN 1170	UN 1170	UN 1170	UN 1170	UN 1170
14.2. UN proper shippin	g name			
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard o	class(es)		-	
3	3	3	3	3
14.4. Packing group				I
111	III	III	III	Ш
14.5. Environmental haz	ards			-
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport

Classification code (UN)	:	F1
Special provisions (ADR)	:	144, 601
Limited quantities (ADR 2011)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T2
Portable tank and bulk container special provisions	:	TP1
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Operation (ADR)	:	S2
Hazard identification number (Kemler No.)	:	30
Orange plates	:	30 1170
Tunnel restriction code (ADR)	:	D/E
EAC code	:	•2YE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea Special provisions (IMDG) : 144.223 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T2 ÷ Tank special provisions (IMDG) : TP1 : F-E EmS-No. (Fire) : S-D EmS-No. (Spillage) Stowage category (IMDG) : A Flash point (IMDG) : 29 Properties and observations (IMDG) : Colourless, volatile liquids.Pure ETHANOL: flashpoint 13?C c.c. Explosive limits: 3.3% to 19% ?Miscible with water. Air transport PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3, A58, A180 ERG code (IATA) : 3L Inland waterway transport Classification code (ADN) : F1 : 144, 61 Special provisions (ADN) Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) Т : Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0 **Rail transport** Classification code (RID) : F1 Special provisions (RID) : 144, 601 Limited quantities (RID) : 5L Excepted quantities (RID) : E1 Packing instructions (RID) : P001, IBC03, LP01, R001 : MP19 Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) T2 1 Portable tank and bulk container special provisions : TP1 (RID) Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Colis express (express parcels) (RID) : CE4 Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Eurol Screenwash Lemon -22°C Ready to use ; ethanol; ethyl alcohol ; butanone; ethyl methyl ketone ; propan-2-ol; isopropyl alcohol; isopropanol
3(b)	ethanol; ethyl alcohol ; ethanediol; ethylene glycol ; butanone; ethyl methyl ketone ; propan-2-ol; isopropyl alcohol; isopropanol
40.	ethanol; ethyl alcohol ; butanone; ethyl methyl ketone ; propan-2-ol; isopropyl alcohol; isopropanol

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 30 %

Detergent Regulation (648/2004)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section Changed item Change Comments			
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
1.1	UFI on SDS 1.1	Added	

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.2	Precautionary statements (CLP)	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Fire hazard	Modified	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Technical measures	Modified	
7.2	Storage conditions	Modified	
8.2	Environmental exposure controls	Modified	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
9.1	Upper explosive limit (UEL)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Flash point	Modified	
9.1	Melting point	Modified	
9.1	Density	Modified	
10.1	Reactivity	Modified	
10.4	Conditions to avoid	Modified	
12.1	Ecology - general	Modified	
13.1	Product/Packaging disposal recommendations	Added	
13.1	Additional information	Modified	
15.1	REACH Annex XVII	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Added	

Safety Data Sheet

Indication of changes			
Section Changed item Change Comments			
16	Data sources	Added	
16	Other information	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
ED	Endocrine disrupting properties		
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information	: None.		

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

 Flam. Liq. 3
 H226
 On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.