

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9-4-2014 Revision date: 15-3-2024 Supersedes: 12-7-2023 Version: 5.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form Product name UFI Product code Type of product Vaporizer Product group	: Mixture : Eurol Brake Cleaner Spray 500ML : 23NA-XSGD-R70C-UVF9 : E701445 : Detergent,Degreasing cleaning product : Aerosol : Trade product
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category

: Industrial use, professional use, Consumer use

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

#### 1.4. Emergency telephone number

#### Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment - Chronic Hazard, H411 Category 2

### Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### بغماما . .

Hazard pictograms (CLP)	
	$\langle \mathcal{W} \rangle \langle \mathcal{Y}_2 \rangle$
	GHS02 GHS07 GHS09
CLP Signal word	: Danger
Contains	: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane; cyclohexane
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P280 - Wear protective gloves.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Not applicable
Tactile warning	Not applicable
2.3. Other hazards	

Other hazards not contributing to the classification : Flammable or explosive vapour/air mixtures may be formed.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	≥ 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cyclohexane substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 110-82-7 EC-No.: 203-806-2 EC Index-No.: 601-017-00-1 REACH-no: 01-2119463273- 41	10 – 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
propane substance with national workplace exposure limit(s) (IE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	3 – 5	Flam. Gas 1A, H220 Press. Gas
Carbon dioxide (CO2) substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 124-38-9 EC-No.: 204-696-9	3 – 5	Not classified
n-hexane substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412- 44	0,1 – 1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361f STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
n-hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412- 44	(5 ≤ C < 100) STOT RE 2, H373

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Call a poison center or a doctor if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul><li>Rinse eyes with water as a precaution.</li><li>Call a poison center or a doctor if you feel unwell.</li></ul>
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation	<ul> <li>May cause drowsiness or dizziness.</li> <li>Inhalation of the spray or mist may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath. Symptoms of overexposure to vapours include drowsiness, weakness, headache, dizziness, nausea, vomiting, dimming of vision.</li> </ul>
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion	: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger guantities may cause nausea and diarrhoea.
Symptoms/effects upon intravenous administration	: Unknown.
4.3 Indication of any immediate medical at	tention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream. Use of heavy stream of water may spread fire.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released.</li> </ul>
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	<ul> <li>Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.</li> </ul>

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.	
6.1.1. For non-emergency personnel		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.	
Emergency procedures	<ul> <li>Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.</li> </ul>	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.	
Methods for cleaning up	: Mechanically recover the product.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.</li> </ul>
Handling temperature	: <45 °C
Hygiene measures	: Wash contaminated clothing before reuse. Do no eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Keep container tightly closed and in well ventilated place.
Storage conditions	: Protect from sunlight. Do not expose ot temperatures exceeding 50°C/ 122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Incompatible products	: Reacts vigorously with strong oxidizers and acids.
Maximum storage period	: 3 year
Storage temperature	: ≤ 50 °C
Information on mixed storage	: Keep away from : Oxidizing materials. Strong acids.
Storage area	: Store at ambient temperature. Keep out of direct sunlight. Keep container in a well- ventilated place.
Special rules on packaging	Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Packaging materials	: Store always product in container of same material as original container.

## 7.3. Specific end use(s)

Aerosol can.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

propane (74-98-6)		
Ireland - Occupational Exposure Limits		
Local name Propane		
OEL (8 hours ref) (ppm) 1000 ppm		
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)	
Regulatory reference	Chemical Agents Code of Practice 2021	
cyclohexane (110-82-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Cyclohexane	
IOELV TWA (mg/m³)	700 mg/m³	
IOELV TWA (ppm)	200 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

cyclohexane (110-82-7)			
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
Local name	Cyclohexane		
OEL (8 hours ref) (mg/m³)	700 mg/m³		
OEL (8 hours ref) (ppm)	200 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
Malta - Occupational Exposure Limits			
Local name	Cyclohexane		
OEL TWA (mg/m³)	700 mg/m³		
OEL TWA (ppm)	200 ppm		
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)		
United Kingdom - Occupational Exposure Limits			
Local name	Cyclohexane		
WEL TWA (mg/m³)	350 mg/m³		
WEL TWA (ppm)	100 ppm		
WEL STEL (mg/m <sup>3</sup> )	1050 mg/m³		
WEL STEL (OEL STEL) [ppm]	300 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Carbon dioxide (CO2) (124-38-9)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Carbon dioxide		
IOELV TWA (mg/m <sup>3</sup> )	9000 mg/m³		
IOELV TWA (ppm)	5000 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Ireland - Occupational Exposure Limits	·		
Local name	Carbon dioxide		
OEL (8 hours ref) (mg/m³)	9000 mg/m³		
OEL (8 hours ref) (ppm)	5000 ppm		
OEL (15 min ref) (mg/m3)	27000 mg/m <sup>3</sup>		
OEL (15 min ref) (ppm)	15000 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
Malta - Occupational Exposure Limits	·		
Local name	Carbondioxide		
OEL TWA (mg/m³)	9000 mg/m³		
OEL TWA (ppm)	5000 ppm		
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)		
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
Local name	Carbon dioxide		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbon dioxide (CO2) (124-38-9)		
WEL TWA (mg/m <sup>3</sup> )	9150 mg/m³	
WEL TWA (ppm)	5000 ppm	
WEL STEL (mg/m <sup>3</sup> )	27400 mg/m³	
WEL STEL (OEL STEL) [ppm]	15000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
n-hexane (110-54-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	n-Hexane	
IOELV TWA (mg/m³)	72 mg/m³	
IOELV TWA (ppm)	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits	·	
Local name	n-Hexane	
OEL (8 hours ref) (mg/m³)	72 mg/m³	
OEL (8 hours ref) (ppm)	20 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values), Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Ireland - Biological limit values		
Local name	Hexane	
BMGV	0,4 mg/l Parameter: 2,5-Hexanedion - Medium: urine - Sampling time: End of shift at end of workweek	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
Malta - Occupational Exposure Limits		
Local name	n-Hexane	
OEL TWA (mg/m³)	72 mg/m³	
OEL TWA (ppm)	20 ppm	
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)	
United Kingdom - Occupational Exposure Limits		
Local name	n-Hexane	
WEL TWA (mg/m³)	72 mg/m³	
WEL TWA (ppm)	20 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.5. Control banding

#### No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. High gas/vapour concentration: gas mask with filter type A. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Protective goggles.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses

### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemical resistant gloves (according to European standard ISO 374-1 or equivalent)	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

#### Other skin protection

#### Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection				
	Device	Filter type	Condition	Standard
	Gas mask	Filter AX (brown)	If conc. in air > exposure limit	

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

**Consumer exposure controls:** PVC gloves. Neoprene or nitrile rubber gloves.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless _EIGA0755.
Appearance	: liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: -57 – 110 °C Aerosol
Flammability (solid, gas)	: Extremely flammable aerosol
Explosive properties	: Pressurised container: May burst if heated.
Lower explosive limit (LEL)	: 1 vol %
Upper explosive limit (UEL)	: 9,5 vol %
Flash point	: -12 °C Aerosol
Auto-ignition temperature	: 367 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 1 mm²/s
Solubility	: Not available
Log Kow	: Not available
Vapour Pressure 20°C	: 8530 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,71 – 0,72 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: > 1 (air=1)
Particle characteristics	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard	cla	ISSES
Explosion limits	:	1 – 9,5 vol
% of flammable ingredients	:	95,1 %
9.2.2. Other safety characteristics		

Relative evaporation rate (butylacetate=1)	:	4,2
VOC content	:	681 g/l

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### **10.2. Chemical stability**

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

**10.4. Conditions to avoid** 

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

%

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.5. Incompatible materials

### Strong oxidizing agents. Strong acids.

## 10.6. Hazardous decomposition products

CO, CO2.

SECTION 11: Toxicological informati	on
11.1. Information on hazard classes as d	efined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>
Hydrocarbons, C6-C7, n-alkanes, isoalka	anes, cyclics, < 5% n-hexane
LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat
LC50 Inhalation - Rat	> 25,2 mg/l air Animal: rat
propane (74-98-6)	
LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat (Vapours)	≥ 50 mg/l/4h
cyclohexane (110-82-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 32,88 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
Skin corrosion/irritation Additional information Serious eye damage/irritation	<ul> <li>Causes skin irritation.</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> </ul>
Additional information Respiratory or skin sensitisation Additional information	<ul> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>
Germ cell mutagenicity Additional information Carcinogenicity	: Not classified : Based on available data, the classification criteria are not met : Not classified
Additional information Reproductive toxicity	<ul> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> </ul>
Additional information STOT-single exposure	<ul><li>Based on available data, the classification criteria are not met</li><li>May cause drowsiness or dizziness.</li></ul>
Additional information	: Based on available data, the classification criteria are not met
Hydrocarbons, C6-C7, n-alkanes, isoalka	
STOT-single exposure	May cause drowsiness or dizziness.
cyclohexane (110-82-7)	
STOT-single exposure	May cause drowsiness or dizziness.
n-hexane (110-54-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure Additional information	: Not classified : Based on available data, the classification criteria are not met

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-hexane (110-54-3)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
	Not classified. Based on available data, the classification criteria are not met	
Eurol Brake Cleaner Spray 500ML		
Vaporizer	Aerosol	
Viscosity, kinematic	1 mm²/s	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
Viscosity, kinematic	0,7 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	
11.2. Information on other hazards		

# 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
Other information	: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products,Likely route of exposure: ingestion, skin and eye.

## **SECTION 12: Ecological information**

12.1. Toxicity			
Ecology - general       : Toxic to aquatic life with long lasting effects.         Hazardous to the aquatic environment, short-term (acute)       : Not classified         Hazardous to the aquatic environment, long-term (acute)       : Toxic to aquatic life with long lasting effects.			
(chronic) Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cvclics. < 5% n-hexane		
LOEC (chronic)	0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
cyclohexane (110-82-7)			
LC50 fish 1	4,53 mg/l Test organisms (species): Pimephales promelas		
EC50 Daphnia 1	0,9 mg/l Test organisms (species): Daphnia magna		
12.2. Persistence and degradability			
Eurol Brake Cleaner Spray 500ML			
Persistence and degradability	Rapidly degradable		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
Persistence and degradability	Rapidly degradable		
propane (74-98-6)			
Persistence and degradability	Rapidly degradable		
cyclohexane (110-82-7)			
Persistence and degradability	Rapidly degradable		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbon dioxide (CO2) (124-38-9)	
Persistence and degradability	Rapidly degradable
n-hexane (110-54-3)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
Eurol Brake Cleaner Spray 500ML	
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
12.4. Mobility in soil	
Eurol Brake Cleaner Spray 500ML	
Ecology - soil	Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.
SECTION 13: Disposal considerations	

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional waste regulation Product/Packaging disposal recommendations Sewage disposal recommendations Waste disposal recommendations Additional information Ecology - waste materials	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Disposal must be done according to official regulations.</li> <li>Disposal must be done according to official regulations.</li> <li>Do not re-use empty containers.</li> <li>Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.</li> </ul>
European List of Waste (LoW, EC 2000/532)	: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	ADR IMDG IATA ADN		RID	
14.1. UN number or ID n	umber			
UN 1950 UN 1950 UN 1950 UN 1950 UN 1950				
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document description				
UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane), 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane), 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n- hexane), 2.1,	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane), 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane), 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group			1	1
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards			1
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available			I
14.6. Special precaution	s for user			
Overland transport Classification code (UN) Special provisions (ADR) Limited quantities (ADR 2011 Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (A Mixed packing provisions (AC Transport category (ADR) Special provisions for carriag Special provisions for carriag and handling (ADR) Special provisions for carriag Tunnel restriction code (ADR <b>Transport by sea</b> Special provisions (IMDG) Deaking instructions (IMDG)	) : 1 : E : P DR) : P DR) : M : 2 e - Packages (ADR) : V e - Loading, unloading : C e - Operation (ADR) : S ) : D : 6	90, 327, 344, 625 0 207 P87, RR6, L2 IP9 14 V9, CV12 2 3, 190, 277, 327, 344, 381, 959		
Packing instructions (IMDG) Special packing provisions (II EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG) Segregation (IMDG) <b>Air transport</b> PCA Excepted quantities (IATA PCA limited quantities (IATA PCA limited quantity max net PCA packing instructions (IATA)	MDG) : P : F : S : N ; N ;) : S : S (TA) : E ; ) : Y quantity (IATA) : 3 (TA) : 2	203 OkgG 03		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited guantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12
and handling (RID)	- 1 -
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3(a)	Eurol Brake Cleaner Spray 500ML ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; cyclohexane ; n-hexane	
3(b)	Eurol Brake Cleaner Spray 500ML ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; cyclohexane ; n-hexane	
3(c)	Eurol Brake Cleaner Spray 500ML ; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; cyclohexane ; n-hexane	
40.	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane ; propane ; cyclohexane ; n-hexane	
57.	cyclohexane	

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## VOC Directive (2004/42)

VOC content : 681 g/l

#### **Detergent Regulation (648/2004)**

Labelling of contents	
Component	%
aliphatic hydrocarbons ≥30%	

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
5.3	Firefighting instructions	Modified	
6.1	Emergency procedures	Modified	
6.1	General measures	Modified	
6.3	For containment	Modified	
7.1	Additional hazards when processed	Added	
7.2	Packaging materials	Added	
7.2	Storage conditions	Modified	
13.1	Sewage disposal recommendations	Added	
13.1	Waste disposal recommendations	Modified	
13.1	Additional information	Modified	
15.1	REACH Annex XVII	Added	

Abbreviations and acronyms:	
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

Other information

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EU	H-statements:
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Press. Gas	Gases under pressure
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

INS ICI P	1272/200	(EC)	Population	according to	or mixtures	lassification	ivo tho	to day	duro usod	d proced	sification an	CI
/	1616/200	(LU)	Acquiation		or matures	assincation	IVE LIE	a lu ue		u Dioceu	SINCALULI AL	

Aerosol 1	H222;H229	On basis of test data
Skin Irrit. 2	H315	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.