

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 31.01.2014 Revision date: 12.04.2023 Supersedes: 08.11.2019 Version: 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product name UFI Product code	<ul> <li>Mixture</li> <li>Eurol Contact Cleaner Spray 400ML</li> <li>9UPA-2S9A-V708-3Q3K</li> <li>E701465</li> <li>Aerosol,Cleaner,Detergent</li> <li>Aerosol</li> </ul>
Vaporizer	: Aerosol
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category

: Industrial use, professional use, Consumer use

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

#### 1.4. Emergency telephone number

#### Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS02 GHS07
CLP Signal word	: Danger
Contains	: Propan-2-ol
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.
	P251 - Do not pierce or burn, even after use.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	

Other hazards not contributing to the classification : Flammable or explosive vapour/air mixtures may be formed.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	35 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane substance with national workplace exposure limit(s) (IE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	35 – 50	Flam. Gas 1A, H220 Press. Gas
butane substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	10 – 25	Flam. Gas 1A, H220 Press. Gas

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

**SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures general · Call a poison center or a doctor if you feel unwell. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. : First-aid measures after skin contact Wash skin with plenty of water. : First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : May cause drowsiness or dizziness. Symptoms/effects after inhalation : Inhalation of the spray or mist may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath. Symptoms of overexposure to vapours include drowsiness, weakness, headache, dizziness, nausea, vomiting, dimming of vision. Symptoms/effects after skin contact : Redness, pain. Symptoms/effects after eye contact : Eye irritation. : Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger Symptoms/effects after ingestion quantities may cause nausea and diarrhoea. Symptoms/effects upon intravenous administration : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream. Use of heavy stream of water may spread fire.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions	<ul><li>Do not enter fire area without proper protective equipment, including respiratory protection.</li><li>Use water spray or fog for cooling exposed containers.</li></ul>	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.
Other information	Prevent fire fighting water from entering the environment. Sweep up and remove to a
	suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures	
General measures	<ul> <li>Prevent soil and water pollution. Prevent entry to sewers and public waters. Eliminate every possible source of ignition. Keep out of reach of children. Ensure adequate ventilation, especially in confined areas.</li> </ul>	
6.1.1. For non-emergency personne		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk o splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: No specific measures are necessary.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for co	ontainment and cleaning up	
For containment	: Large quantities: Contain large spillage with sand or earth. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.	
Methods for cleaning up Other information	<ul> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
	. Dispose of materials of solid residues at an autionized site.	

### 6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Handling temperature	: <45 °C
Hygiene measures	: Do no eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Keep container tightly closed and in well ventilated place.
Storage conditions	: Protect from sunlight. Do not expose ot temperatures exceeding 50°C/ 122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible products	: Reacts vigorously with strong oxidizers and acids.
Maximum storage period	: 3 year
Storage temperature	: 5−35 °C
Information on mixed storage	: Keep away from : Oxidizing materials. Strong acids.
Storage area	: Store at ambient temperature. Keep out of direct sunlight. Keep container in a well- ventilated place.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special rules on packaging	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous.
	Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat,
	flame, sparks, static electricity, or other sources of ignition. They may explode and cause
	injury or death. Empty containers should be completely drained, properly closed, and
	promptly returned to a drum reconditioner or disposed of properly.

### 7.3. Specific end use(s)

Aerosol can.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

butane (106-97-8)           Ireland - Occupational Exposure Limits           Local name         Butane           OEL (a hours ref) (ppm)         1000 ppm           Regulatory reference         Chemical Agents Code of Practice 2021           United Kingdom - Occupational Exposure Limits           Local name         Butane           WEL TWA (mgm)         450 mg/m³           WEL TWA (mgm)         600 ppm           WEL TWA (ngm)         600 ppm           WEL TWA (ppm)         600 ppm           WEL STEL (opt STEL) (ppm)         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1.3-diener)           Regulatory reference         F400/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         F100 ppm           Cocl name         Propane           OEL (8 hours ref) (ppm)         600 ppm           Cel a lame         Propane (Causing agents cube structure), sign (Gaust employee, but when present in high concentrations will act as an inple as physiants)           Regulatory reference         Chemical Agents Code of Practice 2021           Propane-2-01; Isopropy1 alcohe1; Isopropane/Code of Practice 2021         Structure)           Regulatory reference				
Local name         Butane           OEL (8 hours ref) (ppm)         1000 ppm           OEL (15 min ref) (ppm)         1000 ppm           Regulatory reference         Chemical Agents Code of Practice 2021           United Kingdom - Occupational Exposure Limits         Editation and State 2021           Local name         Butane           WEL TWA (mg/m <sup>3</sup> )         450 mg/m <sup>3</sup> WEL TWA (mg/m <sup>3</sup> )         600 ppm           WEL STEL (ng/m <sup>3</sup> )         810 mg/m <sup>3</sup> WEL STEL (ng/m <sup>3</sup> )         750 ppm           Remark (WEL)         Care (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Propane (74-98-6)         EH40/2005 (Fourth edition, 2020). HSE           Iroland - Occupational Exposure Limits         Editation in the exposed employee, but when present in high concentrations will act as asimple asphysiants)           Regulatory reference         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Regulatory reference         Chemical Agents Code of Practice 2021           propan-2-ol; Isopropyl alcohol; Isopropanol/C+6-3-0         Encel a Agents Code of Practice 2021           propan-2-ol; Isopropyl alcohol; Isopropanol/C+6-3-0         Encel a name           Icoal name         Sepropyl alcohol [Propan-2-ol]	butane (106-97-8)			
OEL (8 hours ref) (ppm)1000 ppmOEL (15 min ref) (ppm)1000 ppmRegulatory referenceChemical Agents Code of Practice 2021United Kingdom - Occupational Exposure LimitsButaneUata (Magmin)1450 mg/m²WEL TWA (mg/m²)600 ppmWEL TWA (ppm)600 ppmWEL STEL (mg/m²)810 mg/m²WEL STEL (DEL STEL) (ppm]750 ppmRemark (WEL)Carc (Capable of causing cancer and/or hertiable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)Regulatory referenceE140/2005 (Fourth edition, 2020). HSEpropane (74-98-6)1000 ppmLocal namePropaneOEL (8 hours ref) (ppm)1000 ppmRemarkChemical Agents Code of Practice 2021RemarkChemical Agents Code of Practice 2021propane-2-ol; isopropyl alcohol; isopropant (F-63-0)Isopropant (F-63-0)Ireland - Occupational Exposure LimitsChemical Agents Code of Practice 2021cacl nameChemical Agents Code of Practice 2021propane-2-ol; isopropyl alcohol; isopropant (F-63-0)Isopropan (F-63-0)Ireland - Occupational Exposure LimitsCode of Practice 2021cacl nameIsopropan (S-0)propane-2-ol; isopropanel (F-63-0)Isopropan-2-ol]Ireland - Occupational Exposure LimitsSopropyl alcohol (Propan-2-ol]Col L (5 hours ref) (ppm)200 ppmOEL (6 hours ref) (ppm)000 ppmCell (6 hours ref) (ppm)200 ppmCell (6 hours ref) (ppm)600 ppmCell (6 ho	Ireland - Occupational Exposure Limits			
OEL (15 min ref) (pcm)         1000 pcm           Regulatory reference         Chemical Agents Code of Practice 2021           United Kingdom - Occupational Exposure Limits         Butane           Local name         Butane           WEL TWA (mg/m²)         1450 mg/m²           WEL TWA (mg/m²)         600 ppm           WEL STEL (mg/m²)         1810 mg/m²           WEL STEL (DEL STEL) [ppm]         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49– 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Propane (74-98-6)         EH40/2005 (Fourth edition, 2020). HSE           Ireland - Occupational Exposure Limits         E           Local name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Remark         Asptx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphysiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propane-Col; isopropy1 alcohol; isopropant (FF-63-0)         Ireland - Occupational Exposure Limits           Local name         Sepropy1 alcohol [Propan-2-0]           DeL (8 hours ref) (ppm)         200 ppm           OEL (6 hours ref) (ppm)         200 ppm	Local name	Butane		
Regulatory reference         Chemical Agents Code of Practice 2021           United Kingdom - Occupational Exposure Limits         Butane           Local name         Butane           WEL TWA (mg/m²)         1450 mg/m²           WEL TWA (ng/m²)         600 ppm           WEL TWA (ng/m²)         1810 mg/m²           WEL STEL (ng/m²)         1810 mg/m²           WEL STEL (DCL STEL) [ppm]         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           propane (74-98-6)         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Intermediate See on the second s	OEL (8 hours ref) (ppm)	1000 ppm		
United Kingdom - Occupational Exposure Limits           Local name         Butane           WEL TWA (mg/m²)         1450 mg/m²           WEL TWA (ppm)         600 ppm           WEL STEL (mg/m²)         1810 mg/m²           WEL STEL (ng/m²)         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1.3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Eritand - Occupational Exposure Limits           Local name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Remark         Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propan-2-ol; isopropyl alcohol; isopropanol (-F-63-0)         Interval tempe each of practice 2021           Ireland - Occupational Exposure Limits         Local name           Local name         Isopropyl alcohol [Propan-2-ol]           OEL (8 hours ref) (ppm)         200 ppm           OEL (9 hours ref) (ppm)         200 ppm           OEL (9 hours ref) (ppm)         200 ppm	OEL (15 min ref) (ppm)	1000 ppm		
Local nameButaneWEL TWA (ng/m²)1450 mg/m²WEL TWA (ppm)600 ppmWEL STEL (mg/m²)1810 mg/m²WEL STEL (oEL STEL) [ppm]750 ppmRemark (WEL)Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51). (only applies if Butane contains more than 0.1% of buta-1.3-diene)Regulatory referenceEH40/2005 (Fourth edition, 2020). HSEpropane (74-98-6)Image: See paragraphs 49- 51). (only applies if Butane contains more than 0.1% of buta-1.3-diene)Ireland - Occupational Exposure LimitsPropaneLocal namePropaneOEL (8 hours ref) (ppm)000 oppmRemarkAsphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)Regulatory referenceChemical Agents Code of Practice 2021propan-2-o1; isopropyl alcohol; isopropanol (-Fos-0)Ireland - Occupational Exposure LimitsLocal nameIsopropyl alcohol [Propan-2-o1]OEL (8 hours ref) (ppm)200 ppmOEL (8 hours ref) (ppm)000 ppmOEL (8 hours ref) (ppm)600 ppmOEL (8 hours ref) (ppm)Si (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Regulatory reference	Chemical Agents Code of Practice 2021		
WEL TWA (mg/m³)         1450 mg/m³           WEL TWA (ppm)         600 ppm           WEL STEL (mg/m³)         1810 mg/m³           WEL STEL (oEL STEL) [ppm]         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51). (only applies if Butane contains more than 0.1% of buta-1.3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Ireland - Occupational Exposure Limits           Local name         Propane           OEL (8 hours ref) (ppm)         000 ppm           Remark         Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propane-2-o1; isopropyl alcohol; isopropanol (-F-6-0)         Ireland - Occupational Exposure Limits           Local name         Isopropyl alcohol [Propan-2-o1]           DeL (8 hours ref) (ppm)         Qio ppm           Cle shours ref (ppm)         Qio ppm           Cle shours ref (ppm)         Qio ppm           Cle shours ref (ppm)         Sio propyl alcohol [Propan-2-o]           Decl (8 hours ref (ppm)         Sio propyl alcohol [Propan-2-o]           Cle (9 hours ref) (ppm)	United Kingdom - Occupational Exposure Limits			
WEL TWA (ppn)         600 ppn           WEL STEL (mg/m³)         1810 mg/m³           WEL STEL (OEL STEL) [ppm]         750 ppn           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Image: Carce (Capable of Causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Image: Carce (Capable of Causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Carce (74-98-6)         Image: Carce (Capable of Causing cancer and/or heritable genetic damage. See paragraphs 49- 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Ical name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Regulatory reference         Chemical Agents Code of Practice 2021           propan-2-0; isopropyl alcohol; isopropanol (F-63-0)         Image: Carce (Capable of Causing Cancer 200; Carce	Local name	Butane		
WEL STEL (ng/m³)         1810 ng/m³           WEL STEL (OEL STEL) [ppm]         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49- c51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Internet of the contains more than 0.1% of buta-1,3-diene)           Ireland - Occupational Exposure Limits         Propane           Local name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Remark         Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propane-2-ol; isopropyl alcohol; isopropane-to-sub-sub-sub-sub-sub-sub-sub-sub-sub-sub	WEL TWA (mg/m³)	1450 mg/m <sup>3</sup>		
WEL STEL (OEL STEL) [ppm]         750 ppm           Remark (WEL)         Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49– 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)           Regulatory reference         EH40/2005 (Fourth edition, 2020). HSE           propane (74-98-6)         Internet of the dition, 2020). HSE           Local name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Remark         Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propan-2-ol; Isopropyl alcohol; isopropanol (7-63-0)         Internet (100 ppm)           Local name         Isopropyl alcohol [Propan-2-ol]           OEL (8 hours ref) (ppm)         Usopropyl alcohol [Propan-2-ol]           Iteland - Occupational Exposure Limits         Isopropyl alcohol [Propan-2-ol]           Local name         Isopropyl alcohol [Propan-2-ol]           OEL (8 hours ref) (ppm)         400 ppm           OEL (8 hours ref) (ppm)         Aspix (Sustances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	WEL TWA (ppm)	600 ppm		
Remark (WEL)Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49– 51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)Regulatory referenceEH40/2005 (Fourth edition, 2020). HSEpropane (74-98-6)Inteland - Occupational Exposure LimitsLocal namePropaneOEL (8 hours ref) (ppm)1000 ppmRemarkAsphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)Regulatory referenceChemical Agents Code of Practice 2021propan-2-ol; isopropyl alcohol; isopropanol (>-63-0)Isopropyl alcohol [Propan-2-ol]Local nameIsopropyl alcohol [Propan-2-ol]OEL (8 hours ref) (ppm)200 ppmChemical Agents Code of Practice 2021propan-2-ol; isopropyl alcohol; isopropanol (>-63-0)Iteland - Occupational Exposure LimitsLocal nameIsopropyl alcohol [Propan-2-ol]OEL (15 min ref) (ppm)200 ppmOEL (15 min ref) (ppm)400 ppmRemarkSk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	WEL STEL (mg/m <sup>3</sup> )	1810 mg/m <sup>3</sup>		
S1), (only applies if Butane contains more than 0.1% of buta-1,3-diene)         Regulatory reference       EH40/2005 (Fourth edition, 2020). HSE         propane (74-98-6)       Inteland - Occupational Exposure Limits         Local name       Propane         OEL (8 hours ref) (ppm)       1000 ppm         Remark       Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)         Regulatory reference       Chemical Agents Code of Practice 2021         propan-2-ol; isopropyl alcohol; isopropanol (>-63-0)       Inteland - Occupational Exposure Limits         Local name       Isopropyl alcohol [Propan-2-ol]         OEL (8 hours ref) (ppm)       200 ppm         OEL (8 hours ref) (ppm)       200 ppm         OEL (15 min ref) (ppm)       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	WEL STEL (OEL STEL) [ppm]	750 ppm		
propane (74-98-6)           Ireland - Occupational Exposure Limits           Local name         Propane           OEL (8 hours ref) (ppm)         1000 ppm           Remark         Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)           Regulatory reference         Chemical Agents Code of Practice 2021           propan-2-ol; isopropyl alcohol; isopropanol (>63-0)         Ireland - Occupational Exposure Limits           Local name         Isopropyl alcohol [Propan-2-ol]           OEL (8 hours ref) (ppm)         200 ppm           OEL (8 hours ref) (ppm)         400 ppm           Remark         Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Remark (WEL)			
Ireland - Occupational Exposure Limits         Local name       Propane         OEL (8 hours ref) (ppm)       1000 ppm         Remark       Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)         Regulatory reference       Chemical Agents Code of Practice 2021         propan-2-ol; isopropyl alcohol; isopropanol (7-63-0)         Ireland - Occupational Exposure Limits         Local name       Isopropyl alcohol [Propan-2-ol]         OEL (8 hours ref) (ppm)       200 ppm         OEL (15 min ref) (ppm)       400 ppm         Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Local namePropaneOEL (8 hours ref) (ppm)100 ppmRemarkAsphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)Regulatory referenceChemical Agents Code of Practice 2021-63-0)Ireland - Occupational Exposure LimitsLocal nameIsopropyl alcohol [Propan-2-0]OEL (8 hours ref) (ppm)200 ppmOEL (15 min ref) (ppm)400 ppmRemarkSk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	propane (74-98-6)			
OEL (8 hours ref) (ppm)       1000 ppm         Remark       Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)         Regulatory reference       Chemical Agents Code of Practice 2021         propan-2-ol; isopropyl alcohol; isopropanol (>-63-0)         Ireland - Occupational Exposure Limits         Local name       Isopropyl alcohol [Propan-2-ol]         OEL (8 hours ref) (ppm)       200 ppm         OEL (15 min ref) (ppm)       400 ppm         Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Ireland - Occupational Exposure Limits			
RemarkAsphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)Regulatory referenceChemical Agents Code of Practice 2021propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)Ireland - Occupational Exposure LimitsLocal nameIsopropyl alcohol [Propan-2-ol]OEL (8 hours ref) (ppm)200 ppmOEL (15 min ref) (ppm)400 ppmRemarkSk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Local name	Propane		
effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)Regulatory referenceChemical Agents Code of Practice 2021propan-2-ol; isopropyl alcohol; isopropanol (J63-0)Ireland - Occupational Exposure LimitsLocal nameIsopropyl alcohol [Propan-2-ol]OEL (8 hours ref) (ppm)200 ppmOEL (15 min ref) (ppm)400 ppmRemarkSk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	OEL (8 hours ref) (ppm)	1000 ppm		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)         Ireland - Occupational Exposure Limits         Local name       Isopropyl alcohol [Propan-2-ol]         OEL (8 hours ref) (ppm)       200 ppm         OEL (15 min ref) (ppm)       400 ppm         Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Remark	effects in the exposed employee, but when present in high concentrations will act as		
Ireland - Occupational Exposure Limits         Local name       Isopropyl alcohol [Propan-2-ol]         OEL (8 hours ref) (ppm)       200 ppm         OEL (15 min ref) (ppm)       400 ppm         Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Regulatory reference	Chemical Agents Code of Practice 2021		
Local nameIsopropyl alcohol [Propan-2-ol]OEL (8 hours ref) (ppm)200 ppmOEL (15 min ref) (ppm)400 ppmRemarkSk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)		
OEL (8 hours ref) (ppm)     200 ppm       OEL (15 min ref) (ppm)     400 ppm       Remark     Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
OEL (15 min ref) (ppm)       400 ppm         Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	Local name	Isopropyl alcohol [Propan-2-ol]		
Remark       Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	OEL (8 hours ref) (ppm)	200 ppm		
contact with it, and be absorbed into the body)	OEL (15 min ref) (ppm)	400 ppm		
Regulatory reference Chemical Agents Code of Practice 2021	Remark			
	Regulatory reference	Chemical Agents Code of Practice 2021		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
Ireland - Biological limit values			
Local name	2-Propanol		
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)		
Regulatory reference Biological Monitoring Guidelines (HSA, 2011)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (mg/m³)	999 mg/m³		
WEL TWA (ppm)	400 ppm		
WEL STEL (mg/m³)	TEL (mg/m <sup>3</sup> ) 1250 mg/m <sup>3</sup>		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. High gas/vapour concentration: gas mask with filter type A. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Protective goggles.

### Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Other skin protection

#### Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: ≤-20 °C
Freezing point	: Not available
Boiling point	: ≥ -140 °C Aerosol
Flammability (solid, gas)	: Extremely flammable aerosol
Explosive properties	: Pressurised container: May burst if heated.
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: -20 °C Aerosol
Auto-ignition temperature	: 365 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 1 mm²/s
Solubility	: Miscible with water.
Log Kow	: Not available
Vapour Pressure 20°C	: 8530 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,778 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: >1 (air=1)
Particle characteristics	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazar	d classes
Explosion limits	: 1,8 – 12 vol %
% of flammable ingredients	: 109,7 %
9.2.2. Other safety characteristics	
Relative evaporation rate (butylacetate=1)	: 1,3
VOC content	: 475 g/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

**10.6. Hazardous decomposition products** 

CO, CO2.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal)	Not classified Not classified Not classified		
butane (106-97-8)			
LD50 oral rat	≥ 5000 mg/kg		
LD50 dermal rabbit	≥ 5000 mg/kg		
LC50 Inhalation - Rat (Vapours)	≥ 50 mg/l/4h		
propane (74-98-6)			
LD50 oral rat	≥ 5000 mg/kg		
LD50 dermal rabbit	≥ 5000 mg/kg		
.C50 Inhalation - Rat (Vapours) ≥ 50 mg/l/4h			
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 Inhalation - Rat	> 20 mg/l		
Skin corrosion/irritation :	Not classified		
Additional information :	Based on available data, the classification criteria are not met		
Serious eye damage/irritation :	Causes serious eye irritation.		
Additional information :	Based on available data, the classification criteria are not met		
Respiratory or skin sensitisation :	Not classified		
Additional information :	Based on available data, the classification criteria are not met		
Germ cell mutagenicity :	Not classified		
Additional information :	Based on available data, the classification criteria are not met		
Carcinogenicity : Additional information :	Not classified		
	Based on available data, the classification criteria are not met Not classified		
Reproductive toxicity : Additional information :	Not classified Based on available data, the classification criteria are not met		
	שמשבע טון מימוומטוב עמנמ, נווב טמששוונמנוטון טוונדוומ מוש ווטג ווופג		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure Additional information	<ul><li>May cause drowsiness or dizziness.</li><li>Based on available data, the classification criteria are not met</li></ul>	
propan-2-ol; isopropyl alcohol; isoprop	anol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure Additional information Aspiration hazard Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>	
Eurol Contact Cleaner Spray 400ML		
Vaporizer	Aerosol	
iscosity, kinematic 1 mm²/s		
propan-2-ol; isopropyl alcohol; isoprop	anol (67-63-0)	
Viscosity, kinematic	2,5 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties No additional information available		
11.2.2. Other information		
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met	
Other information	: Toxicological data have not been determined specifically for this product. Information given	

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products,Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information	
12.1. Toxicity	
	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)
LC50 fish 1	9640 mg/l (96h; Pimephales promelas [flow-trough])
LC50 fish 2	11130 mg/l (96h; Pimephales promelas [static])
EC50 Daphnia 1	13299 mg/l (48h; Daphnia magna)
EC50 other aquatic organisms 1	> 1000 mg/l (96h; Desmodesmus subspicatus)
EC50 other aquatic organisms 2	> 1000 mg/l (72h; Desmodesmus subspicatus)
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus
EC50 96h - Algae [1]	> 1000 mg/l Desmodesmus subspicatus
12.2. Persistence and degradability	
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)
Biodegradation	95 % (21 d; OECD 301E)

# Safety Data Sheet

12.3. Bioaccumulative potential			
Eurol Contact Cleaner Spray 400ML			
ioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment.			
butane (106-97-8)			
Log Pow	2,89		
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)		
Bioconcentration factor (BCF REACH)	< 100		
Log Pow	< 3 Slightly bioaccumulative		
12.4. Mobility in soil			
Eurol Contact Cleaner Spray 400ML			
Ecology - soil	Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.		
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information :	Avoid release to the environment.		

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional legislation (waste) Product/Packaging disposal recommendations Waste disposal recommendations	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.</li> </ul>
Additional information Ecology - waste materials	<ul> <li>Hazardous waste.</li> <li>Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.</li> </ul>
European List of Waste (LoW) code	<ul> <li>: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances</li> </ul>

ECTION 14: Transpor				
accordance with ADR / IMD	G / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID nu	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS

# Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document descr	iption			1
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2	1 UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard o	class(es)			·
2.1	2.1	2.1	2.1	2.1
2				
14.4. Packing group	I			1
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	'		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatic	on available			
14.6. Special precaution	s for user			
Overland transport		_		
Classification code (UN)		5F		
Special provisions (ADR) _imited quantities (ADR 2011		190, 327, 344, 625 1I		
Excepted quantities (ADR)		E0		
Packing instructions (ADR)		P207		
Special packing provisions (A		PP87, RR6, L2		
Vixed packing provisions (AD		MP9		
Transport category (ADR) : 2		2		
pecial provisions for carriage - Packages (ADR) : V14		V14		
Special provisions for carriage and handling (ADR)	e - Loading, unloading :	CV9, CV12		
Special provisions for carriage Tunnel restriction code (ADR)	,	S2 D		
Transport by sea				
Special provisions (IMDG)				
Limited quantities (IMDG) : SP277				
Excepted quantities (IMDG)	pted quantities (IMDG) : E0			

Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ERG code (IATA)	:	10L
Inland waterway transport		
Classification code (ADN)	:	5F
Special provisions (ADN)	:	190, 327, 344, 625
Limited quantities (ADN)	:	1 L
Excepted quantities (ADN)	:	E0
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01, VE04
Number of blue cones/lights (ADN)	:	1
Rail transport		
Classification code (RID)	:	5F
Special provisions (RID)	:	190, 327, 344, 625
Limited quantities (RID)	:	1L
Excepted quantities (RID)	:	E0
Packing instructions (RID)	:	P207, LP200
Special packing provisions (RID)	:	PP87, RR6, L2
Mixed packing provisions (RID)	:	MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading	:	CW9, CW12
and handling (RID)		
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3(a)	Eurol Contact Cleaner Spray 400ML ; propan-2-ol; isopropyl alcohol; isopropanol	
3(b)	Eurol Contact Cleaner Spray 400ML ; propan-2-ol; isopropyl alcohol; isopropanol	
40.	0. butane ; propane ; propan-2-ol; isopropyl alcohol; isopropanol	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content

: 475 g/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Detergent Regulation (648/2004)**

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes			
Section	Changed item		Comments
	Revision date	Modified	
	Supersedes	Modified	
	Flammability (solid, gas)	Modified	
	Number of blue cones/lights (ADN)	Added	
	Ventilation (ADN)	Added	
	Equipment required (ADN)	Added	
	Excepted quantities (ADN)	Added	
	Limited quantities (ADN)	Added	
	Danger labels (ADN)	Added	
	Classification code (ADN)	Added	
	Proper Shipping Name (RID)	Added	
	Hazard identification number (RID)	Added	
	Colis express (express parcels) (RID)	Added	
	Special provisions for carriage - Loading, unloading and handling (RID)	Added	
	Special provisions for carriage – Packages (RID)	Added	
	Transport category (RID)	Added	
	Mixed packing provisions (RID)	Added	
	Special packing provisions (RID)	Added	
	Packing instructions (RID)	Added	
	Excepted quantities (RID)	Added	
	Limited quantities (RID)	Added	
	Special provisions (RID)	Added	
	Classification code (RID)	Added	
	ERG code (IATA)	Added	
	Special provisions (IATA)	Added	

# Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
	CAO max net quantity (IATA)	Added	
	CAO packing instructions (IATA)	Added	
	PCA max net quantity (IATA)	Added	
	PCA packing instructions (IATA)	Added	
	PCA limited quantity max net quantity (IATA)	Added	
	PCA Limited quantities (IATA)	Added	
	PCA Excepted quantities (IATA)	Added	
	Danger labels (ICAO)	Added	
	Proper Shipping Name (IATA)	Added	
	Proper Shipping Name (IMDG)	Added	
	Danger labels (IMDG)	Added	
	EmS-No. (Spillage)	Added	
	EmS-No. (Fire)	Added	
	Limited quantities (IMDG)	Added	
	Segregation (IMDG)	Added	
	Stowage and handling (IMDG)	Added	
	Stowage category (IMDG)	Added	
	Excepted quantities (IMDG)	Added	
	Special provisions (IMDG)	Added	
	Special provisions for carriage - Operation (ADR)	Added	
	Special provisions for carriage - Loading, unloading and handling (ADR)	Added	
	Special provisions for carriage - Packages (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Special packing provisions (ADR)	Added	
	Packing instructions (ADR)	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	

# Safety Data Sheet

Indication of changes				
ection Changed item		Change	Comments	
4.2	Symptoms/injuries after eye contact Modified			
4.2	Symptoms/effects Modified			
5.1	Suitable extinguishing media	Modified		
5.2	Hazardous decomposition products in case of fire	Added		
5.2	Fire hazard	Modified		
5.2	Explosion hazard	Modified		
5.3	Protection during firefighting	Modified		
6.1	Protective equipment	Modified		
6.1	Emergency procedures	Modified		
6.2	Environmental precautions	Modified		
6.3	Methods for cleaning up	Modified		
6.3	Other information	Modified		
7.1	Precautions for safe handling	Modified		
7.1	Hygiene measures Modified			
7.2	Storage conditions	Modified		
8.2	Environmental exposure controls	Modified		
8.2	Respiratory protection	Modified		
8.2	Hand protection	Modified		
8.2	Appropriate engineering controls	Modified		
8.2	Skin and body protection Modified			
9.1	Explosive properties	Added		
10.1	Reactivity	Modified		
10.4	Conditions to avoid	Modified		
12.1	Ecology - general	Modified		
13.1	Product/Packaging disposal Added recommendations			
14.1	UN-No. (ADN)	Added		
14.2	Proper Shipping Name (ADN) Added			
14.2	Proper Shipping Name Modified			
14.6	Special provisions (ADN) Added			
14.6	Special packing provisions (IMDG)	Added		
14.6	Packing instructions (IMDG)	Added		
15.1	REACH Annex XVII	Added		
16	Abbreviations and acronyms	Added		

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations a	Abbreviations and acronyms:			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
EN	European Standard			
IARC	International Agency for Research on Cancer			
ATA	International Air Transport Association			
MDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration	Median lethal concentration		
_D50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet			
STP	Sewage treatment plant	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit			
VOC	Volatile Organic Compounds			
CAS-No.	Chemical Abstract Service number			
N.O.S.	Not Otherwise Specified	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative			
ED	Endocrine disrupting properties			

Other information

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	lammable gases, Category 1A	
Flam. Liq. 2	lammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
Press. Gas	Gases under pressure	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aerosol 1	H222;H229	On basis of test data	
Eye Irrit. 2	H319	Calculation method	
STOT SE 3	H336	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.