

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 26.06.2014 Revision date: 07.07.2023 Supersedes: 03.11.2022 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI	:	Mixture Eurol Engine Oil Treat XQGP-6XJF-EA0D-FYD5
Product code Product group	:	E802315 Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Industrial use, professional use, Consumer use
Use of the substance/mixture	: Lubricant
Function or use category	: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment – Chronic Hazard, H410

Category 1 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	GHS07 GHS09
CLP Signal word	: Warning
Contains	: amines, bis (C11-14-branched and linear alkyl), tungstates
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P261 - Avoid breathing mist, spray, vapours.
	P280 - Wear protective gloves.
	P302+P352 - IF ON SKIN: Wash with plenty of water/
	P391 - Collect spillage.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	
Other hazards not contributing to the classification	: This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT
	classified as H350: May cause cancer" (Note L).". USED ENGINE OILS: Combustion products resulting from the operation of internal combustion engines contaminate engine
	oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of
	used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.]	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 50	Asp. Tox. 1, H304
Highly refined mineral oil (C15 -C50) substance with a Community workplace exposure limit	REACH-no: 01-2119484627- 25; 01-2119487077-29: 01- 2119471299-27	1 – 3	Not classified
amines, bis (C11-14-branched and linear alkyl), tungstates	CAS-No.: 1159919-46-6 EC-No.: 700-718-0 REACH-no: 01-2119949643- 29	1 – 3	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=100)
2,6-Di-tert-butyl-p-cresol substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119555270- 46	1 – 3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1 EC-No.: 270-128-1 REACH-no: 01-2119491299- 23	1 – 3	Repr. 2, H361f
diphenylamine substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 122-39-4 EC-No.: 204-539-4 EC Index-No.: 612-026-00-5 REACH-no: 01-2119488966- 13	< 0,1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Seek medical attention if ill effect develops.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects after inhalation	: At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 Symptoms/effects after ingestion
 : Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

 Symptoms/effects upon intravenous administration
 : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream. Use of heavy stream of water may spread fire.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Combustion generates: CO, CO2, POx, NOx, SOx, H2S. Metallic oxides. Not expected to be a fire/explosion hazard under normal conditions of use. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	
Other information	: Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipn	nent and emergency procedures	
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.	
6.1.1. For non-emergency personnel		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: No specific measures are necessary.	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Collect spillage. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 	
6.4. Reference to other sections		

For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	 Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do no eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Technical measures Storage conditions Incompatible products Maximum storage period Storage temperature Information on mixed storage Storage area Special rules on packaging	 Keep container tightly closed and in well ventilated place. Store in a well-ventilated place. Keep cool. Reacts vigorously with strong oxidizers and acids. 5 year ≤ 40 °C Keep away from : Oxidizing materials. Strong acids. Store at ambient temperature. Keep container tightly closed and dry.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2,6-Di-tert-butyl-p-cresol (128-37-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m³)	5 mg/m³	
Ireland - Occupational Exposure Limits		
Local name	2,6-Ditertiary-butyl-para-cresol [Butylated hydroxytoluene (BHT)]	
OEL (8 hours ref) (mg/m³)	2 mg/m ³	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	2,6-Di-tert-butyl-p-cresol	
WEL TWA (mg/m³)	10 mg/m ³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Highly refined mineral oil (C15 -C50)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m³)	5 mg/m³	
diphenylamine (122-39-4)		
Ireland - Occupational Exposure Limits		
Local name	Diphenylamine	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

diphenylamine (122-39-4)		
OEL (8 hours ref) (mg/m ³)	10 mg/m ³	
OEL (15 min ref) (mg/m3)	20 mg/m ³	
Regulatory reference Chemical Agents Code of Practice 2021		
United Kingdom - Occupational Exposure Limits		
Local name Diphenylamine		
WEL TWA (mg/m ³) 10 mg/m ³		
WEL STEL (mg/m ³) 20 mg/m ³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Exposure-value for oil mist

: 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed. **Personal protective equipment symbol(s):**



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Other skin protection Materials for protective clothing: PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and	I chemical properties
--------------------------------	-----------------------

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	Yellow.
Appearance	: Oily. Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 280 °C
Flammability (solid, gas)	: Non flammable.
Lower explosive limit (LEL)	: 0,6 vol %
Upper explosive limit (UEL)	: 7 vol %
Flash point	: 168 °C ASTM D 93
Auto-ignition temperature	: > 240 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 120 mm²/s at 40 °C, ASTM D 445
Solubility	: insoluble in water.
Log Kow	: Not available
Log Pow	: > 3
Vapour Pressure 20°C	: < 0,1 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,88 – 0,89 kg/l ASTM D 4052
Relative density	: Not available
Relative vapour density at 20°C	: > 1 (air=1)
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes			
Explosion limits	: 0,6 – 7 vol %		
9.2.2. Other safety characteristics			
Relative evaporation rate (butylacetate=1)	: <0,1		
VOC content	: 0 %		
Other properties	: Gas/vapour heavier than air at 20°C		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions
Refer to section 10.1 on Reactivity.
10.4. Conditions to avoid
Moisture. Overheating.
10.5. Incompatible materials
Strong oxidizing agents. Strong acids.
10.6. Hazardous decomposition products

CO, CO2, POx, NOx, SOx, H2S. Metallic oxides.

SECTION 11: Toxicological information	on
11.1. Information on hazard classes as de	fined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
2,6-Di-tert-butyl-p-cresol (128-37-0)	
LD50 oral rat	> 2930 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
amines, bis (C11-14-branched and linear	alkyl), tungstates (1159919-46-6)
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
obtained by treating a petroleum fraction carbon numbers predominantly in the rar	y paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons with hydrogen in the presence of a catalyst. It consists of hydrocarbons having nge of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F ge proportion of saturated hydrocarbons.] (64742-54-7)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5,53 mg/l
Benzenamine, N-phenyl-, reaction produc	cts with 2,4,4-trimethylpentene (68411-46-1)
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Skin corrosion/irritation	: Not classified
amines, bis (C11-14-branched and linear	alkyl), tungstates (1159919-46-6)
рН	6,5 – 6,9 Temp.: 20 °C
Serious eye damage/irritation	: Not classified
amines, bis (C11-14-branched and linear	alkyl), tungstates (1159919-46-6)
рН	6,5 – 6,9 Temp.: 20 °C
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity :	Not classified			
Carcinogenicity .				
2,6-Di-tert-butyl-p-cresol (128-37-0)				
NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:			
Reproductive toxicity :	Not classified			
STOT-single exposure :	Not classified			
STOT-repeated exposure :	Not classified			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)				
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)			
diphenylamine (122-39-4)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard :	Not classified			
Eurol Engine Oil Treat				
Viscosity, kinematic	120 mm²/s at 40 °C, ASTM D 445			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)				
Viscosity, kinematic	352,7 mm²/s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm²/s)'			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				

No additional information available

11.2.2. Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : Very toxic to aquatic life with long lasting effects. This product floats on water and may affect the oxygen-balance in the water. Ecology - water Hazardous to the aquatic environment, short-term : Very toxic to aquatic life. (acute) Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects. (chronic) 2,6-Di-tert-butyl-p-cresol (128-37-0) LC50 fish 1 0,199 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 Daphnia 1 0,48 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 0,4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d' LOEC (chronic) NOEC (chronic) 0,023 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 0,053 mg/l Fish 0,069 mg/l Daphnia magna (Water flea) NOEC chronic crustacea amines, bis (C11-14-branched and linear alkyl), tungstates (1159919-46-6) LC50 fish 1 > 100 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

amines, bis (C11-14-branched and linear alky), tungstates (159919-46-6) EC50 Daphnia 1 = 19 ugil Test organisms (species): Daphnia magna EC50 72h - Agae [1] 0.00086 mgil Distillates (petroleum), hydrotreated heavy paraffinic; Bascoll— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 US at 100°F (19651 at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) LC50 fish 1 1000 mgil EC30 72h - Agae [1] > 100 mgil Beazonamine, N-phenyl-, reaction products with 2,4,4-trimethylpentone (68411-46-1) LC50 fish 1 LC50 72h - Agae [1] > 100 mgil Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 100 mgil Test organisms (species): Deamodensus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [1] > 100 mgil Test organisms (species): Deamodensus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [1] > 100 mgil Test organisms (species): Deamodensus subspicatus (previous name: Scenedesmus subspicatus) EC50 72h - Algae [1] > 100 mgil 72h EC50 72h - Algae [1] 2,3 mgil EC50 72h - Algae [1] 2,3 mgil EC50						
ECS0 72h - Algee [1] 0.00088 mgll Distillates (petroleum), hydrotreated heavy paraffinic; Baseoli— unspecified; [A complex combination of hydrocarbons but in during of C20 through in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 US at 100°F (19658 ta 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) LC50 fish 1 1000 mgl ECS0 T2h - Algae [1] > 100 mgl Bezenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) LCS0 fish 1 LCS0 Bahnia 1 > 100 mgll Test organisms (species): Danio reiro (previous name: Brachydanio refio) ECS0 C2h - Algae [1] > 100 mgll Test organisms (species): Danio reiro (previous name: Scenedesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 (ligae) > 100 mgll Test organisms (species): Danio magna ECS0 (ligae) > 100 mgll Test organisms (species): Demodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 (ligae) > 100 mgll Test Highly refined mineral oil (C15-C50) Uo mgll Test organisms (species): Demodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 Tah Algae [1] 0.048 mgl Idphenylamine (122-35-4) LCS0 fish 1 LCS0 fish 1 2.2 mgl ECS0 Daphnia 1 2.3 mgl ECS0 Daphnia 1 2.3 mgl ELCS0 Trake [1] 0.048 mgl <t< td=""><td colspan="5">amines, bis (C11-14-branched and linear alkyl), tungstates (1159919-46-6)</td></t<>	amines, bis (C11-14-branched and linear alkyl), tungstates (1159919-46-6)					
Distillates (petroloum), hydrotroated heavy paraffinic; Bassoil—unspecified; (A complex combination of hydrocarbons obtained by treating a petroloum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) LC50 fish 1 100 mg/l EC50 Daphina 1 1000 mg/l EC50 72h - Agae (1) > 100 mg/l Banzenamine, N-phenyl-, reaction products with 2,4,4-timothylpontone (68411-46-1) LC50 fish 1 LC50 Tah > 100 mg/l Test organisms (species): Daphina magna EC50 72h - Algae (1) > 100 mg/l Test organisms (species): Daphina magna EC50 72h - Algae (1) > 100 mg/l Test organisms (species): Daphina magna EC50 72h - Algae (1) > 100 mg/l Test organisms (species): Daphina magna EC50 72h - Algae (1) > 100 mg/l Test organisms (species): Daphina magna EC50 72h - Algae (1) > 100 mg/l Test Highly refined mineral oil (C15 - C50) EC50 obter aquatic organisms 1 EC50 0aphina 1 2,2 mg/l EC50 Oaphina 1 2,3 mg/l EC50 72h - Algae (1) 0.46 mg/l Ec50 72h - Algae (1) 0.46 mg/l Ec50 72h - Algae (1) 0.46 mg/l						
obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7) LC50 fish 1 100 mg/l EC50 Daphnia 1 100 mg/l EC50 T2h - Aigae [1] > 100 mg/l Test organisms (species): Danio renic (previous name: Brachydanio renic) EC50 T2h - Aigae [1] > 100 mg/l Test organisms (species): Danio renic (previous name: Brachydanio renic) EC50 T2h - Aigae [1] > 100 mg/l Test organisms (species): Danio renic (previous name: Brachydanio renic) EC50 T2h - Aigae [1] > 100 mg/l Test organisms (species): Danion renic (previous name: Scenedesmus subspicatus) ErC50 (sigae) > 100 mg/l Test organisms (species): Danion renic (previous name: Scenedesmus subspicatus) ErC50 (sigae) > 100 mg/l T2h Highly refined mineral oil (C15 - C50) EC50 offen 1 EC50 Oben plania 1 2.2 mg/l EC50 Oben plania 1 2.3 mg/l EC50 Oben plania 1	EC50 72h - Algae [1] 0,00088 mg/l					
ECS0 Daphnia 1 10000 mg/l ECS0 72h - Algae [1] > 100 mg/l Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentone (68411-46-1) LCS0 fish 1 LCS0 Daphnia 1 5 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) ECS0 Daphnia 1 5 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) ECS0 T2h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 Qaphnia 1 5 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 Qagae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ECS0 Qagae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErCS0 Qagae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErCS0 Calgae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus name: Scenedesmus name: Scenedesmus nam	obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F					
EC50 72h - Algae [1] > 100 mg/l Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) LC50 fish 1 > 100 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Brachydanio rerio) EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 (algae) > 100 mg/l 72h Highly refined mineral oil (C15 -C50) Ec50 other equatic organisms 1 EC50 72h - Algae [1] 0.12 mg/l diphenylamine (122-39-4) Ec50 other equatic organisms 1 LC50 fish 1 2.2 mg/l EC50 72h - Algae [1] 0,048 mg/l Ec50 72h - Algae [1] Not readily biodegradable. 2.2. Persistence and degradability Not readily biodegradable. 2.6-D1-fert-butyl-p-cresol (128-37-0) Eiodegradable. Biodegradability Not readily biodegradable in water. ThOD 2.39 g O ₂ /g substance Ecol Engine Oil Treat	LC50 fish 1 100 mg/l					
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) LGS0 fish 1 > 100 mg/l Test organisms (species): Dahin errol (previous name: Brachydanio rerio) ECS0 Daphnia 1 \$1 mg/l Test organisms (species): Daphnia magna ECS0 T2h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErCS0 (dgae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErCS0 (dgae) > 100 mg/l 72h Highly refined mineral oil (C15 - CS0) ECS0 often aquatic organisms 1 ECS0 often aquatic organisms 1 1.2 mg/l diphenylamine (122-39-4) LCS0 fish 1 ECS0 T2h - Algae [1] 0,048 mg/l EcS0 T2h - Algae [1] Not readily biodegradable. 2,6-D1-tert-butyl-p-cresol (128-37-0) Biodegradablity Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Not readily biodegradable in water. ProD 2.39 g O _x /g substance 12.3. Bioaccumulative potential This	EC50 Daphnia 1	10000 mg/l				
LC50 fish 1 > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 Daphnia 1 51 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 (algae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 other aquatic organisms 1 1,2 mg/l diphenylamine (122-39-4) LC50 fish 1 LC50 T2h - Algae [1] 0,048 mg/l EC50 72h - Algae [1] 0,048 mg/l EC50 72h - Algae [1] 0,048 mg/l Eurol Engine Oil Treat Persistence and degradability Persistence and degradability Not readily biodegradable. 2,6-Di-fort-butyl-p-cresol (128-37-0) Biodegradability Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconnentration factor (BCF REACH) Bioconnentration factor (BCF REA	EC50 72h - Algae [1]	> 100 mg/l				
EC50 Daphnia 1 51 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 (algae) > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 ofter aquatic organisms 1 1.2 mg/l diphenylamine (122-39-4) LC50 fish 1 LC50 Taphnia 1 2.2 mg/l EC50 Daphnia 1 2.3 mg/l EC50 T2h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradability Biodegradation 4.5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation Biodegradation 4.5 % (OECD 301C method) diphenylamine (122-39-4) Persistence Persistence and degradability Not readily biodegradable in water. ThOD 2.39 g O_/g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-b	Benzenamine, N-phenyl-, reaction products w	ith 2,4,4-trimethylpentene (68411-46-1)				
EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 (algae) > 100 mg/l 72h Highly refined mineral oil (C15 - C50) EC50 other aquatic organisms 1 1,2 mg/l C50 fish 1 2,2 mg/l EC50 T2h - Algae [1] 0,048 mg/l EC50 72h - Algae [1] 0,048 mg/l EC50 T2h - Algae [1] 0,048 mg/l EC50 72h - Algae [1] 0,048 mg/l EC50 T2h - Algae [1] 0,048 mg/l EC50 72h - Algae [1] 0,048 mg/l Ec50 T2h - Algae [1] 0,048 mg/l Ec50 72h - Algae [1] 0,048 mg/l Ec50 T2h - Algae [1] 0,048 mg/l Ec50 F2h - Algae [1] 0,048 mg/l Ec50 T2h - Algae [1] 0,048 mg/l Ec50 F2h - Algae [1] 0,048 mg/l Ec50 T2h - Algae [1] 0,048 mg/l Ec50 F2h - Algae [1] 0,048 mg/l Ec50 T2h - Algae [1]	LC50 fish 1	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)				
Scenedesmus subspicatus) ErC50 (algae) > 100 mg/l 72h Highly refined mineral oil (C15 - C50) EC50 other aquatic organisms 1 1.2 mg/l diphonylamine (122-39-4) LC50 fish 1 2.2 mg/l EC50 Daphnia 1 2.3 mg/l EC50 T2h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability 0.048 mg/l Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradabile Biodegradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconneutration factor (BCF REACH) Bioconsentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	EC50 Daphnia 1	51 mg/l Test organisms (species): Daphnia magna				
Highly refined mineral oil (C15 -C50) EC50 other aquatic organisms 1 1.2 mg/l diphenylamine (122-39-4) LC50 fish 1 2.2 mg/l EC50 Daphnia 1 2.3 mg/l EC50 72h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2.6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4.5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2.6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential						
EC50 other aquatic organisms 1 1,2 mg/l diphenylamine (122-39-4) 2,2 mg/l LC50 fish 1 2,3 mg/l EC50 Daphnia 1 2,3 mg/l EC50 72h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O _x /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential Eurol Engine Oil Treat	ErC50 (algae)	> 100 mg/l 72h				
diphenylamine (122-39-4) LC50 fish 1 2.2 mg/l EC50 Daphnia 1 2.3 mg/l EC50 T2h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradability Biodegradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential Eurol Engine Oil Treat 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative food chains in the environment.	Highly refined mineral oil (C15 -C50)					
LC50 fish 1 2,2 mg/l EC50 Daphnia 1 2,3 mg/l EC50 72h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential Eurol Engine Oil Treat 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	EC50 other aquatic organisms 1	1,2 mg/l				
EC50 Daphnia 1 2,3 mg/l EC50 72h - Algae [1] 0.048 mg/l 12.2. Persistence and degradability 0.048 mg/l 12.2. Persistence and degradability Not readily biodegradable. 2.6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation Biodegradation 4.5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulative potential Eurol Engine Oil Treat 2,30 g O ₂ /g substance 12.3. Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) 330 Cyprinus carpio (Common carp)	diphenylamine (122-39-4)					
EC50 72h - Algae [1] 0,048 mg/l 12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4.5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp) 330 Cyprinus carpio (Common carp)	LC50 fish 1	2,2 mg/l				
12.2. Persistence and degradability Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp) State Common carp.	EC50 Daphnia 1	;,3 mg/l				
Eurol Engine Oil Treat Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O₂/g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biooccumulation factor (BCF REACH) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	EC50 72h - Algae [1] 0,048 mg/l					
Persistence and degradability Not readily biodegradable. 2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp) 330 Cyprinus carpio (Common carp)	12.2. Persistence and degradability					
2,6-Di-tert-butyl-p-cresol (128-37-0) Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumulation factor (BCF REACH) 330 Cyprinus carpio (Common carp) 330 Cyprinus carpio (Common carp)	Eurol Engine Oil Treat					
Biodegradation 4,5 % (OECD 301C method) diphenylamine (122-39-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioaccumon (BCF REACH) Bioaccumon factor (BCF REACH) 330 Cyprinus carpio (Common carp)	Persistence and degradability Not readily biodegradable.					
diphenylamine (122-39-4) Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Image: Comparison of the state of the s	2,6-Di-tert-butyl-p-cresol (128-37-0)					
Persistence and degradability Not readily biodegradable in water. ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Image: Comparison of the state of	Biodegradation	4,5 % (OECD 301C method)				
ThOD 2,39 g O ₂ /g substance 12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp) 330 Cyprinus carpio (Common carp)	diphenylamine (122-39-4)					
12.3. Bioaccumulative potential Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	Persistence and degradability	Not readily biodegradable in water.				
Eurol Engine Oil Treat Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	ThOD	2,39 g O ₂ /g substance				
Log Pow > 3 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	12.3. Bioaccumulative potential					
Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment. 2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	Eurol Engine Oil Treat					
2,6-Di-tert-butyl-p-cresol (128-37-0) Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	Log Pow	> 3				
Bioconcentration factor (BCF REACH) 330 Cyprinus carpio (Common carp)	Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.				
	2,6-Di-tert-butyl-p-cresol (128-37-0)					
Log Pow 5,1	Bioconcentration factor (BCF REACH)	330 Cyprinus carpio (Common carp)				
	Log Pow	5,1				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

amines, bis (C11-14-branched and linear alkyl), tungstates (1159919-46-6)				
Log Pow	> 8			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)				
Bioconcentration factor (BCF REACH) 1730				
Log Pow	5,1			
diphenylamine (122-39-4)				
BCF fish 1	51 – 253			
Log Pow	3,22 – 3,5			
12.4. Mobility in soil				
Eurol Engine Oil Treat				
Ecology - soil Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in water.				
diphenylamine (122-39-4)				
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.			

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. E	Indocrine	disrupting	properties
		aiorapting	

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Hazardous waste.	Regional legislation (waste) Product/Packaging disposal recommendations Waste disposal recommendations	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
 Ecology - waste materials Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point. European List of Waste (LoW) code 13 02 06* - Synthetic engine, gear and lubricating oils 	Ecology - waste materials	: Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name	· · · · · · · · · · · · · · · · · · ·		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document descr	iption	·,		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ; amines, bis (C11-14- branched and linear alkyl), tungstates), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ; amines, bis (C11-14- branched and linear alkyl), tungstates), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group				<u>.</u>
III	Ш	III	III	Ш
14.5. Environmental haz	ards	·,		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available	I		I

Overland transport

Classification code (UN)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR 2011)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading	:	CV13
and handling (ADR)		
Hazard identification number (Kemler No.)	:	90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

•

: -: •3Z 90

3082

Orange plates Tunnel restriction code (ADR) EAC code

Transport	by sea	

Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	Τ4
Portable tank and bulk container special provisions	:	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Eurol Engine Oil Treat ; amines, bis (C11-14-branched and linear alkyl), tungstates ; Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.] ; Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
3(c)	Eurol Engine Oil Treat ; amines, bis (C11-14-branched and linear alkyl), tungstates	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Diphenylamine (122-39-4)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section Changed item Change Comments			
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.2	Precautionary statements (CLP)	Modified	
2.3	Other hazards not contributing to the classification	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.2	Symptoms/injuries after skin contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	For containment	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
8.2	Environmental exposure controls	Modified	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
9.1	Melting point	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Flash point	Modified	
9.1	Density	Modified	
9.1	Viscosity, kinematic	Modified	
12.1	Ecology - general	Modified	
13.1	Product/Packaging disposal recommendations	Added	
15.2	Chemical safety assessment	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
16	Abbreviations and acronyms	Added	
16	Data sources	Added	
16	Other information	Added	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Asp. Tox. 1	Aspiration hazard, Category 1		
H301	Toxic if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H317	May cause an allergic skin reaction.		
H331	Toxic if inhaled.		
H361f	Suspected of damaging fertility.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Repr. 2	Reproductive toxicity, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Sens. 1	H317	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.