

specialty lubricants

Eurol CL-F Lube Spray 400ML

Lubricant reinforced with a high concentration of SYNGIS Technology

Article number S003200AER Version 1.1 20/05/2025

Produktinformationen

Eurol CL-F Lube Spray with the highest concentration of Eurol SYNGIS Technology provides exceptionally high protection against wear. The product is chlorine-free and contains no PTFE, making it very suitable for replacing aerosols with harmful chlorinated paraffins or microplastics.

Thanks to the extremely good lubricating properties, it is especially suitable for lubrication and protection.

Product benefits

- Very high protection against wear.
- · Contains no chlorinated paraffins or PTFE microplastics.
- Light in color.
- Does not smell.
- Does not smoke.
- Very low coefficient of friction.
- Reduces energy consumption.
- Very economical in use.
- Also very suitable as a metalworking oil for heavy operations such as tapping, drilling, and sawing.

Application

- Heavily loaded transport or drive chains in logistics or production.
- Open lubrication points such as heavily loaded couplings, open gears, bearings, and hinges.
- Open lubrication points in metalworking machines.

Instructions for use

- Clean and degrease parts thoroughly with Swift Clean 110 or Swift Clean 130.
- Shake well before use.
- Apply a thin film.
- Allow the product to penetrate.
- Remove excess product with a clean cloth.
- For dry lubrication and very high corrosion protection, Eurol PL Lube Spray is suitable.

Physical properties

Characteristic	Value/Result	ASTM Standard
Color	brown	
Density at 20°C	0.91 kg/l	ASTM D 4052
Flash point	60 °C	ASTM D 92

Eurol B.V., Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 88 250 22 00, info@eurol.com, eurol.com

This document is intended to inform you about the product features and possible applications of Eurol products. The information in this document is subject to change at any time without prior notice due to ongoing product research and development. The analysis data in this sheet contains typical values. Minor deviations, which can occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet has been compiled with great care, Eurol accepts no liability for damages resulting from any incompleteness and/or inaccuracies in the text. We always advise you to follow the manufacturer's instructions. The translations provided here are made using ChatGPT, an Al language model developed by OpenAl. While we strive to deliver accurate and useful translations, we cannot guarantee that all translations are error-free or always capture the correct context and nuances.