

specialty lubricants SYN



Eurol Grease CS-2/101

Lubrication grease / anti corrosion agent

Description

Eurol Grease CS-2 / 101 with Eurol SYNGIS Technology is a high performance lubricating grease developed for extreme situations in e.g. the paper, cement and steel industry and heavy equipment in offshore and shipping.

Eurol Grease CS-2 / 101 is suitable for lubrication of:

- Open and closed bearings
- · Cables and chains
- Autoclaves
- Steam valves
- · Agricultural and fishing equipment
- Equipment working in extreme environments like (salt) water and high temperatures

Instructions for use

Clean the system thoroughly with Eurol Swift Clean 110

Suitable for automatic lubrication systems

Eurol Grease CS-2/101 has the following characteristics

Excellent anti wear and EP properties Extreme protection against corrosion Shear stable **Excellent water resistancy** Resistant to shock loads Very good thermal and oxidation stability Less oil bleeding, so very suitable for automatic

lubrication systems Economical in use

Physical properties

my cross properties			
Colour	brown		
NLGI consistency	2		ASTM D 217
Thickener type	Calcium Sulfonate		
Density at 20°C	1.02	kg/l	ASTM D 1298
Base oil viscosity	300	cSt	ASTM D 445
Base oil type	Mineral		
Operating temperature	-30 – 140	°C	

Greases - Article number S005110 Version 1.0, 21-08-2015