



Eurol Grease CS-2/102 FD

Food grade synthetic grease / anti-corrosion agent

Description

Eurol Grease CS-2/102 FD with SYNGIS Technology is a professional, synthetic high performance lubricating grease, suitable for application in open and closed bearings, cables and chains, autoclaves, steam valves, agricultural and fishing equipment and equipment operating in extreme environments like (salt) water and high temperatures.

Eurol Grease CS-2/102 FD is food grade InS H1 / NSF H1 certified, making it suitable for incidental food contact in, among others, the food industry, pharmaceutical industry, food service and agriculture.

Instructions for use

Clean the system thoroughly with Eurol Swift Clean 120 FD Spray
Suitable for automatic lubrication systems

Eurol Grease CS-2/102 FD has the following characteristics

NSF H1, 161465

Excellent anti wear and EP properties

Extreme protection against corrosion

Shear stable

Excellent water resistancy

Resistant to shock loads

Oxidation stable

Less oil bleeding, so very suitable for automatic lubrication systems

Economical in use

Physical properties

Colour	light brown	
NLGI consistency	2	ASTM D 217
Thickener type	Calcium Sulfonate	
Base oil viscosity	400	cSt
Base oil type	Synthetic	ASTM D 445
Operating temperature	-40 – 175	°C

Greases - Article number S005118
Version 1.1, 18-06-2020

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, www.eurolspecialty.com

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.