

specialty lubricants 

## Eurol Lube PL

**“Dry” multi-functional lubricant reinforced with SYNGIS Technology**

Article number S009101 Version 1.2 16/01/2025

### Product information

Eurol Lube PL is a "dry" lubricant with Eurol SYNGIS Technology. Eurol Lube PL is developed for non-drip, dry, clean, and durable lubrication of many applications where excellent creeping ability, penetration, and anti-corrosion properties are required. It displaces moisture, is water-resistant, and loosens corroded parts. Thanks to the dry lubrication properties, sand and dust are not picked up.

Eurol Lube PL is perfectly suitable for:

- All open lubrication points such as couplings, bearings, and hinges
- Cables and conveyor belts

### Usage instructions

Clean and degrease parts thoroughly

Apply a thin film

Allow the product to penetrate and dry

Remove excess product with a clean cloth

For more demanding applications, Eurol CL-F Lube with a higher concentration of SYNGIS Technology is available

### Product benefits

- Excellent anti-wear properties
- Excellent protection against corrosion
- Excellent cleaning action
- Very good water resistance
- Very good creeping ability
- Loosens corroded parts
- Provides a thin and "dry" protective lubricating film
- Does not attract dirt or dust
- Very low friction coefficient
- Reduces energy consumption
- Economical in use

### Physical properties

Characteristic	Value/Result	ASTM Standard
Color	brown	
Density at 20°C	0.87 kg/l	ASTM D 4052
Viscosity, kinematic at 40°C	32.0 cSt	ASTM D 445
Viscosity, kinematic at 100°C	9.1 cSt	ASTM D 445
Viscosity Index	287	ASTM D 2270
Flash Point	60 °C	ASTM D 92
Pour point	-42 °C	ASTM D 97

**Eurol B.V., Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 88 250 22 00, info@eurol.com, eurol.c**

This document is intended to inform you about the product features and possible applications of Eurol products. The information in this document is subject to change at any time without prior notice due to ongoing product research and development. The analysis data in this sheet contains typical values. Minor deviations, which can occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet has been compiled with great care, Eurol accepts no liability for damages resulting from any incompleteness and/or inaccuracies in the text. We always advise you to follow the manufacturer's instructions. The translations provided here are made using ChatGPT, an AI language model developed by OpenAI. While we strive to deliver accurate and useful translations, we cannot guarantee that all translations are error-free or always capture the correct context and nuances.