



## Eurol E-HD Grease HY-2/103-S

Exceptional efficiency, unmatched protection

### Description

Fully synthetic lubricant grease based on Eurol Syngis technology, specifically developed for electrified heavy duty applications. This additive technology ensures exceptional energy efficiency and unmatched protection against wear in the most severe conditions.

Eurol E Heavy Duty Grease HY-2/103-S offers extreme corrosion protection, resists water washout, is very easily pumpable over a wide temperature range and offers excellent wear protection. Eurol E Heavy Duty Grease HY-2/103-S is recommended for use in open and closed lubrication points like bearings, slewing rings and hinges. Eurol E Heavy Duty Grease HY-2/103-S can be used in automatic lubrication systems.

### Instructions for use

Before applying the grease, clean the parts thoroughly

### Eurol E-HD Grease HY-2/103-S has the following characteristics

- Unmatched energy efficiency
- Exceptional wear protection
- Extremely low friction
- Very long product lifetime
- Extends system lifetime

### Physical properties

Colour	Beige	
NLGI consistency	2	ASTM D 217
Base oil viscosity	100 cSt	ASTM D 445
Base oil type	Synthetic	

Version 1.0, 02-08-2023

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, The Netherlands, tel. +31 548 61 51 65, [www.eurolspecialty.com](http://www.eurolspecialty.com)

This document is intended to inform you about product properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical data in this product data sheet are typical values. Small deviations, which may occur during the normal manufacturing process of the product, will not affect the quality of the product. Although this information sheet is compiled with great care, Eurol accepts no liability for damage resulting from incompleteness and/or inaccuracies in the text. We recommend that you always follow the manufacturer's instructions.