

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20-11-2018 Revision date: 4-7-2023 Supersedes: 4-5-2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Eurol CL-F Lube
Product code	: S003200
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Industrial use,professional use,Consumer use
- : Lubricant
- : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165 reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number

: For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] CLP Signal word : -Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. **EUH-statements** : EUH208 - Contains 2,5-Dimercapto-1,3,4-thiadiazole derivative. May produce an allergic reaction. : Not applicable Child-resistant fastening Tactile warning : Not applicable 2.3. Other hazards

Other hazards not contributing to the classification

: This product floats on water and may affect the oxygen-balance in the water. The base oil contains less than 3% DMSO-extract measured according IP 346, therefore it is NOT classified as H350: May cause cancer" (Note L).".

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58- 5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-48-9 EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	25 – 35	Asp. Tox. 1, H304
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50	CAS-No.: 68784-26-9 EC-No.: 701-251-5 REACH-no: 01-2119524004- 56	1 – 3	Aquatic Chronic 4, H413
Highly refined mineral oil (C15 -C50) substance with a Community workplace exposure limit	REACH-no: 01-2119484627- 25; 01-2119487077-29: 01- 2119471299-27	1 – 3	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 95-38-5 EC-No.: 202-414-9 REACH-no: 01-2119777867- 13	0,1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
2,5-Dimercapto-1,3,4-thiadiazole derivative	EC-No.: 948-020-7 REACH-no: 01-2120792779- 28	0,1 – 1	Acute Tox. 4 (Inhalation), H332 (ATE=3,08 mg/l/4h) Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 4, H413
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched substance listed as REACH Candidate (Phenol, alkylation products (mainly in para position) with C12- rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) substance identified as having endocrine disrupting properties	CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207- 49	0,1 – 1	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
ethanediol; ethylene glycol substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	0,1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

 Seek medical attention if ill effect develops. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.
, both acute and delayed
At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.
: Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis. High pressure injection of product into the skin may lead t local necrosis if the product is not surgically removed.
: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.
: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.
: Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Combustion generates: CO, CO2, POx, NOx, SOx, H2S. Metal oxides. Not expected to be a fire/explosion hazard under normal conditions of use. Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	 Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protecti	ve equipment and emergency procedures	
General measures	: Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and public waters.	
6.1.1. For non-emergency personnel		
Protective equipment	: When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.	
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	No specific measures are necessary.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for cont	ainment and cleaning up	
For containment Methods for cleaning up Other information	 Large quantities: Contain large spillage with sand or earth. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 	

6.4. Reference to other sections For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures	: Do no eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Keep container tightly closed and in well ventilated place.
Storage conditions	: Store in a well-ventilated place. Keep cool.
Incompatible products	: Reacts vigorously with strong oxidizers and acids.
Maximum storage period	: 3 year
Storage temperature	: ≤40 °C
Information on mixed storage	: Keep away from : Oxidizing materials. Strong acids.
Storage area	: Store at ambient temperature.
Special rules on packaging	: Keep container tightly closed and dry.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biologica	l limit values	
Highly refined mineral oil (C15 -C50)		
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m³)	5 mg/m³	
ethanediol; ethylene glycol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol	
IOELV TWA (mg/m³)	52 mg/m ³	
IOELV TWA (ppm)	20 ppm	
IOELV STEL (mg/m ³)	104 mg/m ³	
IOELV STEL (ppm)	40 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	Ethane-1,2-diol [Ethylene glycol]	
OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour	
OEL (8 hours ref) (ppm)	20 ppm vapour	
OEL (15 min ref) (mg/m3)	104 mg/m³ vapour	
OEL (15 min ref) (ppm)	40 ppm vapour	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Malta - Occupational Exposure Limits		
Local name	Ethylene glycol	
OEL TWA (mg/m³)	52 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)		
OEL TWA (ppm)	20 ppm	
OEL STEL (mg/m³)	104 mg/m ³	
OEL STEL (ppm)	40 ppm	
Remark	Skin # Ĝilda	
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)	
United Kingdom - Occupational Exposure Limits		
Local name	Ethane-1,2-diol	
WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour	
WEL TWA (ppm)	20 ppm vapour	
WEL STEL (mg/m³)	104 mg/m³ vapour	
WEL STEL (OEL STEL) [ppm]	40 ppm vapour	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Exposure-value for oil mist

: 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed. **Personal protective equipment symbol(s):**



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other skin protection

Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Appearance	: Oily. Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 280 °C
Flammability (solid, gas)	: Non flammable.
Explosive limits	: 0,6 – 7 vol %
Lower explosive limit (LEL)	: 0,6 vol %
Upper explosive limit (UEL)	: 7 vol %
Flash point	: > 60 °C ASTM D 93
Auto-ignition temperature	: > 240 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: > 20,5 mm²/s at 40 °C, ASTM D 445
Solubility	: insoluble in water.
Log Kow	: Not available
Log Pow	: > 3
Vapour Pressure 20°C	: < 0,1 hPa
Vapour pressure at 50°C	: Not available
Density	: 0,88 – 0,9 kg/l ASTM D 4052
Relative density	: Not available
Relative vapour density at 20°C	: > 1 (air=1)
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes		
Explosion limits	: 0,6 – 7 vol %	
9.2.2. Other safety characteristics		
Relative evaporation rate (butylacetate=1)	: < 0,1	
VOC content	: 0 %	
Other properties	: Gas/vapour heavier than air at 20°C	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity
10.1. Reactivity
Stable under normal conditions of use.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Refer to section 10.1 on Reactivity.
10.4. Conditions to avoid
Moisture. Overheating.
10.5. Incompatible materials
Strong oxidizing agents. Strong acids.
10.6. Hazardous decomposition products
CO, CO2, POx, NOx, SOx, H2S. Metal oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
ATE CLP (oral)	500 mg/kg bodyweight	
2,5-Dimercapto-1,3,4-thiadiazole derivative		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	3,08 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat (Dust/Mist)	3,08 mg/l/4h	
ATE CLP (gases)	4500 ppmv/4h	
ATE CLP (vapours)	11 mg/l/4h	
ATE CLP (dust,mist)	3,08 mg/l/4h	
ethanediol; ethylene glycol (107-21-1)		
LD50 oral rat	7712 mg/kg bodyweight Animal: rat	
LD50 dermal	> 3500 mg/kg mouse	
LC50 Inhalation - Rat	> 2,5 mg/l (6h)	
ATE CLP (oral)	500 mg/kg bodyweight	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
LD50 oral rat	2100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1620 - 2730	

Safety Data Sheet

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
LD50 dermal rabbit	≈ 15000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Hydrocarbons, C10-C13, n-alkanes, isoalka	nes, cyclics, <2% aromatics (64742-48-9)	
LD50 oral rat	> 5000 mg/kg (OECD 401 method)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 4,9 mg/l (OECD 403 method)	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50 (68784-26-9)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 4000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation	: Not classified	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
рН	11,1	
ethanediol; ethylene glycol (107-21-1)		
рН	6 - 7,5	
Serious eye damage/irritation	: Not classified	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
рН	11,1	
ethanediol; ethylene glycol (107-21-1)		
рН	6 – 7,5	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure : Not classified 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
LOAEL (oral, rat, 90 days)	≥ 60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:	
NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:	
STOT-repeated exposure	May cause damage to organs (digestive organs) through prolonged or repeated exposure.	
2,5-Dimercapto-1,3,4-thiadiazole derivative		
NOAEL (oral, rat, 90 days)	330 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)		
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50 (68784-26-9)		
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (dermal, rat/rabbit, 90 days)	≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
Aspiration hazard :	Not classified	
Eurol CL-F Lube		
Viscosity, kinematic	> 20,5 mm²/s at 40 °C, ASTM D 445	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
Viscosity, kinematic	35,85 mm²/s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm²/s)'	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
Viscosity, kinematic	450 mm²/s	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
Viscosity, kinematic	1,8 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	
11.2. Information on other hazards		

11.2.1. Endocrine disrupting properties

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5)	The substance is identified for having endocrine disrupting properties but there is no additional data available
11.2.2. Other information	
	Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. This product floats on water and may affect the oxygen-balance in the water. Not classified Harmful to aquatic life with long lasting effects.	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
LC50 fish 1	0,3 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	0,163 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0,03 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

Safety Data Sheet

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
ErC50 (algae)	0,03 mg/l	
2,5-Dimercapto-1,3,4-thiadiazole derivative		
LC50 fish 1	> 100 mg/l	
EC50 Daphnia 1	45 mg/l Daphnia	
EC50 other aquatic organisms 1	> 1000 mg/l Micro-organism	
EC50 72h - Algae [1]	> 100 mg/l	
NOEC (acute)	10 mg/l Micro-organism	
Highly refined mineral oil (C15 -C50)		
EC50 other aquatic organisms 1	1,2 mg/l	
ethanediol; ethylene glycol (107-21-1)		
LC50 fish 1	> 72860 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'	
NOEC chronic fish	15380 mg/l Pimephales promelas	
NOEC chronic crustacea	8590 mg/l daphnia	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
EC50 Daphnia 1	0,037 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0,15 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0,36 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	0,012 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0,0037 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Hydrocarbons, C10-C13, n-alkanes, isoalkane	es, cyclics, <2% aromatics (64742-48-9)	
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 Daphnia 1	> 1000 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50 (68784-26-9)		
LC50 fish 1	1000 mg/l	
EC50 Daphnia 1	1000 mg/l	
12.2. Persistence and degradability		
Eurol CL-F Lube		
Persistence and degradability	Not readily biodegradable.	

Persistence and degradability	Not readily biodegradable.
ethanediol; ethylene glycol (107-21-1)	
Persistence and degradability	Readily biodegradable in water. easily degradable in the soil.
Biochemical oxygen demand (BOD)	0,47 g O ₂ /g substance

Safety Data Sheet

ethanediol; ethylene glycol (107-21-1)			
Chemical oxygen demand (COD)	1,24 g O₂/g substance		
ThOD	1,29 g O₂/g substance		
BOD (% of ThOD)	0,36		
phenol, dodecyl-, branched; phenol, 2-dodecy	/l-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
Persistence and degradability	Not readily biodegradable in water.		
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)			
Biodegradation	80 %		
	pranched olefins (C12 rich) derived from propene oligomerization, zed, including distillates (petroleum), heavy paraffinic C10-C50 (68784-26-9)		
BOD (% of ThOD)	13,4 % ThOD		
12.3. Bioaccumulative potential			
Eurol CL-F Lube			
Log Pow	> 3		
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.		
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)			
Log Kow	> 7		
2,5-Dimercapto-1,3,4-thiadiazole derivative	2,5-Dimercapto-1,3,4-thiadiazole derivative		
Log Pow	> 6,5		
ethanediol; ethylene glycol (107-21-1)			
Log Pow	-1,36		
Bioaccumulative potential	No bioaccumulation.		
phenol, dodecyl-, branched; phenol, 2-dodecy	/l-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
BCF fish 1	749 – 823		
Bioconcentration factor (BCF REACH)	794,33		
Log Pow	7,14		
Log Kow	7,14		
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50 (68784-26-9)			
Bioconcentration factor (BCF REACH)	2,2		
Log Pow	9,5		
12.4. Mobility in soil			
Eurol CL-F Lube			
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.		
ethanediol; ethylene glycol (107-21-1)			
Surface tension	0,048 N/m (20 °C)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Surface tension	42,2 mN/m	
Log Koc	4,4 - 4,67	
12.5. Results of PBT and vPvB assessment		
Component		
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58- 5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6. Endocrine disrupting properties		
Component		
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched(121158-58-5)	The substance is identified for having endocrine disrupting properties but there is no additional data available	
12.7. Other adverse effects		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Product/Packaging disposal recommendations	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
Additional information	: Hazardous waste.
Ecology - waste materials	: Every mixture with foreign substances such as solvents, brake- and cooling liquids is
	forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be
	dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such
	containers to heat, flame, sparks, static electricity, or other sources of ignition. They may
	explode and cause injury or death. Empty containers should be completely drained, properly
	closed, and promptly returned to a drum reconditioner or disposed of properly. When not
	empty dispose of this container at hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precautions for user				

Overland transport

Not applicable

Transport by sea Not applicable

Air transport

Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol ; 2,5-Dimercapto-1,3,4-thiadiazole derivative ; Distillates (petroleun hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treati petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbe predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt 40°C). It contains a relatively large proportion of saturated hydrocarbons.] ; ethanediol; ethylene glycol ; phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched ; Hydrocarbons, C10-C13, n-all isoalkanes, cyclics, <2% aromatics	
3(c)	Eurol CL-F Lube ; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol ; 2,5-Dimercapto-1,3,4-thiadiazole derivative ; phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched ; Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), heavy paraffinic C10-C50	
30. phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations \geq 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Flammability (solid, gas)	Added	
	Revision date	Modified	
	Supersedes	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.2	Precautionary statements (CLP)	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during firefighting	Modified	
6.1	Emergency procedures	Modified	
6.1	Protective equipment	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up		
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
8.2	Environmental exposure controls	Modified	

Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
9.1	Melting point	Added	
12.1	Ecology - general	Modified	
13.1	Product/Packaging disposal recommendations	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and	Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH	Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4		
Asp. Tox. 1	Aspiration hazard, Category 1		
EUH208	Contains 2,5-Dimercapto-1,3,4-thiadiazole derivative. May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H332	Harmful if inhaled.		
H360F	May damage fertility.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		
Repr. 1B	Reproductive toxicity, Category 1B		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Irrit. 2 Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CL			
Aquatic Chronic 3 H412 Calcu		H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.