

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13.02.2017 Revision date: 04.12.2023 Supersedes: 08.12.2022 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Eurol Swift Clean 300 UFI : 9X6Y-KV95-D20E-2TU4

Product code : S007122

Type of product : Cleaner,Detergent
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, professional use

Use of the substance/mixture : Cleaner

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

## 1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

CLP Signal word : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe dust, fume, gas, mist, spray, vapours.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER, a doctor.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

EUH-statements : EUH208 - Contains 3,7-Dimethyl-6-octenal. May produce an allergic reaction.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol; ethylene glycol monobutyl ether substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=1200 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
potassium hydroxide; caustic potash substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1A, H314
3,7-Dimethyl-6-octenal ; Citronellal	CAS-No.: 106-23-0 EC-No.: 203-376-6 REACH-no: 01-2119474900- 37	0,1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
potassium hydroxide; caustic potash	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	(0,5 ≤ C < 2) Skin Irrit. 2, H315 (0,5 ≤ C < 2) Eye Irrit. 2, H319 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Seek medical attention if ill effect develops.

First-aid measures after inhalation : Take victim to fresh air, in a quiet place, in an half laying position and if necessary take

medical advice. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Ensure adequate

flushing of eyes by separating eyelids with the fingers. Obtain medical attention if pain,

blinking, tears or redness persist.

First-aid measures after ingestion : Consult a doctor/medical service if you feel unwell. If vomiting occurs spontaneously, keep

head below the hips to prevent aspiration. Do not induce vomiting. Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

: Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant hazard under anticipated conditions of normal use.

Contact during a long period may cause light irritation.

Symptoms/effects after eye contact : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger

quantities may cause nausea and diarrhoea.

Symptoms/effects upon intravenous administration : Unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Symptoms/effects after inhalation

Symptoms/effects after ingestion

Suitable extinguishing media : carbon dioxide (CO2), dry chemical powder, foam. Water fog.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion generates: CO, CO2.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

## 5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

Other information : Prevent fire fighting water from entering the environment. Sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulations.

04.12.2023 (Revision date) EN (English) 3/15

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and

public waters.

6.1.1. For non-emergency personnel

Protective equipment : Use protective clothing.

Emergency procedures : No specific measures are necessary.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : No specific measures are necessary.

### 6.2. Environmental precautions

Dike for recovery or absorb with appropriate material. Notify authorities if product enters sewers or public waters. Prevent soil and water pollution. Prevent liquid from entering sewers, watercourses, underground or low areas. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and material for containment and cleaning up

For containment : Large quantities: Contain large spillage with sand or earth.

Methods for cleaning up : Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust). Take up large spills with pump or vacuum and finish with dry chemical absorbent.

Other information : Use suitable disposal containers. Sweep up and remove to a suitable, clearly marked

container for disposal in accordance with local regulations.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: None under normal use.

: May be dangerously slippery if spilled. Do not eat, drink or smoke during use. Remove

contaminated clothing and shoes.

Hygiene measures : Take all necessary measures to avoid accidental discharge of products into drains and

waterways due to the rupture of containers or transfer systems. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash

contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and in well ventilated place.

Storage conditions : Keep only in original container.

Incompatible products : Reacts vigorously with strong oxidizers and acids.

Maximum storage period : 3 year Storage temperature :  $\leq$  40 °C

Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.

Storage area : Store at ambient temperature.

Special rules on packaging : Keep container tightly closed and dry.

## 7.3. Specific end use(s)

No additional information available

04.12.2023 (Revision date) EN (English) 4/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

2-Butoxyethanol; ethylene glycol monobutyl ether (111-16-2)  EU - Indicative Occupational Exposure Limit (IOEL)  Local name  2-Butoxyethanol  IOELV TWA (ng/m²)  30 pm  IOELV TWA (ppm)  30 ppm  IOELV STEL (ng/m²)  30 ppm  IOELV STEL (ng/m²)  30 ppm  Notes  Skin  Regulatory reference  COMMISSION DIRECTIVE 2000/39/EC  Ireland - Occupational Exposure Limits  Local name  2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]  OEL (8 hours ref) (ng/m²)  OEL (8 hours ref) (ng/m²)  OEL (15 min ref) (ppm)  S0 ppm  Remark  S1 (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference  Intelled - Biological limit values  Local name  2-Butoxyethanol  BMGV  20 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference  Biological Monitoring Guidelines (HSA, 2011)  Matta-Occupational Exposure Limits  Local name  2-Butoxyethanol  BMGV  20 ppm  OEL TWA (ng/m²)  98 mg/m²  OEL TWA (ppm)  99 mg/m²  OEL STEL (ng/m²)  99 mg/m²  OEL STEL (ng/m²)  90 ppm  CEL STEL (ng/m²)  50 ppm  Remark  8-Butoxyethanol  Local name  2-Butoxyethanol  SL 242 4 - Chemical Agents at Work Regulations (I. N 356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  SL 242 4 - Chemical Agents at Work Regulations (I. N 356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  Well TWA (ng/m²)  123 mg/m²  Well TWA (ng/m²)  25 ppm  Well STEL (ng/m²)  26 ppm  Well STEL (ng/m²)  26 ppm  Well STEL (ng/m²)  26 ppm  Well STEL (ng/m²)  50 ppm	2. In the control of the day of t		
DeLiv TWA (mg/m²)   98 mg/m²   10ELV TWA (ppm)   20 ppm   10ELV TWA (ppm)   246 mg/m²   10ELV STEL (mg/m²)   246 mg/m²   10ELV STEL (mg/m²)   246 mg/m²   10ELV STEL (ppm)   50 ppm	2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
IOELV TWA (mg/m²)   98 mg/m²   20 ppm   20 ppm			
DELV TWA (ppm)   20 ppm	Local name	-	
IOELV STEL (mg/m²)   246 mg/m²     OELV STEL (ppm)   50 ppm     Notes   Skin     Regulatory reference   COMMISSION DIRECTIVE 2000/39/EC     Ireland - Occupational Exposure Limits     Local name   2-Butoxyethanol (EGBE) [Ethylene glycol monobulyl ether]     OEL (8 hours ref) (mg/m²)   98 mg/m²     OEL (15 min ref) (mg/m³)   246 mg/m²     OEL (15 min ref) (mg/m³)   246 mg/m²     OEL (15 min ref) (ppm)   50 ppm     Remark   Skinstances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)     Regulatory reference   Chemical Agents Code of Practice 2021     Ireland - Biological limit values     Local name   2-Butoxyethanol     BMGV   200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift     Regulatory reference   Biological Monitoring Guidelines (HSA, 2011)     Malfa - Occupational Exposure Limits     Local name   2-Butoxyethanol     OEL TWA (mg/m²)   98 mg/m²     OEL TWA (mg/m²)   246 mg/m²     OEL STEL (mg/m²)   246 mg/m²     OEL STEL (mg/m²)   246 mg/m²     OEL STEL (mg/m²)   249 mg/m²     OEL STEL (mg/m²)   240 mg/m²     OEL TWA (ppm)   240 mg/m²	IOELV TWA (mg/m³)	98 mg/m³	
IOELV STEL (ppm)   50 ppm	IOELV TWA (ppm)	20 ppm	
Notes Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  Ireland - Occupational Exposure Limits  Local name 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]  OEL (8 hours ref) (mg/m²) 98 mg/m³  OEL (15 min ref) (mg/m³) 20 ppm  OEL (15 min ref) (mg/m³) 246 mg/m²  OEL (15 min ref) (ppm) 50 ppm  Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name 2-Butoxyethanol  BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m²) 98 mg/m³  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m²) 246 mg/m³  OEL STEL (mg/m²) 246 mg/m³  OEL STEL (mg/m²) 245 mg/m²  OEL STEL (mg/m²) 245 mg/m²  WEL STEL (mg/m²) 123 mg/m²  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m²) 246 mg/m²	IOELV STEL (mg/m³)	246 mg/m³	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  Ireland - Occupational Exposure Limits  Local name 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]  OEL (8 hours ref) (mg/m³) 98 mg/m³  OEL (8 hours ref) (mg/m³) 246 mg/m³  OEL (15 min ref) (mg/m³) 246 mg/m³  OEL (15 min ref) (mg/m³) 50 ppm  Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Teland - Biological limit values  Local name 2-Butoxyethanol  BMGY 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m²) 98 mg/m³  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m²) 246 mg/m³  OEL STEL (mg/m²) 50 ppm  Remark Skin # Gilda  Regulatory reference SL 424 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m²) 123 mg/m²  WEL TWA (mg/m²) 25 ppm  WEL TWA (mg/m²) 25 ppm  WEL STEL (mg/m²) 25 ppm  WEL STEL (mg/m²) 25 ppm	IOELV STEL (ppm)	50 ppm	
Ireland - Occupational Exposure Limits  Local name  2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]  OEL (8 hours ref) (mg/m²)  98 mg/m²  OEL (15 min ref) (mg/m³)  20 ppm  OEL (15 min ref) (mg/m³)  246 mg/m²  OEL (15 min ref) (ppm)  50 ppm  Remark  Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference  Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name  2-Butoxyethanol  BMGV  200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference  Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name  2-Butoxyethanol  OEL TWA (mg/m²)  98 mg/m²  OEL TWA (ppm)  20 ppm  OEL STEL (mg/m²)  246 mg/m²  VEL TWA (mg/m²)  123 mg/m²  WEL TWA (ppm)  25 ppm  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m²)  246 mg/m²  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m²)  246 mg/m²  WEL STEL (mg/m²)  246 mg/m²	Notes	Skin	
Local name 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]  OEL (8 hours ref) (mg/m²) 98 mg/m²  OEL (15 min ref) (mg/m3) 246 mg/m²  OEL (15 min ref) (ppm) 50 ppm  Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name 2-Butoxyethanol  BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Maita - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m²) 98 mg/m²  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m²) 246 mg/m²  OEL STEL (mg/m²) 50 ppm  Remark Skin # Gilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m²) 123 mg/m²  WEL TWA (ppm) 25 ppm  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m²) 246 mg/m²	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
OEL (8 hours ref) (mg/m³)         98 mg/m³           OEL (8 hours ref) (ppm)         20 ppm           OEL (15 min ref) (mg/m3)         246 mg/m³           OEL (15 min ref) (ppm)         50 ppm           Remark         Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)           Regulatory reference         Chemical Agents Code of Practice 2021           Ireland - Biological limit values         2-Butoxyethanol           BMGV         200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift           Regulatory reference         Biological Monitoring Guidelines (HSA, 2011)           Malta - Occupational Exposure Limits           Local name         2-Butoxyethanol           OEL TWA (mg/m³)         98 mg/m³           OEL TWA (ppm)         20 ppm           OEL STEL (mg/m²)         246 mg/m³           OEL STEL (ppm)         50 ppm           Regulatory reference         S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)           United Kingdom - Occupational Exposure Limits           Local name         2-Butoxyethanol           WEL TWA (mg/m³)         123 mg/m³           WEL TWA (ppm)         25 ppm           WEL STEL (mg/m²)         246 mg/m³ <td>Ireland - Occupational Exposure Limits</td> <td></td>	Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (ppm) OEL (15 min ref) (mg/m3) OEL (15 min ref) (mg/m3) OEL (15 min ref) (ppm) So ppm  Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name 2-Butoxyethanol  BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol OEL TWA (mg/m²) 98 mg/m² OEL TWA (ppm) 20 ppm OEL STEL (mg/m²) 246 mg/m² OEL STEL (ppm) 50 ppm  Remark Skin # Gilda  Regulatory reference S. L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol WEL TWA (ppm) 25 ppm  WEL TWA (ppm) 25 ppm  WEL TWA (ppm) 26 ppm  VEL STEL (mg/m²) 26 mg/m² VEL TWA (ppm) 27 ppm 28 ppm VEL STEL (mg/m²) 29 ppm	Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL (15 min ref) (mg/m3) OEL (15 min ref) (mg/m3) OEL (15 min ref) (ppm) So ppm  Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name 2-Butoxyethanol  BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol OEL TWA (mg/m²) 98 mg/m² OEL TWA (ppm) 20 ppm OEL STEL (mg/m²) 246 mg/m³ OEL STEL (ppm) 85 ppm Remark Skin # Gilda Regulatory reference United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol WEL TWA (mg/m²) 123 mg/m³ WEL TWA (ppm) 25 ppm WEL STEL (mg/m²) 26 ppm WEL STEL (mg/m²) 26 ppm WEL STEL (mg/m²) 27 ppm 28 ppm WEL STEL (mg/m²) 28 ppm WEL STEL (mg/m²) 29 ppm VEL STEL (mg/m²) 29 ppm	OEL (8 hours ref) (mg/m³)	98 mg/m³	
OEL (15 min ref) (ppm)  So ppm  Remark  Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference  Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name  2-Butoxyethanol  BMGV  200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference  Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name  2-Butoxyethanol  OEL TWA (mg/m²)  OEL TWA (ppm)  OEL STEL (mg/m²)  OEL STEL (mg/m²)  OEL STEL (ppm)  Remark  Skin # Ĝilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m²)  123 mg/m²  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m²)  264 mg/m³  VEL STEL (mg/m²)  275 ppm  WEL STEL (mg/m²)  286 mg/m³  VEL STEL (mg/m²)	OEL (8 hours ref) (ppm)	20 ppm	
Remark  Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference  Chemical Agents Code of Practice 2021  Ireland - Biological limit values  Local name  2-Butoxyethanol  BMGV  200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference  Biological Monitoring Guidelines (HSA, 2011)  Matta - Occupational Exposure Limits  Local name  2-Butoxyethanol  OEL TWA (mg/m³)  98 mg/m³  OEL TWA (ppm)  OEL STEL (mg/m³)  OEL STEL (mg/m³)  OEL STEL (ppm)  Remark  Skin # Gilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  25 ppm  WEL TWA (mg/m³)  246 mg/m³  25 ppm  WEL STEL (mg/m³)  246 mg/m³	OEL (15 min ref) (mg/m3)	246 mg/m³	
contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)  Regulatory reference Chemical Agents Code of Practice 2021  Ireland - Biological Ilmit values  Local name 2-Butoxyethanol  BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Matta - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m³) 98 mg/m³  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m³) 246 mg/m³  OEL STEL (ppm) 50 ppm  Remark Skin # Gilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m³) 123 mg/m³  WEL TWA (ppm) 25 ppm  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m³) 246 mg/m³	OEL (15 min ref) (ppm)	50 ppm	
Ireland - Biological limit values       Local name     2-Butoxyethanol       BMGV     200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift       Regulatory reference     Biological Monitoring Guidelines (HSA, 2011)       Malta - Occupational Exposure Limits       Local name     2-Butoxyethanol       OEL TWA (mg/m³)     98 mg/m³       OEL TWA (ppm)     20 ppm       OEL STEL (mg/m³)     246 mg/m³       OEL STEL (ppm)     50 ppm       Remark     Skin # Gilda       Regulatory reference     S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)       United Kingdom - Occupational Exposure Limits       Local name     2-Butoxyethanol       WEL TWA (mg/m³)     123 mg/m³       WEL TWA (ppm)     25 ppm       WEL STEL (mg/m³)     246 mg/m³	Remark	contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure	
Local name  2-Butoxyethanol  BMGV  200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift  Regulatory reference  Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name  2-Butoxyethanol  OEL TWA (mg/m³)  98 mg/m³  OEL TWA (ppm)  20 ppm  OEL STEL (mg/m³)  OEL STEL (mg/m³)  OEL STEL (ppm)  80 ppm  Remark  Skin # Gilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	Regulatory reference	Chemical Agents Code of Practice 2021	
BMGV 200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift Regulatory reference Biological Monitoring Guidelines (HSA, 2011)  Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m³) 98 mg/m³  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m³) 246 mg/m³  OEL STEL (ppm) 50 ppm  Remark Skin # Gilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m³) 123 mg/m³  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m³) 246 mg/m³	Ireland - Biological limit values		
Regulatory reference  Malta - Occupational Exposure Limits  Local name  2-Butoxyethanol  OEL TWA (mg/m³)  98 mg/m³  OEL TWA (ppm)  20 ppm  OEL STEL (mg/m³)  OEL STEL (ppm)  80 ppm  Femark  Skin # Ĝilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	Local name	2-Butoxyethanol	
Malta - Occupational Exposure Limits  Local name 2-Butoxyethanol  OEL TWA (mg/m³) 98 mg/m³  OEL TWA (ppm) 20 ppm  OEL STEL (mg/m³) 246 mg/m³  OEL STEL (ppm) 50 ppm  Remark Skin # Gilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m³) 123 mg/m³  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m³) 246 mg/m³	BMGV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift	
Local name  2-Butoxyethanol  98 mg/m³  OEL TWA (ppm)  OEL TWA (ppm)  OEL STEL (mg/m³)  OEL STEL (ppm)  So ppm  Remark  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  WEL STEL (mg/m³)  246 mg/m³	Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
OEL TWA (mg/m³)  OEL TWA (ppm)  20 ppm  OEL STEL (mg/m³)  OEL STEL (ppm)  So ppm  Remark  Skin # Ġilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	Malta - Occupational Exposure Limits		
OEL TWA (ppm)  OEL STEL (mg/m³)  OEL STEL (ppm)  So ppm  Remark  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	Local name	2-Butoxyethanol	
OEL STEL (mg/m³)  OEL STEL (ppm)  So ppm  Remark  Skin # Ġilda  Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	OEL TWA (mg/m³)	98 mg/m³	
OEL STEL (ppm) 50 ppm  Remark Skin # Ġilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m³) 123 mg/m³  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m³) 246 mg/m³	OEL TWA (ppm)	20 ppm	
Remark Skin # Ġilda  Regulatory reference S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (mg/m³) 123 mg/m³  WEL TWA (ppm) 25 ppm  WEL STEL (mg/m³) 246 mg/m³	OEL STEL (mg/m³)	246 mg/m³	
Regulatory reference  S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)  United Kingdom - Occupational Exposure Limits  Local name  2-Butoxyethanol  WEL TWA (mg/m³)  123 mg/m³  WEL TWA (ppm)  25 ppm  WEL STEL (mg/m³)  246 mg/m³	OEL STEL (ppm)	50 ppm	
United Kingdom - Occupational Exposure Limits  Local name	Remark	Skin # Ġilda	
Local name       2-Butoxyethanol         WEL TWA (mg/m³)       123 mg/m³         WEL TWA (ppm)       25 ppm         WEL STEL (mg/m³)       246 mg/m³	Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)	
WEL TWA (mg/m³)       123 mg/m³         WEL TWA (ppm)       25 ppm         WEL STEL (mg/m³)       246 mg/m³	United Kingdom - Occupational Exposure Limits		
WEL TWA (ppm)       25 ppm         WEL STEL (mg/m³)       246 mg/m³	Local name	2-Butoxyethanol	
WEL STEL (mg/m³)  246 mg/m³	WEL TWA (mg/m³)	123 mg/m³	
	WEL TWA (ppm)	25 ppm	
WEL STEL (OEL STEL) [ppm] 50 ppm	WEL STEL (mg/m³)	246 mg/m³	
	WEL STEL (OEL STEL) [ppm]	50 ppm	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
potassium hydroxide; caustic potash (1310-58	potassium hydroxide; caustic potash (1310-58-3)	
Ireland - Occupational Exposure Limits		
Local name	Potassium hydroxide	
OEL (15 min ref) (mg/m3)	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Potassium hydroxide	
WEL STEL (mg/m³)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Large quantities: Contain large spillage with sand or earth.

### 8.2.2. Personal protection equipment

## Personal protective equipment:

Gloves. Safety glasses.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

### Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed

### 8.2.2.2. Skin protection

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use. Avoid repeated or prolonged skin contact

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

See Heading 12. See Heading 6.

#### Other information:

Do not put the product-soaked rags into the pockets of working clothes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Appearance : Liquid.
Odour : Perfume.
Odour threshold : Not available

Melting point : 0 °C Freezing point : Not available : > 100 °C Boiling point Flammability (solid, gas) : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : > 100 °C Auto-ignition temperature : 395 °C

pH : > 13 Viscosity, kinematic : 97 mm²/s

Solubility : Completely miscible with water.

: Not available

Log Kow : Not available
Log Pow : < 3
Vapour Pressure 20°C : 20,5 hPa
Vapour pressure at 50°C : Not available
Density : 1,02 – 1,04 kg/l

Relative density : 1,03
Relative vapour density at 20°C : > 1 (air=1)
Particle characteristics : Not applicable

## 9.2. Other information

Decomposition temperature

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1

Other properties : Gas/vapour heavier than air at 20°C

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions of use.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Moisture. Overheating.

#### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

#### 10.6. Hazardous decomposition products

CO, CO2.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Eurol Swift Clean 300	
ATE CLP (oral)	2000
ATE CLP (vapours)	20

#### 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

LD50 oral 1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961

#### potassium hydroxide; caustic potash (1310-58-3)

LD50 oral rat 273 mg/kg

#### 3,7-Dimethyl-6-octenal; Citronellal (106-23-0)

LD50 oral rat	2420 mg/kg Source: NLM;ChemIDplus, TOMES;LOLI;
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	2500 – 5000 mg/kg bodyweight Animal: rabbit

Skin corrosion/irritation : Causes severe skin burns.

pH: > 13

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: > 13 : Not classified

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

### 3,7-Dimethyl-6-octenal; Citronellal (106-23-0)

NOAEL (chronic, oral, animal/male, 2 years)
60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453
(Combined Chronic Toxicity / Carcinogenicity Studies)

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3,7-Dimethyl-6-octenal ; Citronellal (106-23-0)		
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female	
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	

Aspiration hazard : Not classified

Eurol Swift Clean 300	
Viscosity, kinematic	97 mm²/s

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Ecotoxicological data have not been determined specifically for this product. Information

given is based on a knowledge of the components and the ecotoxicology of similar

products.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(Sine in s)		
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
LC50 fish 1	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'	
potassium hydroxide; caustic potash (1310-5	[8-3]	
LC50 fish 1	80 mg/l 96h - Gambussa affinis	
EC50 96h - Algae [1]	100 – 1000 mg/l	
3,7-Dimethyl-6-octenal ; Citronellal (106-23-0)		
LC50 fish 1	≈ 22 mg/l Test organisms (species): Leuciscus idus	
EC50 Daphnia 1	8,7 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	13,33 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	6,74 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [1]	13,33 mg/l Source: ECHA	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.2. Persistence and degradability

Eurol Swift Clean 300		
Persistence and degradability	Product is biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
3,7-Dimethyl-6-octenal ; Citronellal (106-23-0)		
ThOD	2,9 g O <sub>2</sub> /g substance	

#### 12.3. Bioaccumulative potential

Eurol Swift Clean 300		
Log Pow	< 3	
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.	
3,7-Dimethyl-6-octenal ; Citronellal (106-23-0)		
BCF other aquatic organisms 1	280 (QSAR)	
Bioconcentration factor (BCF REACH)	< 500	
Log Pow	3,48 Source: AKRON	

## 12.4. Mobility in soil

Eurol Swift Clean 300		
Ecology - soil Spillages may penetrate the soil causing ground water contamination.		
3,7-Dimethyl-6-octenal ; Citronellal (106-23-0)		
Mobility in soil	652,1	

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not discharge

into drains or the environment.

European List of Waste (LoW, EC 2000/532) : 07 06 01\* - aqueous washing liquids and mother liquors

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

04.12.2023 (Revision date) EN (English) 10/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1814	UN 1814 UN 1814 UN 1814		UN 1814	
14.2. UN proper shippin	g name			
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION
Transport document descr	iption			
UN 1814 POTASSIUM HYDROXIDE SOLUTION (Potassium hydroxide), 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 Potassium hydroxide solution, 8, II	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available		1	1

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (UN) : C5
Limited quantities (ADR 2011) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP2

(ADR)
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Hazard identification number (Kemler No.) : 80
Orange plates :

80 1814

Tunnel restriction code (ADR) : E EAC code : 2R

#### Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Segregation (IMDG) : SG35

Properties and observations (IMDG) : Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Reacts with

ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous

membranes. Reacts violently with acids.

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) · 0.5I PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3 ERG code (IATA) : 8L

#### **Inland waterway transport**

Classification code (ADN) : C5
Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C5

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP2

(RID) : LARN

Tank codes for RID tanks (RID): L4BNTransport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Eurol Swift Clean 300 ; 2-butoxyethanol; ethylene glycol monobutyl ether ; 3,7-Dimethyl-6-octenal ; Citronellal	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Detergent Regulation (648/2004)**

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Modified	
	Date of issue	Added	
1.1	UFI on SDS 1.1	Added	
1.2	Main use category	Modified	
1.2	Intended for general public	Removed	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]  Modified		
2.1	Intended for general public	Removed	
2.2	Precautionary statements (CLP)	Modified	
7.2	Storage conditions	Modified	
7.2	Prohibitions on mixed storage	Modified	
9.1	Viscosity, kinematic	Added	
9.1	Auto-ignition temperature		
9.1	Vapour Pressure 20°C	Modified	
9.1	Flash point	Modified	
9.1	Melting point	Modified	
10.5	Incompatible materials	Modified	
11.1	ATE CLP (vapours)	Added	
11.1	ATE CLP (oral)	Added	

04.12.2023 (Revision date) EN (English) 13/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
15.1	REACH Annex XVII	Added	
16	Abbreviations and acronyms	Added	
16	Data sources	Added	
16	Other information	Added	

Abbreviations and	acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
CAS-No.	Chemical Abstract Service number	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disrupting properties	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise Specified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH208	Contains 3,7-Dimethyl-6-octenal. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.