

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9-12-2016 Revision date: 30-6-2023 Supersedes: 22-5-2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Eurol Lube PL Spray
UFI : MM1W-FVA2-EU1V-1J19

Product code : S009101AER
Type of product : Aerosol
Vaporizer : Aerosol
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 6 26 71 27 43 (24hr/day 7days/week)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

CLP Signal word : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122

°F

2.3. Other hazards

Other hazards not contributing to the classification : This product floats on water and may affect the oxygen-balance in the water. Flammable or

explosive vapour/air mixtures may be formed.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-48-9 EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	25 – 35	Asp. Tox. 1, H304
butane substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	25 – 35	Flam. Gas 1A, H220 Press. Gas
propane substance with national workplace exposure limit(s) (IE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	5 – 10	Flam. Gas 1A, H220 Press. Gas
Calcium bis(dinonylnaphtalensulphonate)	EC-No.: 939-717-7 REACH-no: 01-2119980985- 16	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Highly refined mineral oil (C15 -C50) substance with a Community workplace exposure limit	REACH-no: 01-2119484627- 25; 01-2119487077-29: 01- 2119471299-27	< 0,1	Not classified
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 95-38-5 EC-No.: 202-414-9 REACH-no: 01-2119777867- 13	< 0,1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
ethanediol; ethylene glycol substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	< 0,1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Seek medical attention if ill effect develops.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Inhalation of the spray or mist may produce severe irritation of respiratory tract,

characterized by coughing, choking or shortness of breath. Symptoms of overexposure to vapours include drowsiness, weakness, headache, dizziness, nausea, vomiting, dimming of

vision.

Symptoms/effects after skin contact : Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated

exposure may lead to dermatitis. Causes skin irritation. Red skin.

Symptoms/effects after eye contact : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

: Bad taste. Unlikely to cause harm if accidentally swallowed in small doses, though larger

quantities may cause nausea and diarrhoea.

Symptoms/effects upon intravenous administration : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Symptoms/effects after ingestion

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosion hazard Pressurised container: May burst if heated

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Prevent fire fighting water from entering the environment. Sweep up and remove to a

suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill area may be slippery. Prevent soil and water pollution. Prevent entry to sewers and

public waters. Eliminate every possible source of ignition. Keep out of reach of children.

Ensure adequate ventilation, especially in confined areas.

6.1.1. For non-emergency personnel

Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of

splashing) then chemical resistant aprons and/or impervious chemical suits and boots will

be required. Use protective clothing.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : No specific measures are necessary.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Large quantities: Contain large spillage with sand or earth. Small quantities of liquid spill:

take up in non-combustible absorbent material and shovel into container for disposal.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep

away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after

use.

Handling temperature : < 45 °C

Hygiene measures : Do no eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and in well ventilated place.

Storage conditions : Protect from sunlight. Do not expose ot temperatures exceeding 50°C/ 122°F. Store in a

well-ventilated place. Keep cool.

Incompatible products : Reacts vigorously with strong oxidizers and acids.

30-6-2023 (Revision date) EN (English) 4/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Maximum storage period : 3 year Storage temperature : \leq 50 °C

Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.

Storage area : Store at ambient temperature. Keep out of direct sunlight. Keep container in a well-

ventilated place.

Special rules on packaging : Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and

promptly returned to a drum reconditioner or disposed of properly.

7.3. Specific end use(s)

Aerosol can.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propane (74-98-6)		
Ireland - Occupational Exposure Limits		
Local name	Propane	
OEL (8 hours ref) (ppm)	1000 ppm	
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Highly refined mineral oil (C15 -C50)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOELV TWA (mg/m³)	5 mg/m³	
ethanediol; ethylene glycol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ethylene glycol	
IOELV TWA (mg/m³)	52 mg/m³	
IOELV TWA (ppm)	20 ppm	
IOELV STEL (mg/m³)	104 mg/m³	
IOELV STEL (ppm)	40 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	Ethane-1,2-diol [Ethylene glycol]	
OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour	
OEL (8 hours ref) (ppm)	20 ppm vapour	
OEL (15 min ref) (mg/m3)	104 mg/m³ vapour	
OEL (15 min ref) (ppm)	40 ppm vapour	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Malta - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA (mg/m³)	52 mg/m³
OEL TWA (ppm)	20 ppm
OEL STEL (mg/m³)	104 mg/m³
OEL STEL (ppm)	40 ppm
Remark	Skin # Ġilda
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour
WEL TWA (ppm)	20 ppm vapour
WEL STEL (mg/m³)	104 mg/m³ vapour
WEL STEL (OEL STEL) [ppm]	40 ppm vapour
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
butane (106-97-8)	
Ireland - Occupational Exposure Limits	
Local name	Butane
OEL (8 hours ref) (ppm)	1000 ppm
OEL (15 min ref) (ppm)	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Butane
WEL TWA (mg/m³)	1450 mg/m³
WEL TWA (ppm)	600 ppm
WEL STEL (mg/m³)	1810 mg/m³
WEL STEL (OEL STEL) [ppm]	750 ppm
Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. High gas/vapour concentration: gas mask with filter type A. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Protective goggles.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Other skin protection

Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Yellow.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Appearance : Oily. Liquid.
Odour
Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability (solid, gas) : Extremely flammable aerosol

Explosive properties : Pressurised container: May burst if heated.

Explosive limits : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available : Not applicable Flash point : Not available Auto-ignition temperature Decomposition temperature Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : insoluble in water. Log Kow : Not available Vapour Pressure 20°C : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : > 1 (air=1) Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 67,2 %

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

CO, CO2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, LD50 oral rat	5000 mg/kg (OECD 401 method) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal oxicity) 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal oxicity) 4,9 mg/l (OECD 403 method) 5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l
LD50 oral rat > LD50 dermal rat > LD50 dermal rabbit ≥ LC50 Inhalation - Rat > propane (74-98-6) LD50 oral rat ≥ LD50 dermal rabbit ≥ LC50 Inhalation - Rat (Vapours) ≥ Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat > LD50 dermal rat > LC50 Inhalation - Rat > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	5000 mg/kg (OECD 401 method) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal oxicity) 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal oxicity) 4,9 mg/l (OECD 403 method) 5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
LD50 dermal rat LD50 dermal rabbit EC50 Inhalation - Rat propane (74-98-6) LD50 oral rat LD50 dermal rabbit EC50 Inhalation - Rat (Vapours) Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat LD50 dermal rat LD50 dermal rat -> LC50 Inhalation - Rat >> 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9) ATE CLP (oral) ethanediol; ethylene glycol (107-21-1) LD50 oral rat -> LD50 dermal -> -> -> -> -> -> -> -> -> -	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal foxicity) 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal foxicity) 4,9 mg/l (OECD 403 method) 5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l
LD50 dermal rabbit LC50 Inhalation - Rat propane (74-98-6) LD50 oral rat LD50 dermal rabbit LC50 Inhalation - Rat (Vapours) Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat LD50 dermal rat LC50 Inhalation - Rat 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) ethanediol; ethylene glycol (107-21-1) LD50 oral rat LD50 dermal LC50 Inhalation - Rat	ioxicity) 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal oxicity) 4,9 mg/l (OECD 403 method) 5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
LC50 Inhalation - Rat > propane (74-98-6) LD50 oral rat ≥ LD50 dermal rabbit ≥ LC50 Inhalation - Rat (Vapours) ≥ Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat > LD50 dermal rat > LC50 Inhalation - Rat	oxicity) 4,9 mg/l (OECD 403 method) 5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l
propane (74-98-6) LD50 oral rat ≥ LD50 dermal rabbit ≥ LC50 Inhalation - Rat (Vapours) ≥ Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat > LD50 dermal rat > LC50 Inhalation - Rat > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat > > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1)	5000 mg/kg 5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l
LD50 oral rat LD50 dermal rabbit ≥ LC50 Inhalation - Rat (Vapours) Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat LD50 dermal rat > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) ethanediol; ethylene glycol (107-21-1) LD50 oral rat D50 dermal > C50 Inhalation - Rat > > > > > > > > > > > > >	5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
LD50 dermal rabbit LC50 Inhalation - Rat (Vapours) Calcium bis(dinonyInaphtalensulphonate) LD50 oral rat LD50 dermal rat -> 2-(2-heptadec-8-enyI-2-imidazolin-1-yI)ethanol (9 ATE CLP (oral) ethanediol; ethylene glycol (107-21-1) LD50 oral rat -> LD50 dermal -> C50 Inhalation - Rat ->	5000 mg/kg 50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
LC50 Inhalation - Rat (Vapours) Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat LD50 dermal rat LC50 Inhalation - Rat 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) ethanediol; ethylene glycol (107-21-1) LD50 oral rat LD50 dermal LC50 Inhalation - Rat > C50 Inhalation - Rat	50 mg/l/4h 2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
Calcium bis(dinonylnaphtalensulphonate) LD50 oral rat LD50 dermal rat LC50 Inhalation - Rat 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 60 ethanediol; ethylene glycol (107-21-1) LD50 oral rat LD50 dermal LC50 Inhalation - Rat >	2500 mg/kg 10000 mg/kg 9 mg/l 95-38-5)
LD50 oral rat > LD50 dermal rat > LC50 Inhalation - Rat > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	10000 mg/kg 9 mg/l 95-38-5)
LD50 dermal rat > LC50 Inhalation - Rat > 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	10000 mg/kg 9 mg/l 95-38-5)
LC50 Inhalation - Rat 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	9 mg/l 95-38-5)
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9 ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	95-38-5)
ATE CLP (oral) 50 ethanediol; ethylene glycol (107-21-1) LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	
ethanediol; ethylene glycol (107-21-1) LD50 oral rat LD50 dermal LC50 Inhalation - Rat	00 mg/kg bodyweight
LD50 oral rat 77 LD50 dermal > LC50 Inhalation - Rat >	
LD50 dermal > LC50 Inhalation - Rat >	
LC50 Inhalation - Rat >	712 mg/kg bodyweight Animal: rat
	3500 mg/kg mouse
	2,5 mg/l (6h)
ATE CLP (oral) 50	00 mg/kg bodyweight
butane (106-97-8)	
LD50 oral rat ≥	5000 mg/kg
LD50 dermal rabbit ≥	5000 mg/kg
LC50 Inhalation - Rat (Vapours) ≥	50 mg/l/4h
	ot classified ased on available data, the classification criteria are not met
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9	95-38-5)
pH 11	1,1
ethanediol; ethylene glycol (107-21-1)	
pH 6	-7,5
, 0	ot classified ased on available data, the classification criteria are not met
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (9	95-38-5)
pH 11	1,1
ethanediol; ethylene glycol (107-21-1)	
pH 6	-7,5
• •	ot classified ased on available data, the classification criteria are not met

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Carcinogenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Reproductive toxicity : Not classified
Additional information : Based on available data, the classification criteria are not met
STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)

Additional information : Based on available data, the classification criteria are not met

= (= noptadoo o onj. = nindazonii : j.)otnan	(
LOAEL (oral, rat, 90 days)	≥ 60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:	
NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
ethanediol; ethylene glycol (107-21-1)		
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	
Aspiration hazard	Not classified	
Additional information	Based on available data, the classification criteria are not met	
Eurol Lube PL Spray		
Vaporizer	Aerosol	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
Viscosity, kinematic	1,8 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
Viscosity, kinematic	35,85 mm²/s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm²/s)'	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

Other information

: Based on available data, the classification criteria are not met

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ecology - water : This product floats on water and may affect the oxygen-balance in the water.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified.

30-6-2023 (Revision date) EN (English) 10/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
LC50 fish 1	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 Daphnia 1	> 1000 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
LC50 fish 1	0,3 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	0,163 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0,03 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0,0169 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 (algae)	0,03 mg/l	
Highly refined mineral oil (C15 -C50)		
EC50 other aquatic organisms 1	1,2 mg/l	
ethanediol; ethylene glycol (107-21-1)		
LC50 fish 1	> 72860 mg/l Test organisms (species): Pimephales promelas	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'	
NOEC chronic fish	15380 mg/l Pimephales promelas	
NOEC chronic crustacea	8590 mg/l daphnia	

12.2. Persistence and degradability

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
Biodegradation	80 %	
ethanediol; ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable in water. easily degradable in the soil.	
Biochemical oxygen demand (BOD)	0,47 g O ₂ /g substance	
Chemical oxygen demand (COD)	1,24 g O ₂ /g substance	
ThOD	1,29 g O ₂ /g substance	
BOD (% of ThOD)	0,36	

12.3. Bioaccumulative potential

Eurol Lube PL Spray		
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)		
Log Kow > 7		
ethanediol; ethylene glycol (107-21-1)		
Log Pow	-1,36	
Bioaccumulative potential	No bioaccumulation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

butane (106-97-8)	
Log Pow	2,89

12.4. Mobility in soil

Eurol Lube PL Spray	
Ecology - soil	Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.
ethanediol; ethylene glycol (107-21-1)	
Surface tension	0,048 N/m (20 °C)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations

Waste disposal recommendations

: Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations. Do not discharge

into drains or the environment.

Additional information

Ecology - waste materials

: Hazardous waste.

: Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.

European List of Waste (LoW) code

: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
2	2			2
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available	1	1	1

14.6. Special precautions for user

Overland transport

Classification code (UN) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR 2011): 1IExcepted quantities (ADR): E0Packing instructions (ADR): P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	Eurol Lube PL Spray	
3(b)	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics; Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.]; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol; ethanediol; ethylene glycol	
3(c)	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
40.	propane ; butane	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.